

SAFETY DATA SHEET
MARSHAL® 250 g/L ULV INSECTICIDE

SDS # : 1256-A
Revision date: 2016-05-26
Format: NA
Version 1.02



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name MARSHAL® 250 g/L ULV INSECTICIDE

Other means of identification

Product Code(s) 1256-A

Synonyms CARBOSULFAN (FMC 35001): 2,3-dihydro-2,2-dimethylbenzofuran-7-yl (dibutylaminothio)methylcarbamate (CAS name); 2,3-dihydro-2,2-dimethyl-7-benzofuranyl [(dibutylamino)thio]methylcarbamate (IUPAC name)

Active Ingredient(s) Carbosulfan

Chemical Family Carbamate Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)
For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1

Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H317 - May cause an allergic skin reaction
H331 - Toxic if inhaled
H351 - Suspected of causing cancer
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure

Physical Hazards

H227 - Combustible liquid



Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P281 - Use personal protective equipment as required
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P235 - Keep cool

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)
P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P330 - Rinse mouth
P370 + P378 - In case of fire: Use Carbon dioxide (CO2), Dry chemical, Alcohol-resistant foam, Water spray for extinction

Precautionary Statements - Storage

P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Carbamate Pesticide.

Chemical name	CAS-No	Weight %
Carbosulfan	55285-14-8	26
Carbofuran	1563-66-2	0.5
2-Methylnaphthalene	91-57-6	20-30
Naphtha (petroleum), heavy aromatic	64742-94-5	20-30
1-Methylnaphthalene	90-12-0	10-20
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Symptoms of exposure may include headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration, blurred vision, tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma.
Indication of immediate medical attention and special treatment needed, if necessary	Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Use of oximes such as 2-PAM is controversial. Observe patient to ensure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Foam. Carbon dioxide (CO ₂). Dry chemical. Soft stream or water fog only if necessary.
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors
Explosion data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Yes.
Protective equipment and	Isolate fire area. Evaluate downwind. Wear self-contained breathing apparatus and

precautions for firefighters protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff.
Methods for cleaning up	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean and neutralize spill area, tools and equipment for a minimum contact of one hour with vinegar-alcohol solution, then by bleach soap and water. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
Incompatible products	Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbofuran (1563-66-2)	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³	Mexico: TWA 0.1 mg/m ³
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWA EV	Alberta
Carbofuran (1563-66-2)	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ inhalable fraction and vapor	TWA: 0.1 mg/m ³
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-

MARSHAL® 250 g/L ULV INSECTICIDE

SDS # : 1256-A
Revision date: 2016-05-26
Version 1.02

Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin
--------------------------	-------------------------------------	--	---	--

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and headgear.
Hand Protection	Protective gloves Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time.
Respiratory Protection	For dust, splash, mist or spray exposures wear a full-face air-supplying respirator which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization) .
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance	Amber Liquid
Physical State	Liquid
Color	Amber
Odor	Hydrocarbon-like
Odor threshold	No information available
pH	4.3
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	> 79 °C / > 174.2 °F Closed cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	8.32 lb/gal
Specific gravity	0.999 @ 20 °C
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available

Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Contact with aqueous acids may produce carbofuran.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Incompatible materials	Acids.
Hazardous Decomposition Products	Burning produces obnoxious and toxic fumes: Carbon oxides (COx), Sulfur oxides, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	740 mg/kg (rat) (Calculated using Carbosulfan technical Oral LD50 = 185 mg/kg)
LD50 Dermal	> 2,000 2,000 mg/kg (rabbit)
LC50 Inhalation	Carbosulfan: 0.61 mg/L 1 hr (rat)
Serious eye damage/eye irritation	May cause slight irritation.
Skin corrosion/irritation	Irritating to skin.
Sensitization	Carbosulfan: This product produces skin sensitization (allergic reaction) in laboratory animals, and may produce similar effects in humans.

Information on toxicological effects

Symptoms	This substance is a reversible cholinesterase-inhibiting pesticide, which elicits symptoms in humans typical of cholinesterase inhibition including headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result in death.
----------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Effects are expected to be similar to those that are seen with acute toxicity.
Mutagenicity	Carbosulfan, Carbofuran: Not genotoxic in laboratory studies
Carcinogenicity	Carbosulfan, Carbofuran: No evidence of carcinogenicity from animal studies.
Neurological effects	Carbosulfan, Carbofuran: Chronic exposure of laboratory animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain).
Reproductive toxicity	Carbosulfan, Carbofuran: No toxicity to reproduction in animal studies.
Developmental toxicity	Carbosulfan: Caused fetal incomplete ossification and major vessel variations in animal studies. Carbofuran: Not teratogenic in animal studies.
STOT - single exposure	Causes damage to organs. See listed target organs below.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects	Nervous system, Bladder, Gastrointestinal tract, Red blood cells, Acetylcholinesterase Inhibition
Neurological effects	Carbosulfan, Carbofuran: Chronic exposure of laboratory animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain).
Aspiration hazard	Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Carbosulfan 55285-14-8		Group 2A		
Naphthalene	A3	Group 2B	Reasonably Anticipated	X

91-20-3				
---------	--	--	--	--

ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 2B - Possibly Carcinogenic to Humans
NTP (National Toxicology Program)
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carbosulfan (55285-14-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Carbosulfan	48 h EC50	Crustacea	1.5	µg/L
	72 h EC50	Algae	47	mg/L
	96 h LC50	Fish	0.015	mg/L
	21 d NOEC	Crustacea	3.2	µg/L
	21 d NOEC	Fish	3.0	µg/L

Carbofuran (1563-66-2)				
Active Ingredient(s)	Duration	Species	Value	Units
Carbofuran	48 h EC50	Crustacea	0.75	mg/L
	72 h EC50	Algae	19	mg/L
	96 h LC50	Fish	0.18	mg/L
	21 d NOEC	Crustacea	0.23	µg/L
	96 h NOEC	Algae	3.2	mg/L
	21 d NOEC	Fish	5.22	µg/L

Persistence and degradability	Carbosulfan: Non-persistent. Readily hydrolyzed. Not readily biodegradable. Carbofuran: Non-persistent. Does not readily hydrolyze. Not readily biodegradable.
Bioaccumulation	Carbosulfan: The substance has a potential for bioconcentration. Carbofuran: The substance does not have a potential for bioconcentration.
Mobility	Carbosulfan: Slightly mobile; not expected to reach groundwater. Carbofuran: Moderately mobile; expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN2992
Proper Shipping Name	Carbamate pesticides, liquid, toxic
Hazard class	6.1
Packing Group	III
Reportable Quantity (RQ)	Carbofuran is in an "RQ" quantity when this material meets or exceeds 2000 pounds (250

MARSHAL® 250 g/L ULV INSECTICIDE

SDS # : 1256-A
Revision date: 2016-05-26
Version 1.02

Marine Pollutant Description gallons) per package.
 Carbosulfan, Carbofuran.
 UN2992, Carbamate pesticides, liquid, toxic (Carbosulfan, Carbofuran), 6.1, PG III, Marine Pollutant, RQ

TDG

UN/ID no UN2992
Proper Shipping Name Carbamate pesticide, liquid, toxic
Hazard class 6.1
Packing Group III
Marine Pollutant Description Carbosulfan, Carbofuran.
 UN2992, Carbamate pesticides, liquid, toxic (Carbosulfan, Carbofuran), 6.1, PG III, Marine Pollutant

Marine Pollutant Np

ICAO/IATA

UN/ID no UN2992
Proper Shipping Name Carbamate pesticide, liquid, toxic
Hazard class 6.1
Packing Group III
Description UN2992, Carbamate pesticides, liquid, toxic (Carbosulfan, Carbofuran), 6.1, PG III

IMDG/IMO

UN/ID no UN2992
Proper Shipping Name Carbamate pesticide, liquid, toxic
Hazard class 6.1
Packing Group III
EmS No. F-A, S-A
Marine Pollutant Description Carbosulfan, Carbofuran
 UN2992, Carbamate pesticides, liquid, toxic (Carbosulfan, Carbofuran), 6.1, PG III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Carbofuran - 1563-66-2	1563-66-2	0.5	1.0
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Carbofuran 1563-66-2	10 lb			X
Naphthalene 91-20-3	100 lb	X	X	X

MARSHAL® 250 g/L ULV INSECTICIDE

SDS # : 1256-A
Revision date: 2016-05-26
Version 1.02

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Carbosulfan 55285-14-8	1000 lb 454 kg	
Carbofuran 1563-66-2	10 lb 4.54 kg	10 lb
Naphthalene 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if inhaled, swallowed and absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This pesticide is highly toxic to fish, birds and other wildlife.

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbosulfan 55285-14-8	X		
Carbofuran 1563-66-2	X	X	X
2-Methylnaphthalene 91-57-6	X		
1-Methylnaphthalene 90-12-0	X	X	X
Naphthalene 91-20-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carbosulfan 55285-14-8			X			X		
Carbofuran 1563-66-2	X	X	X	X	X	X	X	X
2-Methylnaphthalene 91-57-6	X	X	X	X	X		X	X
Naphtha (petroleum), heavy aromatic	X	X	X	X	X	X	X	X

MARSHAL® 250 g/L ULV INSECTICIDE

SDS # : 1256-A

Revision date: 2016-05-26

Version 1.02

64742-94-5								
1-Methylnaphthalene 90-12-0	X	X	X	X	X		X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X

Chemical name	Carcinogen Status	Mexico
Carbofuran		Mexico: TWA 0.1 mg/m ³
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

WHMIS Hazard Class

D1B - Toxic materials
D2A - Very toxic materials
D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Revision date: 2016-05-26
Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet