

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** CENTIUM® 36 CS

#### Other means of identification

**Product code** 50000821

**Unique Formula Identifier (UFI)** : HH60-K349-1N4J-9HA5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Manufacturer or supplier's details

#### Supplier Address

Cheminova Deutschland GmbH & Co. KG  
Stader Elbstrasse 26  
21683 Stade  
Germany

Telephone: +49 (0) 4141 9204 0

Telefax: +45 (0) 4141 9204 206

E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Germany: +49-69643508409 (CHEMTREC)  
0800-181-7059 (CHEMTREC)

Medical emergency:  
Germany: +49 (0) 551 19240

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |   |
|--|---|
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |
|--|---|

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

##### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

Version 1.1      Revision Date: 23.10.2024      SDS Number: 50000821      Date of last issue: 13.12.2023  
Date of first issue: 13.12.2023

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name                                    | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|--|---|--|--------------------------|
| clomazone (ISO)                                  | 81777-89-1<br><br>613-340-00-5                        | Acute Tox. 4; H302<br>Acute Tox. 4; H332<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1<br>M-Factor (Chronic<br>aquatic toxicity): 1<br><br>Acute toxicity estimate<br><br>Acute oral toxicity:<br>768 mg/kg<br>Acute inhalation toxicity (dust/mist): 4,85 mg/l | >= 30 - < 50             |
| Calcium chloride dihydrate                       | 10035-04-8  | Eye Irrit. 2; H319   | >= 1 - < 10              |
| sodium nitrate                                   | 7631-99-4<br>231-554-3                                | Ox. Sol. 2; H272<br>Acute Tox. 4; H302<br>Eye Irrit. 2; H319<br><br>Acute toxicity estimate<br><br>Acute oral toxicity:<br>2.000 mg/kg   | >= 1 - < 10              |
| Lignosulfonic acid, sodium salt, sulfomethylated | 68512-34-5  | Eye Irrit. 2; H319   | >= 1 - < 10              |
| 1,2-benzisothiazol-3(2H)-one                     | 2634-33-5<br>220-120-9<br>613-088-00-6                | Acute Tox. 2; H330<br>Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317   | >= 0,0025 - < 0,025      |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

|  |  |  |   |
|--|--|--|---|
|  |  |  | <div>Aquatic Acute 1;<br/>H400</div> <div>Aquatic Chronic 1;<br/>H410</div> <div>M-Factor (Acute<br/>aquatic toxicity): 1</div> <div>M-Factor (Chronic<br/>aquatic toxicity): 1</div> <div>specific concentration<br/>limit</div> <div>Skin Sens. 1A; H317<br/>&gt;= 0,036 %</div> <div>Acute toxicity esti-<br/>mate</div> <div>Acute oral toxicity:<br/>450 mg/kg</div> <div>Acute inhalation tox-<br/>icity (dust/mist): 0,21<br/>mg/l</div> |
|--|--|--|---|

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |   |
|-------------------------|---|
| General advice          | : Move out of dangerous area.<br>Do not leave the victim unattended.<br>Show this safety data sheet to the doctor in attendance.  |
| If inhaled              | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact  | : Flush eyes with water as a precaution.  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : When fed to animals, the active ingredient in this product caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
  
Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
  
Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.  
  
Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Halogenated compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
  
Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

Version 1.1      Revision Date: 23.10.2024      SDS Number: 50000821      Date of last issue: 13.12.2023  
Date of first issue: 13.12.2023

sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Storage class (TRGS 510) : 10

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name               | End Use   | Exposure routes | Potential health effects   | Value                  |
|------------------------------|-----------|-----------------|----------------------------|------------------------|
| Calcium chloride dihydrate   | Consumers | Inhalation      | Long-term local effects    | 2,5 mg/m <sup>3</sup>  |
|                              | Workers   | Inhalation      | Long-term local effects    | 5 mg/m <sup>3</sup>    |
|                              | Workers   | Inhalation      | Acute local effects        | 10 mg/m <sup>3</sup>   |
|                              | Consumers | Inhalation      | Acute local effects        | 5 mg/m <sup>3</sup>    |
| 1,2-benzisothiazol-3(2H)-one | Workers   | Inhalation      | Long-term systemic effects | 6,81 mg/m <sup>3</sup> |
|                              | Workers   | Dermal          | Long-term systemic effects | 0,966 mg/kg            |
|                              | Consumers | Inhalation      | Long-term systemic effects | 1,2 mg/m <sup>3</sup>  |
|                              | Consumers | Dermal          | Long-term systemic effects | 0,345 mg/kg            |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name               | Environmental Compartment | Value         |
|------------------------------|---------------------------|---------------|
| 1,2-benzisothiazol-3(2H)-one | Fresh water               | 0,00403 mg/l  |
|                              | Marine water              | 0,000403 mg/l |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

Version 1.1      Revision Date: 23.10.2024      SDS Number: 50000821      Date of last issue: 13.12.2023  
Date of first issue: 13.12.2023

|  |                        |              |
|--|------------------------|--------------|
|  | Sewage treatment plant | 1,03 mg/l    |
|  | Fresh water sediment   | 0,0499 mg/l  |
|  | Marine sediment        | 0,00499 mg/l |

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Colour : opaque, brown  
Odour : slight, aromatic, hydrocarbon-like  
Odour Threshold : not determined  
Melting point/freezing point : not determined  
Boiling point/boiling range : not determined  
Upper explosion limit / Upper flammability limit : not determined  
Lower explosion limit / Lower flammability limit : not determined  
Flash point : > 93 °C  
Method: closed cup  
Auto-ignition temperature : 392 °C  
Decomposition temperature : not determined  
pH : 8,99 (22,5 °C)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

|  |   |
|--|---|
|  | Concentration: 1 %<br>(1% solution in water)<br>6,16 (21 °C)<br>(undiluted)   |
| Viscosity                              |   |
| Viscosity, dynamic                     | : 136 - 837 mPa,s (20 °C)<br>97 - 644 mPa,s (40 °C)<br>It is a non-newtonian fluid; viscosity decreases with increasing shear rate. |
| Viscosity, kinematic                   | : No data available   |
| Solubility(ies)                        |   |
| Solubility in other solvents           | : No data available   |
| Partition coefficient: n-octanol/water | : Not available for this mixture.   |
| Vapour pressure                        | : Not available for this mixture.   |
| Relative density                       | : 1,171 (20 °C)   |
| Relative vapour density                | : not determined  |
| Particle characteristics               |   |
| Particle size                          | : Not applicable  |

### 9.2 Other information

|                        |  |
|------------------------|--|
| Explosives             | : Not explosive  |
| Oxidizing properties   | : The substance or mixture is not classified as oxidizing. |
| Flammability (liquids) | : No data available  |
| Evaporation rate       | : not determined   |
| Miscibility with water | : dispersible  |
| Surface tension        | : 43,5 mN/m, 25 °C, GLP: yes                               |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |
|---------------------|---|
| Hazardous reactions | : No decomposition if stored and applied as directed. |
|---------------------|---|

### 10.4 Conditions to avoid

|                     |   |
|---------------------|---|
| Conditions to avoid | : Heat, flames and sparks.<br>Protect from frost, heat and sunlight.<br>Heating of the product will produce harmful and irritant vapours. |
|---------------------|---|

### 10.5 Incompatible materials

|                    |  |
|--------------------|--|
| Materials to avoid | : Avoid strong acids, bases, and oxidizers |
|--------------------|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,21 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

#### Components:

#### **clomazone (ISO):**

Acute oral toxicity : Acute toxicity estimate: 768 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 (Rat, female): 768 mg/kg  
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg  
Method: OECD Test Guideline 423

Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg  
Symptoms: ataxia

Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LC50 (Rat): > 5,02 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Method: US EPA Test Guideline OPP 81-2  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### Calcium chloride dihydrate:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg  
Method: OECD Test Guideline 401  
Remarks: mortality

LD50 (Rat, female): 2.361 mg/kg  
Method: OECD Test Guideline 401  
Remarks: mortality

LD50 (Rat, male and female): 2.301 mg/kg  
Method: OECD Test Guideline 401  
Symptoms: Lethargy, Necrosis, Gastrointestinal disturbance, respiratory tract irritation  
Remarks: mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg  
Remarks: no mortality

### sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Method : OECD Test Guideline 404  
Result : No skin irritation

#### Components:

##### **clomazone (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Result : slight or no skin irritation.

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Minimal effects that do not meet the threshold for classification.

##### **Calcium chloride dihydrate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Result : No skin irritation

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

|               |   |                         |
|---------------|---|-------------------------|
| Exposure time | : | 72 h                    |
| Method        | : | OECD Test Guideline 404 |
| Result        | : | No skin irritation      |

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

|        |   |                         |
|--------|---|-------------------------|
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation       |

#### Components:

##### **clomazone (ISO):**

|            |   |                             |
|------------|---|-----------------------------|
| Species    | : | Rabbit                      |
| Assessment | : | Not classified as irritant  |
| Method     | : | OECD Test Guideline 405     |
| Result     | : | Slight or no eye irritation |
| GLP        | : | yes                         |

|            |   |  |
|------------|---|--|
| Species    | : | Rabbit   |
| Assessment | : | No eye irritation  |
| Method     | : | OECD Test Guideline 405  |
| Remarks    | : | May cause mild irritation.<br>Minimal effects that do not meet the threshold for classification. |

##### **Calcium chloride dihydrate:**

|         |   |  |
|---------|---|--|
| Species | : | Rabbit                                       |
| Method  | : | OECD Test Guideline 405                      |
| Result  | : | Irritation to eyes, reversing within 21 days |

##### **sodium nitrate:**

|            |   |                         |
|------------|---|-------------------------|
| Species    | : | Rabbit                  |
| Assessment | : | Irritating to eyes.     |
| Method     | : | OECD Test Guideline 405 |
| Result     | : | Eye irritation          |

##### **Lignosulfonic acid, sodium salt, sulfomethylated:**

|        |   |                |
|--------|---|----------------|
| Result | : | Eye irritation |
|--------|---|----------------|

##### **1,2-benzisothiazol-3(2H)-one:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Bovine cornea           |
| Method  | : | OECD Test Guideline 437 |
| Result  | : | No eye irritation       |

|         |   |                                 |
|---------|---|---------------------------------|
| Species | : | Rabbit                          |
| Method  | : | EPA OPP 81-4                    |
| Result  | : | Irreversible effects on the eye |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

|        |  |
|--------|--|
| Method | : OECD Test Guideline 429                            |
| Result | : Did not cause sensitisation on laboratory animals. |

#### Components:

##### clomazone (ISO):

|            |                                  |
|------------|----------------------------------|
| Method     | : OECD Test Guideline 429        |
| Result     | : Not a skin sensitizer.         |
| Species    | : Guinea pig                     |
| Assessment | : Not a skin sensitizer.         |
| Method     | : US EPA Test Guideline OPP 81-6 |
| Result     | : Not a skin sensitizer.         |

##### sodium nitrate:

|           |                                      |
|-----------|--------------------------------------|
| Test Type | : Local lymph node assay (LLNA)      |
| Species   | : Mouse                              |
| Method    | : OECD Test Guideline 429            |
| Result    | : Does not cause skin sensitisation. |

##### Lignosulfonic acid, sodium salt, sulfomethylated:

|         |                          |
|---------|--------------------------|
| Species | : Guinea pig             |
| Result  | : Not a skin sensitizer. |

##### 1,2-benzisothiazol-3(2H)-one:

|           |  |
|-----------|--|
| Test Type | : Maximisation Test                        |
| Species   | : Guinea pig                               |
| Method    | : OECD Test Guideline 406                  |
| Result    | : May cause sensitisation by skin contact. |

|         |  |
|---------|--|
| Species | : Guinea pig                               |
| Method  | : FIFRA 81.06                              |
| Result  | : May cause sensitisation by skin contact. |

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

|                                    |  |
|------------------------------------|--|
| Germ cell mutagenicity- Assessment | : Contains no ingredient listed as a mutagen |
|------------------------------------|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

---

### **Components:**

#### **clomazone (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Rat  
Method: OECD Test Guideline 473  
Result: negative

#### **Calcium chloride dihydrate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: Metabolic activation  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

#### **sodium nitrate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Mouse  
Application Route: Oral  
Result: negative

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

#### **1,2-benzisothiazol-3(2H)-one:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

#### Components:

##### **clomazone (ISO):**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Method : OECD Test Guideline 453  
Result : negative

##### **Lignosulfonic acid, sodium salt, sulfomethylated:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

Remarks : No data available

### Reproductive toxicity

Not classified based on available information.

#### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

#### Components:

##### **clomazone (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Symptoms: Maternal effects  
Result: negative

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Symptoms: Maternal effects  
Result: negative

##### **Calcium chloride dihydrate:**

Effects on foetal development : Species: Rabbit  
Application Route: Oral  
Dose: 1.69, 7.85, 35.6, 169 mg/kg/d  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: NOAEL: > 169 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: > 169 mg/kg bw/day  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **sodium nitrate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

Application Route: Oral  
Result: negative

### Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### 1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

### Components:

#### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Calcium chloride dihydrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

### Repeated dose toxicity

#### Components:

##### **clomazone (ISO):**

|                   |                          |
|-------------------|--------------------------|
| Species           | : Rat, male and female   |
| NOEL              | : 1000 ppm               |
| Application Route | : Oral                   |
| Exposure time     | : 90 days                |
| Symptoms          | : increased liver weight |

|               |                           |
|---------------|---------------------------|
| Species       | : Rat                     |
| LOAEL         | : 400 mg/kg               |
| Exposure time | : 90 d                    |
| Method        | : OECD Test Guideline 408 |
| Symptoms      | : Liver effects           |

##### **1,2-benzisothiazol-3(2H)-one:**

|                   |                           |
|-------------------|---------------------------|
| Species           | : Rat, male and female    |
| NOAEL             | : 15 mg/kg                |
| Application Route | : Ingestion               |
| Exposure time     | : 28 d                    |
| Method            | : OECD Test Guideline 407 |
| Symptoms          | : Irritation              |

|                   |                                   |
|-------------------|-----------------------------------|
| Species           | : Rat, male and female            |
| NOAEL             | : 69 mg/kg                        |
| Application Route | : Ingestion                       |
| Exposure time     | : 90 d                            |
| Symptoms          | : Irritation, Reduced body weight |

### Aspiration toxicity

Not classified based on available information.

#### Product:

No aspiration toxicity classification

#### Components:

##### **clomazone (ISO):**

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

|            |   |
|------------|---|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at |
|------------|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

levels of 0.1% or higher.

### Components:

#### **clomazone (ISO):**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### Product:

Remarks : This product contains microencapsulated active ingredients. The toxicity of encapsulated substances is always lower than that of the substances themselves. It approaches the toxicity of the substances only in cases where grinding actions break up the capsules, thus freeing the active ingredients.

### Components:

#### **clomazone (ISO):**

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 64,8 mg/l  
Exposure time: 96 h  
Remarks: (Data on the product itself)

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis bahia (mysid shrimp)): > 24 mg/l  
Exposure time: 96 h  
Remarks: Active ingredient

Toxicity to algae/aquatic plants : ErC50 (Navicula pelliculosa (Diatom)): > 49,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: (Data on the product itself)

NOEC (Navicula pelliculosa (Diatom)): 4,51 mg/l  
Exposure time: 72 h  
Remarks: (Data on the product itself)

ErC50 (Lemna gibba (duckweed)): > 11,4 mg/l  
Exposure time: 7 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

Remarks: (Data on the product itself)

### Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.  
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

### Components:

#### **clomazone (ISO):**

|   |  |
|---|--|
| Toxicity to fish                                    | : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l<br>Exposure time: 96 h<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l<br>Exposure time: 96 h<br><br>LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 40,8 mg/l<br>Exposure time: 48 h<br><br>EC50 (Daphnia (water flea)): 5,2 mg/l<br>Exposure time: 48 h<br><br>EC50 (Daphnia magna (Water flea)): 12,7 mg/l<br>Exposure time: 48 h<br>Test Type: static test<br><br>EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l<br>Exposure time: 48 h<br><br>LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l<br>Exposure time: 96 h<br>Test Type: flow-through test              |
| Toxicity to algae/aquatic plants                    | : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l<br>Exposure time: 72 h<br><br>ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l<br>Exposure time: 72 h<br><br>ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l<br>Exposure time: 120 h<br><br>EC50 (Lemna gibba (duckweed)): 13,9 mg/l<br>Exposure time: 7 d<br><br>NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l<br>End point: Growth rate<br>Exposure time: 120 h |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

NOEC (algae): 0,05 mg/l  
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l  
Exposure time: 7 d

EC50 (algae): 0,136 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 2,3 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test

NOEC: 2,29 mg/l  
Exposure time: 57 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,2 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,032 mg/l  
Exposure time: 28 d  
Species: Americamysis bahia (mysid shrimp)  
Test Type: flow-through test

NOEC: 1,25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 156 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

LC50: > 5620 ppm  
Species: Anas platyrhynchos (Mallard duck)  
Remarks: Dietary

LD50: > 2000  
Species: Coturnix japonica (Japanese quail)

NOEC: 94 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

End point: Reproduction Test  
Species: *Colinus virginianus*

LC50: > 85.29  
Species: *Apis mellifera* (bees)

LC50: > 100  
Species: *Apis mellifera* (bees)  
Remarks: Contact

### Calcium chloride dihydrate:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4.630 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): 2.400 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (algae)): 2.900 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 610 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

### sodium nitrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 8.600 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 : > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 157 mg/l  
Exposure time: 32 d  
Species: *Pimephales promelas* (fathead minnow)

### Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 615 mg/l  
Exposure time: 96 h

### 1,2-benzisothiazol-3(2H)-one:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

|   |  |
|---|--|
| Toxicity to fish                                    | : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l<br>Exposure time: 96 h<br>Test Type: static test<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203                                    |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 2,9 mg/l<br>Exposure time: 48 h<br>Test Type: static test<br>Method: OECD Test Guideline 202  |
| Toxicity to algae/aquatic plants                    | : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201            |
| M-Factor (Acute aquatic toxicity)                   | : 1  |
| Toxicity to microorganisms                          | : EC50 (activated sludge): 24 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209<br><br>EC50 (activated sludge): 12,8 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209 |
| M-Factor (Chronic aquatic toxicity)                 | : 1  |

### 12.2 Persistence and degradability

#### **Product:**

|                  |   |
|------------------|---|
| Biodegradability | : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants. |
|------------------|---|

#### **Components:**

##### **clomazone (ISO):**

|                  |  |
|------------------|--|
| Biodegradability | : Result: Not readily biodegradable.<br>Remarks: Substance/product is moderately persistent in the |
|------------------|--|



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

environment.  
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

### **sodium nitrate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: < 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

### **Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

### **Components:**

#### **clomazone (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40  
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)  
pH: 4 - 10  
Method: Regulation (EC) No. 440/2008, Annex, A.8

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3,45

#### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|                |                              |                         |   |
|----------------|------------------------------|-------------------------|---|
| Version<br>1.1 | Revision Date:<br>23.10.2024 | SDS Number:<br>50000821 | Date of last issue: 13.12.2023<br>Date of first issue: 13.12.2023 |
|----------------|------------------------------|-------------------------|---|

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
log Pow: 0,99 (20 °C)  
pH: 5

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### Components:

##### **clomazone (ISO):**

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47  
Remarks: Moderately mobile in soils

##### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **clomazone (ISO):**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

### Components:

#### **clomazone (ISO):**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

### Components:

#### **clomazone (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Clomazone)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Clomazone)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Clomazone)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Clomazone)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Clomazone)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

|  |   |               |
|--|---|---------------|
| Labels                                   | : | 9             |
| EmS Code                                 | : | F-A, S-F      |
| <b>IATA (Cargo)</b>                      |   |               |
| Packing instruction (cargo aircraft)     | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |
| <b>IATA (Passenger)</b>                  |   |               |
| Packing instruction (passenger aircraft) | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |

### 14.5 Environmental hazards

|                           |       |
|---------------------------|-------|
| <b>ADN</b>                |       |
| Environmentally hazardous | : yes |
| <b>ADR</b>                |       |
| Environmentally hazardous | : yes |
| <b>RID</b>                |       |
| Environmentally hazardous | : yes |
| <b>IMDG</b>               |       |
| Marine pollutant          | : yes |
| <b>IATA (Passenger)</b>   |       |
| Environmentally hazardous | : yes |
| <b>IATA (Cargo)</b>       |       |
| Environmentally hazardous | : yes |

### 14.6 Special precautions for user

|         |   |  |
|---------|---|--|
| Remarks | : | Not classified as dangerous in the meaning of transport regulations. |
|---------|---|--|

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|  |   |                |
|--|---|----------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Not applicable |
|--|---|----------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. sodium nitrate (ANNEX II)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germany) : WGK 3 highly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
Not applicable  
5.2.2: Inorganic substances in powdered form:  
Not applicable  
5.2.4: Inorganic substances in gaseous form:  
Not applicable  
5.2.7.1.1: Carcinogenic substance:  
Not applicable  
5.2.7.1.2: Germ cell mutagens:  
Not applicable  
5.2.7.1.3: Substances toxic to reproduction:  
Not applicable

**The components of this product are reported in the following inventories:**

TCSI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

|       |  |
|-------|--|
| TSCA  | : Product contains substance(s) not listed on TSCA inventory.  |
| AIIC  | : Not in compliance with the inventory   |
| DSL   | : This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>clomazone (ISO) |
| ENCS  | : Not in compliance with the inventory   |
| ISHL  | : Not in compliance with the inventory   |
| KECI  | : On the inventory, or in compliance with the inventory  |
| PICCS | : Not in compliance with the inventory   |
| IECSC | : On the inventory, or in compliance with the inventory  |
| NZIoC | : Not in compliance with the inventory   |
| TECI  | : Not in compliance with the inventory   |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

|      |   |
|------|---|
| H272 | : May intensify fire; oxidizer.                         |
| H302 | : Harmful if swallowed.                                 |
| H315 | : Causes skin irritation.                               |
| H317 | : May cause an allergic skin reaction.                  |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H330 | : Fatal if inhaled.                                     |
| H332 | : Harmful if inhaled.                                   |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Acute Tox.      | : Acute toxicity                     |
| Aquatic Acute   | : Short-term (acute) aquatic hazard  |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Dam.        | : Serious eye damage                 |
| Eye Irrit.      | : Eye irritation                     |
| Ox. Sol.        | : Oxidizing solids                   |
| Skin Irrit.     | : Skin irritation                    |
| Skin Sens.      | : Skin sensitisation                 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 1

H410

#### Classification procedure:

Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CENTIUM® 36 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.12.2023  |
| 1.1     | 23.10.2024     | 50000821    | Date of first issue: 13.12.2023 |

---

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DE / 6N