

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CORAGEN® 20 SC insecticide

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST
PHILADELPHIA PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : All other countries: +1 651 / 632-6793 (Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version 1.0 Revision Date: 21.02.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 21.02.2023

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 10 - < 20

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Protect unharmed eye.
Remove contact lenses.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Seek medical advice.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Do not induce vomiting without medical advice.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry chemical
Foam
Water spray
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.
Chlorine compounds
Bromine compounds
Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Should not be released into the environment.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Shovel into suitable container for disposal.
Clean contaminated surface thoroughly.

CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

To clean the floor and all objects contaminated by this material, use plenty of water.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.
For personal protection see section 8.
Never return unused material to storage receptacle.
Use only with adequate ventilation/personal protection.
- Conditions for safe storage : Store in a place accessible by authorized persons only.
Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Impervious clothing

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

- Long sleeved clothing.
Footwear protecting against chemicals
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
This product should be used only by all personnel thoroughly trained to handle it.
Wash hands before breaks and immediately after handling the product.
Contaminated work clothing should not be allowed out of the workplace.
Do not inhale aerosol.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : white
- Odor : alcohol-like
- Odor Threshold : No data available
- pH : 7.8
Concentration: 10 g/l
Method: CIPAC MT 75.3
- Freezing point : -6 °C
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : > 100 °C
No flash up to boiling point.
- Evaporation rate : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Density	:	1.094 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	Not available for this mixture.
Explosive properties	:	Not explosive
Molecular weight	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid formation of aerosol. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	LD ₅₀ (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes
Acute inhalation toxicity	:	LC ₅₀ (Rat): > 2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration.
Acute dermal toxicity	:	LD ₅₀ (Rat): > 5,000 mg/kg

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Method: OECD Test Guideline 402
GLP: yes

Components:

Chlorantraniliprole:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Components:

Chlorantraniliprole:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Components:

Chlorantraniliprole:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Respiratory or skin sensitization

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 429
Result	: Animal test did not cause sensitization by skin contact.
GLP	: yes

Components:

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Components:

Chlorantraniliprole:

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

Carcinogenicity

Components:

Chlorantraniliprole:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 805 - 1,076 mg/kg bw/day

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Method	:	OECD Test Guideline 453
Result	:	negative
Species	:	Mouse, male and female
Application Route	:	Oral
Exposure time	:	18 month(s)
NOAEL	:	158 - 1,155 mg/kg bw/day
Method	:	OECD Test Guideline 453
Result	:	negative
Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Components:

Chlorantraniliprole:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 d General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Components:

Chlorantraniliprole:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
Remarks	:	No significant adverse effects were reported

STOT-repeated exposure

Components:

Chlorantraniliprole:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Repeated dose toxicity**Components:****Chlorantraniliprole:**

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Method	: OECD Test Guideline 408

Aspiration toxicity**Components:****Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l Exposure time: 72 h

Components:**Chlorantraniliprole:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h
	EC50 (Lemna gibba (duckweed)): > 2 mg/l Exposure time: 14 d
	NOEC (Lemna gibba (duckweed)): 2 mg/l Exposure time: 14 d

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 1.28 mg/l
Exposure time: 36 d
Species: *Cyprinodon variegatus* (sheepshead minnow)

NOEC: 0.110 mg/l
Exposure time: 28 d
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00447 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 2,250 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)

LC50: > 5,620 ppm
Species: *Anas platyrhynchos* (Mallard duck)

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

LD50: > 2,250 mg/kg
Species: Poephila guttata (zebra finch)

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life (DT50): 10 d pH: 9

Bioaccumulative potential

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 15
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils
Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | | |
|----------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |

IATA-DGR

- | | | |
|--|---|--|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s.
(Chlorantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE ACTI-GEL 208 (ACTIVE MINERALS)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 21.02.2023
Date format	: dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET



CORAGEN® 20 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.02.2023	50000015	Date of first issue: 21.02.2023

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PK / EN