

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

Medical emergency:  
Denmark: +45 82 12 12 12

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

### Additional Labelling

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0      Revision Date: 22.10.2024      SDS Number: 50002884      Date of last issue: 22.10.2024  
Date of first issue: 22.10.2024

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 2,5 - < 10
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %  Acute toxicity esti-	>= 0,0002 - < 0,0015

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0	Revision Date: 22.10.2024	SDS Number: 50002884	Date of last issue: 22.10.2024 Date of first issue: 22.10.2024
----------------	------------------------------	-------------------------	---

		mate	
		Acute oral toxicity: 200 mg/kg	
		Acute inhalation toxicity (dust/mist): 0,33 mg/l	
		Acute dermal toxicity: 87 mg/kg	

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing  |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Do not induce vomiting without medical advice.   |

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Chlorine compounds  
Hydrogen cyanide  
Hydrogen chloride

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
If it can be safely done, stop the leak.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0      Revision Date: 22.10.2024      SDS Number: 50002884      Date of last issue: 22.10.2024  
Date of first issue: 22.10.2024

ble.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
palygorskite	12174-11-7	GV (fibres)	1 fibres per cubic centimeter	DK OEL
		S (fibres)	2 fibres per cubic centimeter	DK OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local effects	0,02 mg/m3
	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg
	Consumers	Oral	Acute systemic effects	0,11 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0      Revision Date: 22.10.2024      SDS Number: 50002884      Date of last issue: 22.10.2024  
Date of first issue: 22.10.2024

	Marine water	26 mg/l
	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57,2 mg/kg
	Soil	50 mg/kg
Chlorantraniliprole	Water	0,00045 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0,00339 mg/l
	Intermittent use/release	0,00339 mg/l
	Marine water	0,00339 mg/l
	Sewage treatment plant	0,23 mg/l
	Fresh water sediment	0,027 mg/kg
	Marine sediment	0,027 mg/kg

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Protective suit  
Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0	Revision Date: 22.10.2024	SDS Number: 50002884	Date of last issue: 22.10.2024 Date of first issue: 22.10.2024
----------------	------------------------------	-------------------------	---

---

Form	:	semi-viscous liquid
Colour	:	white
Odour	:	mild, alcohol-like
Odour Threshold	:	No data available
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Flash point	:	> 100 °C Method: closed cup No flash up to boiling point.
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Not available for this mixture.
pH	:	7,6 (27,9 °C) Concentration: 1 % Method: CIPAC MT 75.3 (aqueous suspension)
Viscosity Viscosity, kinematic	:	not determined
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0	Revision Date: 22.10.2024	SDS Number: 50002884	Date of last issue: 22.10.2024 Date of first issue: 22.10.2024
----------------	------------------------------	-------------------------	---

---

Vapour pressure : Not available for this mixture.

Relative density : 1,02 - 1,04

Density : No data available

Relative vapour density : Not available for this mixture.

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : not auto-flammable

Evaporation rate : Not available for this mixture.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 2,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: (Data on the product itself)
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

#### Components:

#### **Chlorantraniliprole:**

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Remarks: Information source: Internal study report
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Information source: Internal study report
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

GLP: yes

Remarks: Information source: Internal study report

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 Oral (Rat, female): 200 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	:	LC50 (Rat, male and female): 0,33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	:	LD50 (Rabbit, male): 87 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### Components:

##### Chlorantraniliprole:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	Information source: Internal study report

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Method	:	OECD Test Guideline 404
Result	:	Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

---

### Components:

#### **Chlorantraniliprole:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	Information source: Internal study report

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

### Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

### Components:

#### **Chlorantraniliprole:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Remarks	:	Information source: Internal study report
---------	---	---

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	The product is a skin sensitizer, sub-category 1A.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	805 - 1.076 mg/kg bw/day
Method	:	OECD Test Guideline 453
Result	:	negative
Species	:	Mouse, male and female
Application Route	:	Oral
Exposure time	:	18 month(s)
NOAEL	:	158 - 1.155 mg/kg bw/day
Method	:	OECD Test Guideline 453
Result	:	negative
Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

Effects on fertility	:	Test Type: Two-generation study
----------------------	---	---------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 20.000 ppm  
General Toxicity F1: NOAEL: 20.000 ppm  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 6 - 20 Days  
General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day  
Developmental Toxicity: NOEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### Chlorantraniliprole:

Species : Rat, male and female  
NOEL : 1188 - 1526 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : 8.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 28 Days

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

Method : OECD Test Guideline 407  
GLP : yes

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes

Species : Rat  
NOAEL : 20.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
GLP : yes  
Remarks : Information source: Internal study report

Species : Mouse  
NOAEL : 7.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
GLP : yes  
Remarks : Information source: Internal study report

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species : Dog  
NOAEL : 22 mg/kg  
Application Route : Oral

Species : Rat  
NOAEL : 16,3 - 24,7 mg/kg  
Application Route : Skin contact

Species : Rat  
NOAEL : 2.36 mg/m<sup>3</sup>  
Application Route : Inhalation

### Aspiration toxicity

Not classified based on available information.

### Product:

The mixture does not have properties associated with aspiration hazard potential.

### Components:

#### Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

##### Components:

##### **Chlorantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Neurological effects

##### Components:

##### **Chlorantraniliprole:**

Remarks : No neurotoxicity observed in animal studies

#### Further information

##### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

##### Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,168 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 49 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): > 28,4 mg/l  
Exposure time: 7 d

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.  
Remarks: According to calculation method of Regulation (EC)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0	Revision Date: 22.10.2024	SDS Number: 50002884	Date of last issue: 22.10.2024 Date of first issue: 22.10.2024
----------------	------------------------------	-------------------------	---

No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.  
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

### Components:

#### **Chlorantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Hyalella azteca (Amphipod)): 0,26 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0,0067 - 0,011 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): 2 mg/l  
Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l  
Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Method: US EPA Test Guideline OPP 122-2 & 123-2  
GLP: yes  
Remarks: Information source: Internal study report

EbC50 (Lemna gibba (duckweed)): > 2 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version 1.0	Revision Date: 22.10.2024	SDS Number: 50002884	Date of last issue: 22.10.2024 Date of first issue: 22.10.2024
----------------	------------------------------	-------------------------	---

End point: Frond  
Exposure time: 14 d  
Method: US EPA Test Guideline OPP 122-2 & 123-2  
GLP: yes  
Remarks: Information source: Internal study report

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 1,28 mg/l  
Exposure time: 36 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,110 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP: yes

Remarks: No significant adverse effect on nitrogen mineralization.  
No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 4,0 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Remarks: Active substance dissolved in acetone

LD50: > 0,005 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Remarks: Active substance dissolved in water

LD50: > 104,1 µg/bee  
Exposure time: 48 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Remarks: Active substance dissolved in acetone

LD50: > 0,0274 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Remarks: Active substance dissolved in water

LD50: > 2.250 mg/kg  
Species: Poephila guttata (zebra finch)

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l  
Exposure time: 96 h  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,16 mg/l  
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0,1 mg/l  
Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 0,18 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : NOEC (activated sludge): 0,91 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

EC50 (activated sludge): 4,5 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

Toxicity to fish (Chronic toxicity)	: NOEC: 0,02 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)  Chronic Toxicity Value: 0,18 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100

### 12.2 Persistence and degradability

#### Product:

Biodegradability	: Result: Not readily biodegradable. Remarks: Estimation based on data obtained on active ingredient.  Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
------------------	---

#### Components:

##### **Chlorantraniliprole:**

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life (DT50): 10 d (25 °C) pH: 9  Degradation half life (DT50): 0,3 d (50 °C) pH: 9  Degradation half life (DT50): > 31 d pH: 5

##### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation	: Remarks: No data is available on the product itself.
-----------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

---

### Components:

#### **Chlorantraniliprole:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 14  
Method: OECD Test Guideline 305  
GLP: yes  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)  
pH: 4

log Pow: 2,86 (20 °C)  
pH: 7

log Pow: 2,80 (20 °C)  
pH: 9

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Bioaccumulation : Exposure time: 28 d  
Bioconcentration factor (BCF): < 54  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : Pow: 0,75

### **12.4 Mobility in soil**

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### **Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55  
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

### **12.5 Results of PBT and vPvB assessment**

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### Components:

#### **Chlorantraniliprole:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Components:

#### **Chlorantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

No other ecological effects to be specially mentioned.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

### Components:

#### **Chlorantraniliprole:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Chlorantraniliprole)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

---

### 14.4 Packing group

#### ADN

Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

#### ADR

Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

#### RID

Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

#### IMDG

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous	: yes
---------------------------	-------

#### ADR

Environmentally hazardous	: yes
---------------------------	-------

#### RID

Environmentally hazardous	: yes
---------------------------	-------

#### IMDG

Marine pollutant	: yes
------------------	-------

#### IATA (Passenger)

Environmentally hazardous	: yes
---------------------------	-------

#### IATA (Cargo)

Environmentally hazardous	: yes
---------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

#### Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive	:	palygorskite
--	---	--------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

### The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE ACTI-GEL 208 (ACTIVE MINERALS)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H301	: Toxic if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
DK OEL	: Denmark. Occupational Exposure Limits
DK OEL / S	: Exposure period of 15 minutes
DK OEL / GV	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment

### Disclaimer

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TECORLA®

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
1.0	22.10.2024	50002884	Date of first issue: 22.10.2024

---

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N