according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SHIBAOGONG 50WP

Other means of identification : Prochloraz-Manganese chloride 50 wt% WP

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC (Suzhou) Crop care co., ltd

Address : 99 Jiepu Road, Suzhou Industrial Park, Jiang Su, China

215126 China

Telephone : 0512-62863988

Telefax : 0512-62863900

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:

0086-0532 8388 9090 (National Registration Center for Chemi-

cals)

Medical emergency: 86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: fine powderColor: off-whiteOdor: Faint, aromatic

Harmful if swallowed. May be harmful in contact with skin or if inhaled. Very toxic to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Acute toxicity (Dermal) : Category 5

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms





Signal Word : WARNING

Hazard Statements : H302 Harmful if swallowed.

H313 + H333 May be harmful in contact with skin or if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P312 IF INHALED: Call a POISON CENTER/doctor if

you feel unwell.

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Harmful if swallowed. May be harmful if inhaled. May be harmful in contact with skin.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

2024/06/17 50001316 Date of first issue: 2018/05/21 3.1

Components

Chemical name	CAS-No.	Concentration (% w/w)
Prochloraz manganese chloride	75747-77-2	>= 30 -< 60
kaolin	1332-58-7	>= 30 -< 50
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 2.5 -< 10

4. FIRST AID MEASURES

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx)

Metal oxides Carbon oxides Chlorine compounds

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

tive equipment and eme

gency procedures

Avoid dust formation.

Avoid breathing dust.

Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

Prevention of secondary

hazards

: Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

7. HANDLING AND STORAGE

Handling

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoidance of contact : Avoid strong acids, bases, and oxidizers.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
kaolin	1332-58-7	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : fine powder

Color : off-white

Odor : Faint, aromatic

Odor Threshold : No data available

pH : 7.5 (20 °C)

Concentration: 10 g/l

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not determined

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Relative vapor density : No data available

Relative density : No data available

Density : 0.51 g/cm3

Bulk density : ca. 0.27 g/cm3 loose

ca. 0.35 g/cm3 Tap density

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Refractive index : Not applicable

Particle size : 3.7 - 3.8 µm

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Avoid extreme temperatures.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Carbon oxides

Nitrogen oxides (NOx)

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Hydrogen chloride gas

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,500 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat, male): 4,600 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.66 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Components:

Prochloraz manganese chloride:

Acute oral toxicity : LD50 (Rat): 1,532 - 2,039 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.96 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Prochloraz manganese chloride:

Species : Rabbit

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

nyue, soulum saits.

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Components:

Prochloraz manganese chloride:

Species : Rabbit

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Result : No eye irritation

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Does not cause skin sensitization.

Result : Not a skin sensitizer.

Components:

Prochloraz manganese chloride:

Result : Not a skin sensitizer.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Prochloraz manganese chloride:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Components:

Prochloraz manganese chloride:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

Prochloraz manganese chloride:

Reproductive toxicity - As-

Weight of evidence does not support classification for repro-

ductive toxicity

kaolin:

sessment

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Prochloraz manganese chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0.1 mg/l Exposure time: 72 h

NOEC (algae): 0.05 mg/l Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.049 mg/l Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.022 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

: 1

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Prochloraz manganese chloride:

Biodegradability : Result: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Prochloraz manganese chloride:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 200

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

Mobility in soil

Components:

Prochloraz manganese chloride:

Distribution among environ-

mental compartments

: Remarks: Low mobility in soil.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Prochloraz manganese chloride)

Class : 9

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

2024/06/17 50001316 Date of first issue: 2018/05/21 3.1

ENVIRONM. Subsidiary risk

Packing group

9 (ENVIRONM.)

Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Prochloraz manganese chloride)

9 Class Ш Packing group

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

956

(Prochloraz manganese chloride)

Class 9 Packing group Ш Labels 9 EmS Code F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number : UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

(Prochloraz manganese chloride)

Class 9 Packing group Ш Labels 9 Marine pollutant no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Ethylene oxide/propylene oxide block copolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/06/17

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

according to GB/T 16483 and GB/T 17519



SHIBAOGONG 50WP

Version Revision Date: SDS Number: Date of last issue: -

3.1 2024/06/17 50001316 Date of first issue: 2018/05/21

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN