ACCURATE-EXTRA FO002243-A SDS Revision Date: June 2, 2015



# **SAFETY DATA SHEET**

# **SECTION 1 – IDENTIFICATION**

Product Identifier : ACCURATE-EXTRA

Product Use : Herbicide

Supplier's name and address:

Manufacturer's name and address:

**FMC Corporation** 

Refer to supplier

2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information)

msdsinfo@fmc.com (E-mail General Information)

Emergency Telephone #: 1-800-424-9300 (24 Hr. Chemtrec Number)

1-800-331-3148 (Medical Emergencies-PROSAR)

**SDS Prepared by:** FMC Corporation **SDS Preparation date:** June 2, 2015

#### **SECTION 2 – HAZARDS IDENTIFICATION**

# **GHS Signal Word:**

Warning

#### **Classification:**

Health	Environmental	Physical
Inhalation – Category 4	Aquatic Toxicity – Acute 1	Not applicable
Skin Irritation – Category 2	Aquatic Toxicity – Chronic 1	
Eye Irritation – Category 2B		

# **GHS Pictogram:**



# **Hazard Statements:**

Harmful if inhaled.

Causes skin irritation.

Causes eye irritation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

# **Precautionary Statements:**

#### **Prevention:**

Avoid breathing dust/vapors.

Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after handling.

SDS Revision Date: June 2, 2015

Wear protective gloves.

Avoid release to the environment.

## Response:

If inhaled: Remove victim to fresh air and keep comfortable for breathing.

Call a poison control center or doctor if you feel unwell.

If on skin: Wash with plenty of water.

For specific treatment, refer to product label.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

## Storage:

Not applicable.

# Disposal:

Dispose of contents/container according to label directions.

# **SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Ingredients</u>	CAS#	% (weight)	ACGIH TLV		OSHA PEL	
			<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Thifensulfuron-Methyl Technical (Methyl 3-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino]sulfonyl]-2-thiophenecaroxylate)	79277-27-3	30.00 - 60.00	N/Av	N/Av	N/Av	N/Av
Tribenuron Methyl Technical (Methyl 2-[[[(N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl) Methylamino] carbonyl]amino]sulfonyl] benzoate)	101200-48-0	7.00 – 13.00	N/Av	N/Av	N/Av	N/Av
Metsulfuron-methyl Technical (Methyl 2-[[[(N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino] carbonyl]amino] sulfonyl]benzoate)	74223-64-6	10.00 – 30.00	N/Av	N/Av	N/Av	N/Av
Calcium carbonate	1317-65-3	0.00 - 1.00	10 mg/m <sup>3</sup>	N/Av	15 mg/m <sup>3</sup> (total dust); 5 mg/m <sup>3</sup> (respirable fraction)	N/Av
Sulfonated aromatic hydrocarbon	N/Av	0.00 - 5.00	N/Av	N/Av	N/Av	N/Av
Sulfonated aromatic polymer	N/Av	0.00 - 5.00	N/Av	N/Av	N/Av	N/Av

N/Av = Not available

# **SECTION 4 – FIRST AID MEASURES**

#### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

Page 3 of 9

ACCURATE-EXTRA FO002243-A

SDS Revision Date: June 2, 2015

**CLOTHING:** 

IF ON SKIN OR · Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

· Call a poison control center or doctor for treatment advice.

IF SWALLOWED: · Call a poison control center or doctor immediately for treatment advice.

> · Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air.

> · If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-303-6950 for emergency medical treatment information.

## Signs and symptoms of short-term (acute) exposure

Inhalation : Inhalation of dust may cause shortness of breath, tightness of the chest, a sore

throat and cough. May cause irritation of respiratory tract.

Skin : May cause mild skin irritation. Symptoms may include redness, itching and

swelling. Prolonged contact, such as when trapped against the skin under

clothing or jewelry, may be more irritating.

Eyes : May cause mild eye irritation. Inert particles may cause mechanical irritation of

the eyes, including scratches.

Ingestion : Harmful if swallowed. May cause irritation of mouth, throat, and stomach.

Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness

and other central nervous system effects.

#### Effects of long-term (chronic) exposure

: Repeated ingestion may cause severe weight loss.

## Conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

# Fire hazards/conditions of flammability

: Not flammable under normal conditions of use. However, may ignite if exposed to extreme heat and flame. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Fine dust dispersed in air may ignite.

# Flammability classification (OSHA 29 CFR 1910.1200)

: Non-flammable.

**Oxidizing properties** : None known

#### Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

#### Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may spread burning material.

#### Special fire-fighting procedures/equipment

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may

ACCURATE-EXTRA FO002243-A

SDS Revision Date: June 2, 2015

be useful in cooling equipment exposed to heat and flame. Avoid spreading burning solid with water spray used for cooling purposes.

# **Hazardous combustion products**

: Carbon oxides; sulfur oxides; nitrogen oxides (NOx); calcium oxide; irritating fumes and smoke.

NFPA Rating : 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : Restrict access to area until completion of clean-up. Ensure clean-up is

conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS

AND PERSONAL PROTECTION, for additional information on acceptable

personal protective equipment.

**Environmental precautions**: Ensure spilled product does not enter drains, sewers, waterways or

confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

**Spill response/cleanup** : Remove all sources of ignition. Ventilate area of release. Stop the spill at

source if it is safe to do so. Contain and absorb spilled material with inert, non-combustible absorbent material, such as sand. Sweep up and shovel into suitable containers for disposal. For a water spill, confine the spill immediately with booms. Notify the appropriate authorities as required.

**Prohibited materials** : None known.

Special spill response procedures

 In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887.
 If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the

United States (phone: 1-800-424-8002)
US CERCLA Reportable quantity (RQ): None.

#### **SECTION 7 – HANDLING AND STORAGE**

Safe handling procedures : This material is a harmful solid. Wear chemically resistant protective

equipment during handling. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors/dust. Keep away from heat and flame. Avoid contact with incompatible materials. Use caution when opening cap. Keep containers tightly closed when not in

use. Wash thoroughly after handling.

**Storage requirements** : Store in a cool, dry, well ventilated area. Keep way from incompatibles.

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically

for damage or leaks. No smoking in the area.

**Incompatible materials** : Strong oxidizing agents; Acids.

Special packaging materials: Always keep in containers made of the same materials as the supply

container.

SDS Revision Date: June 2, 2015

# SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering measures

: Provide sufficient ventilation to keep vapor concentration below the given

TLV and/or PEL.

**Respiratory protection**: Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. Seek advice from

respiratory protection specialists.

**Skin protection** : Impervious gloves must be worn when using this product. Advice should

be sought from glove suppliers.

**Eye / face protection** : Safety glasses with side-shields or chemical splash goggles.

Other protective equipment

: Wear resistant clothing and boots. An eyewash station and safety shower

should be made available in the immediate working area.

**General hygiene considerations** 

: Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Do not take contaminated clothing

home.

**Permissible exposure levels**: For individual ingredient exposure levels, see Section 3.

# **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Light brown solid (granules).

Odor: Faint

Odor threshold: ND

**pH**: 6.4

Melting point/Freezing point: Thifensulfuron-methyl: 171° C

Tribenuron-methyl: 142° C Metsulfuron-methyl: 162° C

Initial boiling point and boiling range: Thifensulfuron-methyl: decomposes before boiling

**Tribenuron-methyl:** decomposes before boiling

Flash point: NA Evaporation rate: NA Flammability: NA

Upper/lower flammability and explosive limits: NA

Vapor pressure: Thifensulfuron-methyl: 5.19 x 10<sup>-06</sup> mPa @ 25° C

Tribenuron-methyl:  $5.30 \times 10^{-05}$  mPa @ 25° C Metsulfuron-methyl:  $1.10 \times 10^{-07}$  mPa @ 25° C

Vapor density: NA Bulk density: 5.17 lb/gal Specific gravity: 0.62 g/cm<sup>3</sup>

Solubility(ies): Thifensulfuron-methyl: Tribenuron-methyl: Metsulfuron-methyl:

In water @ 20° C	2240	mg/l	2040	mg/l	2790 mg/l
Acetone	1900	mg/l	39100	mg/l	37000 mg/l
Ethanol	900	mg/l			
Ethyl acetate	2600	mg/l	16300	mg/l	
Methanol	2600	mg/l			

ACCURATE-EXTRA Page 6 of 9

SDS Revision Date: June 2, 2015

n-Heptane ---- 20800 mg/l ----

Dichloromethane ---- 250000 mg/l ----

n-Hexane ---- mg/l ---- 0.58 mg/l Toluene ---- mg/l ---- 1240 mg/l

Partition coefficient (n-octanol/water): Thifensulfuron-methyl: Log P = -1.65

**Tribenuron-methyl:** Log P = 0.78 **Metsulfuron-methyl:** Log P = -1.7

**Auto-ignition temperature:** NA **Decomposition temperature:** ND

Viscosity: ND

ND=Not determined NA=Not applicable

# **SECTION 10 – STABILITY AND REACTIVITY**

Stability and reactivity : Stable under the recommended storage and handling conditions

prescribed.

Hazardous polymerization: Will not occur.

**Conditions to avoid** : Keep this product away from heat, sparks, flame, and other sources of

ignition (e.g. pilot lights, electric motors, static electricity).

Materials to avoid and incompatibility

: Incompatible materials (see Section 7).

**Hazardous decomposition products** 

: None known, refer to hazardous combustion products in Section 5.

## **SECTION 11 – TOXICOLOGICAL INFORMATION**

**Toxicological data** : LD50 Oral (rat): >5000 mg/kg

LD50 Dermal (rat): >5000 mg/kg LC50 Inhalation (rat): >2.07 mg/L/4 Hrs

**Carcinogenic status** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

**Reproductive effects** : Not expected to have other reproductive effects.

**Teratogenicity** : Not expected to be a teratogen.

**Mutagenicity** : Not expected to be mutagenic in humans.

**Epidemiology** : Not available.

**Sensitization to material**: Not expected to be a skin or respiratory sensitizer.

**Synergistic materials** : Not available.

**Irritating** to eyes and skin. May cause irritation to upper

respiratory system.

Other important hazards : None known.

# **SECTION 12 – ECOLOGICAL INFORMATION**

# **Environmental effects** : The ecological ch

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. This product is an herbicide. The active ingredients area: Tribenuron-methyl Technical; Metsulfuron-methyl Technical; Thifensulfuron-methyl Technical. The active ingredients are considered to be toxic to many

plants, and non-toxic to fish, aquatic invertebrates, soil micro- and macroorganisms, birds, mammals and insects.

# Important environmental characteristics

: The active ingredients are: Tribenuron-methyl Technical; Thifensulfuron-methyl Technical; Metsulfuron-methyl Technical.

Under normal conditions, the active ingredients are mobile in the environment.

The active ingredients are not expected to bioaccumulate.

Tribenuron-methyl Technical and Thifensulfuron-methyl Technical are not expected to be persistent in the environment. Metsulfuron-methyl Technical is moderately persistent in the environment.

#### **Ecotoxicity**

: The active ingredients are: Thifensulfuron-methyl Technical; Tribenuron-methyl Technical; Metsulfuron-methyl Technical. The toxicity of the active ingredients to wildlife species is measured to be:

## **Metsulfuron-methyl Technical:**

Fish - 96-Hr LC50, Rainbow Trout ( $Salmo\ gairdneri$ ) = >150 mg/L Invertebrates - 48-hr LC50, Daphnids ( $Daphnia\ magna$ ) = >150 mg/L Bees -LD50, oral, Bees = >44.3 µg/bee Plants -EC50, Duckweed ( $Lemna\ minor$ ) = 0.36 µg/L Algae - 72-Hr IC50, Green Algae ( $Selenastrum\ capricornutum$ ) = 0.045 mg/L

# **Thifensulfuron-methyl Technical:**

Fish - 96-Hr LC50, Rainbow Trout ( $Salmo\ gairdneri$ ) = >100 mg/L Invertebrates - 48-hr EC50, Daphnids ( $Daphnia\ magna$ ) = 470 mg/L Bees -LD50, oral, Bees ( $Apis\ mellifera$ ) = >7.1 µg/bee Plants -EC50, Duckweed ( $Lemna\ minor$ ) = 1.3 µg/L Algae - 72-Hr IC50, Green Algae ( $Selenastrum\ capricornutum$ ) = 0.0159 mg/L

## **Tribenuron-methyl Technical:**

Fish – 96-Hr LC50, Rainbow Trout (Salmo gairdneri) = >1000 mg/L Invertebrates – 48-hr EC50, Daphnids (Daphnia magna) = 720 mg/L Bees –LD50, topical, Bees (Apis mellifera) = >100  $\mu$ g/bee Plants –14-day EC50, Duckweed (Lemna minor) = 9.9  $\mu$ g/L Algae – 72-Hr IC50, Green Algae (Selenastrum capricornutum) = 8.0 mg/L

# **SECTION 13 – DISPOSAL CONSIDERATIONS**

# Handling for disposal Methods for disposal

- : Handle wastes according to recommendations in Section 7.
- : Do not contaminate water, foodstuffs, feed or seed by storage or disposal. For disposable containers, triple rinse (or equivalent) containers and add rinse material to disposal tank. Follow any additional local, state or federal requirements for cleaning containers prior to disposal. Make the empty, rinsed container unsuitable for further use by puncturing. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

#### **RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40

ACCURATE-EXTRA FO002243-A SDS Revision Date: June 2, 2015

CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

#### **SECTION 14 - TRANSPORT INFORMATION**

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
49CFR/DOT	None	Not regulated.	Not regulated	none	$\bigcirc$
49CFR/DOT Additional information	None.				
TDG	None	Not regulated.	Not regulated	none	$\bigcirc$
TDG Additional information	None.				

#### **SECTION 15 – REGULATORY INFORMATION**

#### **US Federal Information:**

**FIFRA:** This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required on safety data sheets, and for workplace labels on non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **CAUTION**

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Wear protective eyewear.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200).

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) Health Hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: Tribenuron-methyl Technical

ACCURATE-EXTRA FO002243-A

SDS Revision Date: June 2, 2015

#### **US State Right to Know Laws:**

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

#### **International Information:**

This product is a Pest Control Product and is not regulated as a Controlled Product under the Hazardous Products Act (HPA). For informational purposes, this product would have the following WHMIS classification:

Class D2B (Materials Causing Other Toxic Effects, Toxic Materials)

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.

#### **SECTION 16 – OTHER INFORMATION**

HMIS Rating: \*-Chronic Hazard 0 – Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe

Health: 1 Flammability: 1 Reactivity: 0

Revision date: 2015-06-02

Revision note (M)SDS sections updated

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet