

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ARMOUR C SEED DRESSING FLOWABLE

Recommended use of the chemical and restrictions on use

Recommended use : Agricultural seed dressing.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,
North Ryde NSW 2113
Australia

Telephone : 1 800 066 355

Telefax : (02)9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixon)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version 1.0 Revision Date: 03.10.2023 SDS Number: 50001579 Date of last issue: -
Date of first issue: 03.10.2023

Chemical name	CAS-No.	Concentration (% w/w)
Flutriafol	76674-21-0	< 10
Cypermethrin	52315-07-8	< 1
propane-1,2-diol	57-55-6	>= 10 -< 30
Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt	81065-51-2	< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Hydrogen fluoride
Nitrogen oxides (NO_x)
Fluorinated compounds

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Hydrogen cyanide

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.

ARMOUR C SEED DRESSING FLOWABLE

Version 1.0 Revision Date: 03.10.2023 SDS Number: 50001579 Date of last issue: -
Date of first issue: 03.10.2023

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : Viscous aqueous suspension

Colour : dark green

Odour : No information available.

pH : 7 - 7.5

Melting point/freezing point : No data available

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version 1.0	Revision Date: 03.10.2023	SDS Number: 50001579	Date of last issue: - Date of first issue: 03.10.2023
----------------	------------------------------	-------------------------	--

Boiling point/boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Self-ignition	: No data available
Density	: 1.069 - 1.089 g/cm ³ (20 °C)
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, dynamic	: 1,500 - 3,000 mPa,s (20 °C) 6 rpm
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Protect from frost, heat and sunlight.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	--

Components:

Flutriafol:

Acute oral toxicity	: LD50 (Rat, male): 1,140 mg/kg
---------------------	---------------------------------

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

LD50 (Rat, female): 1,480 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Cypermethrin:

Acute oral toxicity : LD50 (Rat, male): 247 mg/kg
LD50 (Rat, female): 309 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 2.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,460 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): 4,786 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Flutriafol:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Result : No skin irritation
GLP : yes

Cypermethrin:

Species : Rabbit
Result : No skin irritation

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Result : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Flutriafol:

Species : Rabbit
Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

Cypermethrin:

Species : Rabbit
Result : Mild eye irritation

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : Causes sensitisation.

Components:**Flutriafol:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406

Cypermethrin:

Species : Guinea pig
Result : May cause sensitisation by skin contact.

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Flutriafol:**

Genotoxicity in vivo : Test Type: dominant lethal test
Method: OECD Test Guideline 478
Result: negative

Cypermethrin:

Genotoxicity in vitro : Test system: Salmonella typhimurium
Result: negative

propane-1,2-diol:

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Method: OECD Test Guideline 476
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Flutriafol:**

Species : Mouse
Exposure time : 2 Years
NOAEL : 1.2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Cypermethrin:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Components:**Flutriafol:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing showed no developmental toxicity.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Components:**Flutriafol:**

Remarks : No significant adverse effects were reported

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:**Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Flutriafol:**

Species : Rat
NOAEL : 13.3 mg/kg bw/day
Application Route : Oral - feed

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Exposure time : 90 d
Symptoms : anemia, Liver effects

Species : Dog
NOAEL : 5 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Symptoms : anemia, Liver effects

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Components:

Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

No aspiration toxicity classification

Neurological effects

Components:

Flutriafol:

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Flutriafol:**

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 61 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 75.7 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes |
| Toxicity to algae/aquatic plants | : | IC50 (Selenastrum capricornutum (green algae)): 12 mg/l
Exposure time: 96 h

IC50 (Scenedesmus subspicatus): 1.9 mg/l
Exposure time: 72 h

EbC50 (Lemna gibba (duckweed)): 0.65 mg/l
Exposure time: 7 d |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 6.2 mg/l
Exposure time: 28 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.31 mg/l
Exposure time: 21 d |
| Toxicity to soil dwelling organisms | : | NOEC (Eisenia fetida (earthworms)): 0.01 mg/cm2
Exposure time: 180 d |
| Toxicity to terrestrial organisms | : | LD50 (Apis mellifera (bees)): > 144
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (Apis mellifera (bees)): > 150 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LDD50 (Apis mellifera (bees)): 14 µg/bee
Exposure time: 10 d
End point: Acute oral toxicity
Method: OECD TG 245
GLP: yes

LD50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg |

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Cypermethrin:

Toxicity to fish	:	LC50 (Fish): 0.0028 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): 0.0003 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (algae): 1.3 mg/l Exposure time: 96 h EC50 (algae): > 0.1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 0.00003 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Crustaceans): 0.00004 mg/l Exposure time: 21 d

propane-1,2-diol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 34 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 74.4 mg/l Exposure time: 96 h Test Type: static test
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 133 mg/l Exposure time: 30 min

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

Test Type: Respiration inhibition

Persistence and degradability**Components:****Flutriafol:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

Cypermethrin:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential**Components:****Flutriafol:**

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 7
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.29

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil**Components:****Flutriafol:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version 1.0	Revision Date: 03.10.2023	SDS Number: 50001579	Date of last issue: - Date of first issue: 03.10.2023
----------------	------------------------------	-------------------------	--

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Flutriafol:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Flutriafol, Cypermethrin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Flutriafol, Cypermethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passen-

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flutriafol, Cypermethrin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flutriafol, Cypermethrin)

Class : 9

Packing group : III

Labels : 9

Hazchem Code : •3Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6

Scheduling of Medicines and Poisons

APVMA Code: 47516

Prohibition/Licensing Requirements : There is no applicable prohibition,

SAFETY DATA SHEET



ARMOUR C SEED DRESSING FLOWABLE

Version 1.0	Revision Date: 03.10.2023	SDS Number: 50001579	Date of last issue: - Date of first issue: 03.10.2023
----------------	------------------------------	-------------------------	--

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. (RS)-2,4'-DIFLUORO-A-(1H-1,2,4-TRIAZOL-1-YLMETHYL)BENZHYDRYL ALCOHOL Cypermethrin Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 03.10.2023
Date format	: dd.mm.yyyy

Full text of other abbreviations

AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

ARMOUR C SEED DRESSING FLOWABLE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.10.2023	50001579	Date of first issue: 03.10.2023

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N