

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SOLIDA® 250 WG

Other means of identification

Product code 50001597

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Can be used as herbicide only.

Recommended restrictions on use : Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Chemicals (Pty) Ltd
Company Registration No.: 1988/001451/07
West End Office Park, Building C
Cnr. West Ave & Hall Street
Centurion
0014
South Africa

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
South Africa: 080-001-4676 (CHEMTREC)

Medical emergency:
For any emergency or poisoning contact: Griffon Poison Information Centre (24 hrs) - +27-(0)-82-446-8946

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



SOLIDA® 250 WG

Version 1.0 Revision Date: 04.06.2024 SDS Number: 50001597 Date of last issue: -
Date of first issue: 04.06.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide	122931-48-0	Aquatic Chronic 1; H410	>= 20 - < 25
Residues (petroleum), catalytic re-former fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10
sodium dimethylnaphthalenesulphonate	27178-87-6 248-301-8	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|----------------------------|---|--|
| General advice | : | Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| If inhaled | : | Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : | Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local cir- |
|------------------------------|---|---|

SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

cumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Never return spills in original containers for re-use.
For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Avoid formation of respirable particles.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

SAFETY DATA SHEET

SOLIDA® 250 WG



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

	Tightly fitting safety goggles
Hand protection	
Material	: Protective gloves
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: In the case of dust or aerosol formation use respirator with an approved filter.
Protective measures	: Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: solid
Form	: granules
Colour	: brown
Odour	: pungent
Odour Threshold	: No data available
pH	: 6.27 (22 °C) Concentration: 10 g/l
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Bulk density : No data available

Solubility(ies)
Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Particle size : No data available

Particle Size Distribution : No data available

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures
Avoid dust formation.

No data available

SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 425 Assessment: The component/mixture is minimally toxic after single ingestion.
Acute inhalation toxicity	: (Rat): > 5.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is minimally toxic after single contact with skin.

Components:**N-[(4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity	: LD50 (Rat, female): > 10 g/kg
---------------------	---------------------------------

sodium dimethylnaphthalenesulphonate:

Acute oral toxicity	: LD50 (Rat): > 2,000 - 5,000 mg/kg
---------------------	-------------------------------------

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Method: OECD Test Guideline 401

LD50 (Rat): > 3,000 - 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 404
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:

Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks : No data available

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

sodium dimethylnaphthalenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : No eye irritation

Components:

N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:

Species : Rabbit
Result : slight irritation

SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Eye irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : Eye irritation

sodium dimethylnaphthalenesulphonate:

Method : OECD Test Guideline 437

Result : Irreversible effects on the eye

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irreversible effects on the eye

Remarks : Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Components:**N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Species : Guinea pig

Result : Does not cause skin sensitisation.

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig

Result : Not a skin sensitizer.

sodium dimethylnaphthalenesulphonate:

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:**N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

sodium dimethylnaphthalenesulphonate:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 476
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

N-[(4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

N-[(4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

STOT - repeated exposure

Not classified based on available information.

Components:

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

N-[[[4,6-Dimethoxy-2-pyrimidinyl]amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:

Toxicity to fish	:	LC50 (Salmo gairdneri): > 390 mg/l Exposure time: 96 h
		LC50 (Cyprinodon variegatus (sheepshead minnow)): 110 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 360 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Selenastrum capricornutum (green algae)): 1.2 mg/l Exposure time: 72 h
		IC50 (Anabaena flos-aquae (cyanobacterium)): 1.9 mg/l Exposure time: 96 h
		EC50 (Lemna gibba (gibbous duckweed)): 0.005 mg/l Exposure time: 14 d
Toxicity to fish (Chronic toxicity)	:	NOEC: 125 mg/l Exposure time: 21 d Species: Salmo gairdneri
Toxicity to daphnia and other	:	NOEC: 1 mg/l

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

aquatic invertebrates (Chronic toxicity)	:	Exposure time: 21 d Species: Daphnia magna (Water flea)
Toxicity to soil dwelling organisms	:	LC50: > 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LD50: > 2,250 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: > 2,000 mg/kg Species: Anas platyrhynchos (Mallard duck) LD50: > 100 µg/bee Exposure time: 48 h Species: Apis mellifera (bees) Remarks: Contact LD50: > 1000 µg/bee Exposure time: 48 h Species: Apis mellifera (bees) Remarks: Oral

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	:	LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	EC10: > 10 - 100 mg/l Exposure time: 21 d

SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

ic toxicity)

Species: Daphnia magna (Water flea)
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l
 Exposure time: 96 h

sodium dimethylnaphthalenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 aquatic invertebrates Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC10 (Pseudokirchneriella subcapitata (green algae)): 135
 plants mg/l
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 810
 mg/l
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
 Exposure time: 16.5 h
 Method: DIN 38 412 Part 8
 Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC10: > 1 - 10 mg/l
 aquatic invertebrates (Chron- Exposure time: 21 d
 ic toxicity) Species: Daphnia magna (Water flea)
 Method: OECD Test Guideline 211

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability**Components:****N-[[[(4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Biodegradability : Remarks: The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

sodium dimethylnaphthalenesulphonate:

Biodegradability : Result: Inherently biodegradable.
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential**Components:****N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -1.46 (25 °C)
pH: 7

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3.45

12.4 Mobility in soil**Components:****N-[[[4,6-Dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide:**

Distribution among environmental compartments : Remarks: Mobile in soils

Stability in soil :

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

SOLIDA® 250 WG



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

12.6 Other adverse effects

Product:

- | | | |
|-----------------------------------|---|---|
| Endocrine disrupting potential | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Additional ecological information | : | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |

SECTION 14: Transport information

14.1 UN number

- | | | |
|--------|---|---------|
| UNRTDG | : | UN 3077 |
| IMDG | : | UN 3077 |
| IATA | : | UN 3077 |

14.2 UN proper shipping name

- | | | |
|--------|---|---|
| UNRTDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Rimsulfuron) |
| IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| IATA | : | Environmentally hazardous substance, solid, n.o.s. |

14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

UNRTDG	: 9	ENVIRONM.
IMDG	: 9	
IATA	: 9	

14.4 Packing group

UNRTDG	
Packing group	: III
Labels	: 9 (ENVIRONM.)

IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

IATA (Passenger)	
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

UNRTDG	
Environmentally hazardous	: yes

IMDG	
Marine pollutant	: yes

IATA (Passenger)	
Environmentally hazardous	: yes

IATA (Cargo)	
Environmentally hazardous	: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 1-(4,6-DIMETHOXYPYRIMIDIN-2-YL)-3-(3-ETHYLSULFONYL-2-PYRIDYLSULFONYL)UREA
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

Chemical Safety Assessments (CSA) under REACH are carried out at the substance level when the substance is registered thru ECHA. It includes exposure scenarios for all the identified uses of the substance. Chemical Safety Assessments are not performed on mixtures.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic	: Long-term (chronic) aquatic hazard
-----------------	--------------------------------------

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

Aquatic Chronic 1 H410

Classification procedure:

Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

SAFETY DATA SHEET



SOLIDA® 250 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.06.2024	50001597	Date of first issue: 04.06.2024

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

ZA / 6N