

Material group	57J/5760	Page 1 of 13
Product name	IMIDACLOPRID 70 WG	September 2017
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes December 2016

SAFETY DATA SHEET

IMIDACLOPRID 70 WG

Revision: Sections containing a revision or new information are marked with a ♣.

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. **Product identifier** **IMIDACLOPRID 70 WG**
Contains imidacloprid
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** Can be used as insecticide only.
- 1.3. **Details of the supplier of the safety data sheet** **CHEMINOVA A/S**, a subsidiary of FMC Corporation
 Thyborønvej 78
 DK-7673 Harbøre
 Denmark
SDS.Ronland@fmc.com
- 1.4. **Emergency telephone number**
Company (+45) 97 83 53 53 (24 h; for emergencies only)
- Medical emergencies:
- | | |
|-------------------------------------|--|
| Austria: +43 1 406 43 43 | Netherlands: +31 30 274 88 88 |
| Belgium: +32 70 245 245 | Norway: +47 22 591300 |
| Bulgaria: +359 2 9154 409 | Poland: +48 22 619 66 54 |
| Cyprus: 1401 | +48 22 619 08 97 |
| Czech Republic: +420 224 919 293 | Portugal: 808 250 143 (in Portugal only) |
| +420 224 915 402 | +351 21 330 3284 |
| Denmark: +45 82 12 12 12 | Romania: +40 21318 3606 |
| France: +33 (0) 1 45 42 59 59 | Slovakia: +421 2 54 77 4 166 |
| Finland: +358 9 471 977 | Slovenia: +386 41 650 500 |
| Greece: 30 210 77 93 777 | Spain: +34 91 562 04 20 |
| Hungary: +36 80 20 11 99 | Sweden: +46 08-331231 |
| Ireland (Republic): +352 1 809 2166 | 112 |
| Italy: +39 02 6610 1029 | Switzerland: 145 |
| Lithuania: +370 523 62052 | United Kingdom: 0870 600 6266 (in the UK only) |
| +370 687 53378 | U.S.A. & Canada: +1 800 / 331-3148 (ProPharma) |
| Luxembourg: +352 8002 5500 | All other countries: +1 651 / 632-6793 (PorPharma - Collect) |

SECTION 2: HAZARDS IDENTIFICATION

- 2.1. **Classification of the substance or mixture** Acute oral toxicity: Category 4 (H302)
 Inhalation toxicity: Category 4 (H332)

Material group	57J/5760	Page 2 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

Hazards to the aquatic environment, acute: Category 1 (H400)
 chronic: Category 1 (H410)

WHO classification Class II: Moderately hazardous

Health hazards The product is harmful by inhalation and ingestion.

Environmental hazards The product is very toxic to aquatic invertebrates.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Product identifier Imidacloprid 70 WG
 Contains imidacloprid

Hazard pictograms (GHS07, GHS09)



Signal word Warning

Hazard statements

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Supplementary hazard statement

EUH401 To avoid risks to human health and the environment, comply with the instructions of use.

Precautionary statements

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P301+P330 IF SWALLOWED: Rinse mouth.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P501 Dispose of contents/container as hazardous waste.

2.3. Other hazards None of the ingredients in the product meets the criteria for being PBT or vPvB.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances The product is a mixture, not a substance.

3.2. Mixtures See section 16 for full text of hazard statements.

Active ingredient


Imidacloprid Content: 70% by weight

CAS name 2-Imidazolidinimine, 1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-

Material group	57J/5760	Page 3 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

CAS no. 138261-41-3
 IUPAC name 1-(6-Chloro-3-pyridinyl)methyl-N-nitroimidazolidin-2-ylidene-amine
 ISO name Imidacloprid
 EC no. ELINCS no.: 428-040-8
 EU index no. 612-252-00-4
 Classification of the substance Acute oral toxicity: Category 4 (H302)
 Hazards to the aquatic environment, acute: Category 1 (H400)
 chronic: Category 1 (H410)

Structural formula



Reportable ingredients

	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Lignosulfonic acid, sodium salt, sulfomethylated	10	68512-34-5	None	Eye Irrit. 2 (H319)
Sodium alkyl naphthalenesulphonate- formaldehyde condensate	2	577773-56-9	None	Eye Irrit. 2 (H319)

♣ SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
Skin contact	Immediately flush skin with much water while removing contaminated clothing and footwear. Wash with water and soap. See physician if irritation develops.
Eye contact	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation develops.
Ingestion	Let the exposed person rinse mouth and let him/her drink several glasses of water or milk, but not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

After oral intake: gastrointestinal discomfort, tremors and difficulty breathing.

Material group	57J/5760	Page 4 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required in case of ingestion.

It may be helpful to show this safety data sheet to physician.

Notes to physician

A specific antidote against this product is not known. Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment is supportive and symptomatic as for a general chemical.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as nitrogen oxides, sulphur dioxide, hydrogen chloride, hydrogen cyanide, carbon monoxide, carbon dioxide and various chlorinated organic compounds.

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

1. use personal protection equipment; see section 8
2. call emergency telephone no.; see section 1
3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and boots.

Stop the source of the spill immediately if safe to do so. Reduce and avoid vapour or dust formation as much as possible, if appropriate by moistening. Remove sources of ignition.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

Material group	57J/5760	Page 5 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Use non-sparking tools and equipment. If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be swept up immediately or preferably vacuumed up using equipment with high efficiency final filter. Clean area with much water and industrial detergent. Absorb wash liquid onto an absorptive material such as universal binder, attapulgate, bentonite or other absorbent clays and collect in suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See subsection 7.1. for fire prevention
 See subsection 8.2. for personal protection.
 See section 13 for disposal.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Like most organic powders, the substance can form explosive mixtures with air. Avoid dust formation and take precautionary measures against static discharge. Use explosion protected equipment. Keep away from sources of ignition.

In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when

Material group	57J/5760	Page 6 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage at temperatures of -10 to 40°C. Protect against extremes of heat and cold.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. Specific end use(s)

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Personal exposure limits

To our knowledge, personal exposure limits have not been established for imidacloprid or any other component in this product. However, exposure limits defined by local regulations may exist and must be observed.

Imidacloprid

DNEL, oral	0.08 mg/kg bw/day
DNEL, inhalation	0.007 mg/kg bw/day
PNEC, aquatic	36 µg/l

8.2. Exposure controls

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.

Material group	57J/5760	Page 7 of 13
Product name	IMIDACLOPRID 70 WG	September 2017



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection. It is recommended to limit the work to be done manually.



Eye protection

Wear goggles, safety glasses or face shield. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance	Brown solid (granules)
Odour	Characteristic
Odour threshold	Not determined
pH	1% solution in water: 10.46 at 25°C
Melting point/freezing point	Not determined
Initial boiling point and boiling range	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid/gas)	Not highly flammable
Upper/lower flammability or explosive limits	Not determined
Vapour pressure	Imidacloprid : 4×10^{-10} Pa at 20°C
Vapour density	Not determined
Relative density	Not determined
	Pour density: 0.60 g/cm ³
	Tap density: 0.64 g/cm ³
Solubility(ies)	Solubility of imidacloprid at 20°C in:
	isopropanol 1.2 g/l
	n-hexane < 0.1 g/l
	water 0.61 g/l
Partition coefficient n-octanol/water	Imidacloprid : log K _{ow} = 0.57 at 20°C
Autoignition temperature	> 400°C
Decomposition temperature	Not determined
Viscosity	Not determined
Explosive properties.....	Not explosive
Oxidising properties	Not oxidising

Material group	57J/5760	Page 8 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

9.2. Other information

Miscibility The product is miscible with water.

SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity** To our knowledge, the product has no special reactivities.
- 10.2. **Chemical stability** The product is stable during normal handling and storage at ambient temperatures.
- 10.3. **Possibility of hazardous reactions** None known.
- 10.4. **Conditions to avoid** Heating of the product will produce harmful and irritant vapours.
- 10.5. **Incompatible materials** None known.
- 10.6. **Hazardous decomposition products** See subsection 5.2.

SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1. **Information on toxicological effects** * = Based on available data, the classification criteria are not met.

Product

- Acute toxicity The product is harmful by inhalation and if swallowed. The acute toxicity of the product is measured as:
- Route(s) of entry - ingestion LD₅₀, oral, rat: 1044 mg/kg (method OECD 425)
- skin LD₅₀, dermal, rat: > 2000 mg/kg (method OECD 402) *
- inhalation LC₅₀, inhalation, rat (female): > 5.10 mg/l/4 h (method OECD 403)
- LC₅₀, inhalation, rat (male): 4.36 mg/l/4 h
- Skin corrosion/irritation The product is mildly irritating to skin (method OECD 404). *
- Serious eye damage/irritation The product is minimally irritating to eyes (method OECD 405). *
- Respiratory or skin sensitisation ... The product was not sensitising in the Local Lymph Node Assay (method OECD 429). *
- Germ cell mutagenicity The product contains no ingredient known to be mutagenic. *
- Carcinogenicity The product contains no ingredient known to be carcinogenic. *
- Reproductive toxicity The product contains no ingredient found to have adverse effects on reproduction. *
- STOT – single exposure To our knowledge, specific effects after single exposure have not been observed. *
- STOT – repeated exposure The following has been found for the active ingredient imidacloprid:
 NOAEL: 150/600 ppm, equivalent to 14.0 mg/kg bw/day for males

Material group	57J/5760	Page 9 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

and 83.3 mg/kg bw/day for females, based on decreased body weight gain at 600 ppm (males) and 2400 ppm (females) and functional changes in the liver at 2400 ppm in females (method OECD 408). *

Aspiration hazard The product does not present an aspiration pneumonia hazard. *

Symptoms and effects, acute and delayed After oral intake, gastrointestinal discomfort, tremors and difficulty breathing.

Imidacloprid

Toxicokinetics, metabolism and distribution

Imidacloprid is rapidly absorbed following oral administration. It is widely distributed in the body. The metabolism rate is high. Elimination is fast and complete. There is no indication of bioaccumulation.

Acute toxicity The substance is harmful by ingestion, but not considered as harmful by inhalation or dermal contact. The acute toxicity of imidacloprid is measured as:

Route(s) of entry	- ingestion	LD ₅₀ , oral, rat (male): 379 - 648 mg/kg (method OECD 401)
	- skin	LD ₅₀ , dermal, rat: > 5000 mg/kg (method OECD 402) *
	- inhalation	LC ₅₀ , inhalation, rat: > 0.069 mg/l/4 h (method OECD 403)

Skin corrosion/irritation Not irritating to skin (method OECD 404). *

Serious eye damage/irritation Not irritating to eyes (method OECD 405). *

Respiratory or skin sensitisation ... Not a skin sensitizer (method OECD 406). *

Lignosulfonic acid, sodium salt, sulfomethylated

Acute toxicity The substance is not considered harmful by single exposure. *

Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: not available
	- skin	LD ₅₀ , dermal, rat: not available
	- inhalation	LC ₅₀ , inhalation, rat: not available

Serious eye damage/irritation Causes serious eye irritation.

Sodium alkyl naphthalenesulphonate-formaldehyde condensate

Acute toxicity The substance is not considered harmful by single exposure. *

Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: > 5000 mg/kg
	- skin	LD ₅₀ , dermal, rat: not available
	- inhalation	LC ₅₀ , inhalation, rat: not available

Skin corrosion/irritation May be mildly irritating to skin. *

Serious eye damage/irritation Irritating to eyes.

Material group	57J/5760	Page 10 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

STOT – single exposure Inhalation of dust can cause irritation of airways. It is not clear if the criteria for classification are met.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity The product is an insecticide and very toxic to bees. It may be toxic to other species of insects or related organisms. The product is harmful to birds and soil macroorganisms, but is not considered as harmful to fish, aquatic plants and daphnids. It may have short-term effects on soil microorganisms, but no significant long-term effects have been observed.

The ecotoxicity is measured on the product as:

- Fish Rainbow trout (*Oncorhynchus mykiss*) 96-h LC₅₀: > 100 mg/l
- Invertebrates Daphnids (*Daphnia magna*) 48-h EC₅₀: > 100 mg/l
- Algae Green algae (*Pseudokirchneriella subcapitata*) 72-h IC₅₀: 73 mg/l
- Birds Bobwhite quail (*Colinus virginianus*) LD₅₀: 1055 mg/kg
- Earthworms *Eisenia fetida* 14-day LC₅₀: 15 mg/kg dry soil
- Bees Honey bees (*Apis mellifera* L.) 48-h LD₅₀, acute oral: 0.0036 µg/bee
 48-h LD₅₀, contact: 0.028 µg/bee

The ecotoxicity measured on the active ingredient imidacloprid is:

- Invertebrates Amphipods (*Hyaella azteca*) 96-h LC₅₀: 0.526 mg/l
 Mysid shrimp (*Mysidopsis bahia*) 96-h LC₅₀: 0.0341 mg/l
- Birds Japanese quail (*Coturnix coturnix japonica*) LD₅₀: 31 mg/kg
 5-day dietary LD₅₀: 2225 ppm in feed

12.2. Persistence and degradability **Imidacloprid** is not readily biodegradable. It undergoes slow degradation in the environment and in waste water treatment plants. Degradation is mainly microbiological and aerobic, but photo-degradation also occurs. Primary degradation half-lives in the environment vary much with circumstances, usually from a few months to one year.

The product contains minor amounts of not readily biodegradable ingredients, which may not be degradable in waste water treatment plants.

12.3. Bioaccumulative potential See section 9 for n-octanol/water partition coefficient.

Imidacloprid is not expected to bioaccumulate.

12.4. Mobility in soil In the environment, **imidacloprid** is of moderate mobility.

12.5. Results of PBT and vPvB assessment None of the ingredients meets the criteria for being PBT or vPvB.

Material group	57J/5760	Page 11 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

12.6. **Other adverse effects** Other relevant hazardous effects in the environment are not known.

♣ SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.

Disposal of waste and packagings must always be in accordance with all applicable local regulations.

Disposal of product According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Disposal of packaging It is recommended to consider possible ways of disposal in the following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

♣ SECTION 14: TRANSPORT INFORMATION

ADR/RID/IMDG/IATA/ICAO classification

14.1. **UN number** 3077

14.2. **UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (imidacloprid)

14.3. **Transport hazard class(es)** 9

14.4. **Packing group** III

14.5. **Environmental hazards** Marine pollutant

14.6. **Special precautions for user** Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.

Material group	57J/5760	Page 12 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

The product is not transported in bulk by ship.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category (Dir. 2012/18/EU): dangerous for the environment

All ingredients are covered by EU chemical legislation.

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this product.

♣ SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet

Minor corrections only.

List of abbreviations

CAS	Chemical Abstracts Service
Dir.	Directive
DNEL	Derived No Effect Level
EC	European Community
EC ₅₀	50% Effect Concentration
EINECS	European INventory of Existing Commercial Chemical Substances
ELINCS	European LIst of Notified Chemical Substances
GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
IBC	International Bulk Chemical code
IC ₅₀	50% Inhibition Concentration
ISO	International Organisation for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	50% Lethal Concentration
LD ₅₀	50% Lethal Dose
MARPOL	Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
NOAEL	No Observed Adverse Effect Level
n.o.s.	Not otherwise specified
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative, Toxic
PNEC	Predicted No Effect Concentration
Reg.	Regulation
STOT	Specific Target Organ Toxicity
vPvB	very Persistent, very Bioaccumulative
WG	Water dispersible Granules
WHO	World Health Organisation

References

Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.

Material group	57J/5760	Page 13 of 13
Product name	IMIDACLOPRID 70 WG	September 2017

Method for classification	Acute oral toxicity: test data Inhalation toxicity: test data Hazards to the aquatic environment, acute: test data chronic: calculation method
Used hazard statements	H302 Harmful if swallowed. H319 Causes serious eye irritation. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH401 To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB