# **SAFETY DATA SHEET**

## **CROPLINK ZINC PLUS**

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0209-1-A

**Revision date:** 2019-02-18

Format: EU Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0209-1-A

Product Name CROPLINK ZINC PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A micronutrient suspension concentrate for use in agriculture

**Restrictions on use**Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 1244 537370
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0) 1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0) 1244 537370 (Office hours only)

# Section 2: HAZARDS IDENTIFICATION

## **2.1. Classification of the substance or mixture** Regulation (EC) No 1272/2008

Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H411)
EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.	

# 2.2. Label elements

Hazard pictograms

Version 1



#### **Hazard Statements**

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

#### **Precautionary Statements**

P273 - Avoid release to the environment

P391 - Collect spillage

P501: Dispose of contents/container as hazardous waste.

#### 2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

The product is a mixture, not a substance.

## 3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Zinc oxide	215-222-5	1314-13-2	30-50	1	01-2119463881-32-
				Aquatic Chronic 1 (H410)	XXXX
Ethylene glycol	203-473-3	107-21-1	1-5	Acute Tox. 4 (H302)	01-2119456816-28
				STOT RE 2 (H373)	

#### **Additional Information**

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16.

Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15-20 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.

**Inhalation** Remove person from exposure ensuring one's own safety while doing so.

Ingestion Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.

## 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Version 1

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

# **Section 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

#### Unsuitable extinguishing media

No information available

#### 5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminiated fire extinguishing water should not be discharged into drains, if preventable.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## **Personal Precautions**

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

## For emergency responders

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Dike to confine spill and

absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to

local/national regulations (see Section 13).

### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Version 1

# **Section 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

#### Handling

Use only in area provided with appropriate exhaust ventilation.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

## 7.3. Specific end use(s)

## Specific Use(s)

No data available.

#### **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Zinc oxide	-	-	TWA 5 mg/m <sup>3</sup>	TWA 2 mg/m <sup>3</sup>	-
1314-13-2	1314-13-2		TWA 10 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup>	
Ethylene glycol	TWA 20 ppm	STEL 40 ppm	TWA 20 ppm	TWA 20 ppm	-
107-21-1	TWA 52 mg/m <sup>3</sup>	STEL 104 mg/m <sup>3</sup>	TWA 52 mg/m <sup>3</sup>	TWA 52 mg/m <sup>3</sup>	
	STEL 40 ppm	STEL 30 mg/m <sup>3</sup>	STEL 40 ppm	STEL 40 ppm	
	STEL 104 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup>	STEL 104 mg/m <sup>3</sup>	STEL 104 mg/m <sup>3</sup>	
	S*	TWA 20 ppm	P*	S*	
		TWA 52 mg/m <sup>3</sup>			
		Skin			
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Zinc oxide	-	TWA 2 mg/m <sup>3</sup>	-	TWA 2 mg/m <sup>3</sup>	TWA 4 mg/m <sup>3</sup>
1314-13-2		STEL 10 mg/m <sup>3</sup>		STEL 10 mg/m <sup>3</sup>	
Ethylene glycol	TWA 20 ppm	TWA 20 ppm	Huid*	TWA 20 ppm	TWA 10 ppm
107-21-1	TWA 52 mg/m <sup>3</sup>	TWA 52 mg/m <sup>3</sup>	STEL 104 mg/m <sup>3</sup>	TWA 50 mg/m <sup>3</sup>	TWA 26 mg/m <sup>3</sup>
	STEL 40 ppm	STEL 40 ppm	TWA 52 mg/m <sup>3</sup>	STEL 40 ppm	TWA 10 mg/m <sup>3</sup>
	STEL 104 mg/m <sup>3</sup>	STEL 104 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup>	STEL 100 mg/m <sup>3</sup>	H*
	Pelle*	Ceiling 100 mg/m <sup>3</sup>	_	iho*	
		P* ^			
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Zinc oxide	TWA 5 mg/m <sup>3</sup>	TWA 3 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	TWA 2 mg/m <sup>3</sup>
1314-13-2		STEL 3 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup>
Ethylene glycol	H*	SS-C**	TWA 15 mg/m <sup>3</sup>	TWA 20 ppm	TWA 10 mg/m <sup>3</sup>
107-21-1 STEL 20 ppm		H*	STEL 50 mg/m <sup>3</sup>	TWA 52 mg/m <sup>3</sup>	TWA 20 ppm
	STEL 52 mg/m <sup>3</sup>	TWA 10 ppm	-	S*	TWA 52 mg/m <sup>3</sup>
	TWA 10 ppm	TWA 26 mg/m <sup>3</sup>		STEL 104 mg/m <sup>3</sup>	STEL 40 ppm
	TWA 26 mg/m <sup>3</sup>	STEL 20 ppm		STEL 40 ppm	STEL 30 mg/m <sup>3</sup>
		STEL 52 mg/m <sup>3</sup>			STEL 104 mg/m <sup>3</sup>
		-			Skin

**Derived No Effect Level (DNEL)**No information available.

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls

Version 1

Engineering measures Ensure adequate ventilation, especially in confined areas. The floor of the storage room

must be impermeable to prevent the escape of liquids.

Personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

**Skin and Body Protection** Wear protective gloves/clothing.

**Respiratory Protection** not required under normal use.

**Environmental exposure controls** Refer to specific Member State legislation for requirements under Community

environmental legislation.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical State Liquid

AppearanceNo information availableOdourBarely perceptibleColourBrown, Purple, GreyOdour thresholdNo information available

**pH** 8.5 - 9.5

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation Rate

No information available
No information available
No information available

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available

Specific gravity 1.56 - 1.58

Water solubility Dispersible in water Solubility in other solvents No information available **Partition coefficient** No information available No information available **Autoignition temperature Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

#### NP-0209-1-A CROPLINK ZINC PLUS

**SDS #**: NP-0209-1-A **Revision date**: 2019-02-18

Version 1

Stable under recommended storage conditions.

#### **Explosion data**

**Sensitivity to Mechanical Impact** No information available. **Sensitivity to Static Discharge** No information available.

## 10.3. Possibility of hazardous reactions

## Hazardous polymerisation

Hazardous polymerisation does not occur.

#### Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

Strong oxidising agents, Strong acids.

## 10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

## Section 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

**Acute toxicity** 

**Product Information** 

LD50 Oral > 7000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Zinc oxide	> 5000 mg/kg (rat)		

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity

No information available.
No information available.
No information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Symptoms** Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Version 1

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

**Aspiration hazard** No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** ZEBRAFISH (Danio rerio): 96H LC50 = 4.68 mg/L (calculated)

DAPHNIDS (Daphnia magna): 48H EC50 = 9.84 mg/L (calculated)

ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 0.442 mg/L (calculated)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms.

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialized disposal company. Alternatively, the product can be sent for water treatment. Diluted product and washings

should also be sent for water treatment.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

**EWC Waste Disposal No** 02 01 08

OTHER INFORMATION NOTE: The user's attention is drawn to the possible existence of specific European,

Version 1

national or local regulations regarding disposal.

## **Section 14: TRANSPORT INFORMATION**

IMDG/IMO

14.1 UN/ID no UN3082 14.2 Proper Shipping Name Not regulated

 14.3 Hazard class
 9

 14.4 Packing Group
 III

 14.5 Marine Pollutant
 Yes

 Environmental Hazard
 Yes

 14.6 Special Provisions
 None

14.7 Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

<u>RID</u>

**14.1 UN/ID no** UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes14.6 Special ProvisionsNone

ADR/RID

**14.1 UN/ID no** UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes14.6 Special ProvisionsNone

ICAO/IATA

**14.1 UN/ID no** UN3082 **14.2 Proper Shipping Name** UN3082 Not regulated

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes14.6 Special ProvisionsNone

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Not applicable

#### **European Union**

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not Applicable

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

Version 1

## **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Zinc oxide 1314-13-2	Х	Х	Х	Х	Х	X	Х	Х
Ethylene glycol 107-21-1	Х	Х	Х	Х	Х	X	Х	Х

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# **Section 16: OTHER INFORMATION**

Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under sections 2 and 3

EUH208 - May produce an allergic reaction

H302 - Harmful if swallowed H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

**DNEL:** Derived No Effect Level (DNEL)

**EINECS**: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

**LD50**: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

**SVHC**: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

**Revision date:** 2019-02-18

**Reason for revision:** Format Change.

#### <u>Disclaimer</u>

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

#### Prepared By

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

Version 1

**End of Safety Data Sheet**