according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TECORLA™

Other means of identification

Product code 50000092

Unique Formula Identifier

(UFI)

KX5X-K2XV-RN4S-2NH4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro ITALIA S.r.I

Via Fratelli Bronzetti 32/28

24124 Bergamo

Italy

Telephone: (+39) 035 199 04 468 E-mail address: info.it@fmc.com

SDS-Info@fmc.com.

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1703 / 741-5970 (CHEMTREC - International)

1 202 / 483-7616 (CHEMTREC - Alternate International)

Medical emergency:

Malta: 112

All other countries: +1 651 / 632-6793 (Collect)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

H400: Very toxic to aquatic life.

gory 1

egory 1

Long-term (chronic) aquatic hazard, Cat-

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P280 Wear protective clothing.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste

according to legislation.

Additional Labelling

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-

2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 2.5 - < 10
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0.6 % Skin Irrit. 2; H315 0.06 - < 0.6 % Eye Irrit. 2; H319 0.06 - < 0.6 % Skin Sens. 1A; H317 >= 0.0015 %	>= 0.0002 - < 0.0015

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version 1.0	Revision Date: 25.03.2024	SDS Number: 50000092	Date of last issue: - Date of first issue: 25.03.2024	
			Eye Dam. 1; H318 >= 0.6 %	
			Acute toxicity estimate	
			Acute oral toxicity: 200 mg/kg Acute inhalation toxicity (dust/mist): 0.33 mg/l Acute dermal toxicity:	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water,

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds Chlorine compounds Hydrogen cyanide Hydrogen chloride

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin,

eyes and clothing. Do not inhale aerosol. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installa-

tions / working materials must comply with the technological

safety standards.

Further information on stor- : The product is stable under normal conditions of warehouse

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

age conditions storage. Store in closed, labelled containers. The storage

room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0.02 mg/m3
	Workers	Inhalation	Acute local effects	0.04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0.02 mg/m3
	Consumers	Inhalation	Acute local effects	0.04 mg/m3
	Consumers	Oral	Long-term systemic effects	0.09 mg/kg
	Consumers	Oral	Acute systemic effects	0.11 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

	. , , , , , , , , , , , , , , , , , , ,	
Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Marine water	26 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57.2 mg/kg
	Soil	50 mg/kg
Chlorantraniliprole	Water	0.00045 mg/l
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0.00339 mg/l
	Intermittent use/release	0.00339 mg/l
	Marine water	0.00339 mg/l
	Sewage treatment plant	0.23 mg/l
	Fresh water sediment	0.027 mg/kg
	Marine sediment	0.027 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Protective suit

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Form : semi-viscous liquid

Colour : white

Odour : mild, alcohol-like

Odour Threshold : No data available

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower

flammability limit

Not available for this mixture.

Flash point : > 100 °C

Method: closed cup

No flash up to boiling point.

Auto-ignition temperature : No data available

Decomposition temperature : Not available for this mixture.

pH : 7.6 (27.9 °C)

Concentration: 1 % Method: CIPAC MT 75.3 (aqueous suspension)

Viscosity

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not available for this mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Vapour pressure : Not available for this mixture.

Relative density : 1.02 - 1.04

Density : No data available

Relative vapour density : Not available for this mixture.

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : not auto-flammable

Evaporation rate : Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: (Data on the product itself)

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

GLP: yes

Remarks: Information source: Internal study report

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Acute oral toxicity : LD50 Oral (Rat, female): 200 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): 0.33 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, male): 87 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : No eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : Information source: Internal study report

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Buehler Test Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

Components:

Chlorantraniliprole:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : The product is a skin sensitiser, sub-category 1A.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

Species : Rat

NOAEL : 8,000 mg/kg
Application Route : Oral - feed
Exposure time : 28 Days

15 / 28

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Method : OECD Test Guideline 407

GLP : yes

Species : Rat
NOAEL : 300 mg/kg
Application Route : Dermal
Exposure time : 28 Days

Method : OECD Test Guideline 410

GLP : yes

Species : Rat

NOAEL : 20,000 mg/kg Application Route : Oral - feed Exposure time : 90 Days

Method : OECD Test Guideline 408

GLP : yes

Remarks : Information source: Internal study report

Species : Mouse
NOAEL : 7,000 mg/kg
Application Route : Oral - feed
Exposure time : 90 Days

Method : OECD Test Guideline 408

GLP : yes

Remarks : Information source: Internal study report

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Species : Dog NOAEL : 22 mg/kg Application Route : Oral

Species : Rat

NOAEL : 16.3 - 24.7 mg/kg Application Route : Skin contact

Species : Rat

NOAEL : 2.36 mg/m³ Application Route : Inhalation

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Chlorantraniliprole:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Neurological effects

Components:

Chlorantraniliprole:

Remarks No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.168 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 49

mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): > 28.4 mg/l

Exposure time: 7 d

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

Remarks: According to calculation method of Regulation (EC)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Remarks: According to calculation method of Regulation (EC)

No 1272/2008.

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

ma/l

Exposure time: 72 h

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

Remarks: Information source: Internal study report

EbC50 (Lemna gibba (duckweed)): > 2 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

Remarks: Information source: Internal study report

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 1.28 mg/l Exposure time: 36 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0.110 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP:yes

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organ-

isms

LD50: > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in acetone

LD50: > $0.005 \mu g/bee$ Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in water

LD50: > 104.1 µg/bee Exposure time: 48 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

End point: Acute oral toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in acetone

LD50: > $0.0274 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in water

LD50: > 2,250 mg/kg

Species: Poephila guttata (zebra finch)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0.1 mg/l

Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 0.18 mg/l

Exposure time: 21 d

Toxicity to algae/aquatic

plants

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.019 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): 0.037 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms : NOEC (activated sludge): 0.91 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

EC50 (activated sludge): 4.5 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.02 mg/l Exposure time: 35 d

Species: Danio rerio (zebra fish)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Chronic Toxicity Value: 0.18 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in

waste water treatment plants.

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C)

pH: 9

Degradation half life (DT50): 0.3 d (50 °C)

pH: 9

Degradation half life (DT50): > 31 d

pH: 5

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version **Revision Date:** SDS Number: Date of last issue: -

25.03.2024 50000092 Date of first issue: 25.03.2024 1.0

Components:

Chlorantraniliprole:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

> Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: ves

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (20 °C)

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Bioaccumulation Exposure time: 28 d

Bioconcentration factor (BCF): < 54 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: Pow: 0.75

12.4 Mobility in soil

Product:

mental compartments

Distribution among environ- : Remarks: No data is available on the product itself.

Components:

Chlorantraniliprole:

Distribution among environ:

mental compartments

Koc: 362 ml/g, log Koc: 2.55

Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

Components:

Chlorantraniliprole:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Chlorantraniliprole:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

No other ecological effects to be specially mentioned.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA™

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

E1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.

H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TECORLA[™]

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.03.2024 50000092 Date of first issue: 25.03.2024

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Doord on was direct data or consequen

Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

MT / 6N