according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name AMICOR® Insecticide

Other means of identification

Product code 50002621

Product Registration Num-

ber

PCP #35179

Recommended use of the chemical and restrictions on use

Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

Supplier Address FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.)

1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|---------------------|------------------------|---------|-----------------------|
| Chlorantraniliprole | Chlorantranilipro le | | 18.4 |
| propane-1,2-diol | propane-1,2-diol | 57-55-6 | >= 5 - < 10 |

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

Most important symptoms : None known.

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

and effects, both acute and

delayed

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides

Bromine compounds Chlorine compounds Hydrogen cyanide Hydrogen chloride

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

equipment may intervene.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage : Store in a place accessible by authorized persons only.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|---------|-------------------------------------|--|-----------|
| propane-1,2-diol | 57-55-6 | TWA (Va- pour and aerosols) | 50 ppm 155 mg/m3 | CA ON OEL |
| | | TWA (aero- sol) | 10 mg/m3 | CA ON OEL |

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Long sleeved clothing.

Footwear protecting against chemicals

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

This product should be used only by all personnel thoroughly

trained to handle it.

Wash hands before breaks and immediately after handling

the product.

Contaminated work clothing should not be allowed out of the

workplace.

Do not inhale aerosol.

Remove and wash contaminated clothing and gloves, includ-

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version 1.0

Revision Date: 08/30/2024

SDS Number: 50002621

Date of last issue: 08/30/2024 Date of first issue: 08/30/2024

ing the inside, before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance semi-viscous liquid

Form semi-viscous liquid

Color white

Odor alcohol-like

Odor Threshold not determined

рΗ

Concentration: 1 %

Method: CIPAC MT 75.3

Boiling point/boiling range not determined

Flash point : > 100 °C

No flash up to boiling point.

Evaporation rate Not available for this mixture.

Flammability (solid, gas) The product is not flammable.

not auto-flammable Self-ignition

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Vapor pressure Not available for this mixture.

Relative vapor density Not available for this mixture.

Relative density 1.08 - 1.10

Density 1.094 g/cm3 (20 °C)

Solubility(ies)

Water solubility emulsifiable

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Solubility in other solvents : slightly soluble

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : Not available for this mixture.

Viscosity, kinematic : 367 - 734 mm2/s

30 rpm

Explosive properties : Not explosive

Molecular weight : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.

Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2,000 mg/kg Method: OECD Test Guideline 425

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

LC50 (Rat, male and female): > 5.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: GB 15670-1995

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: ves

Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5,000 mg/kg

Method: GB 15670-1995

GLP: yes

Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l

Exposure time: 2 h Test atmosphere: vapor Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Species : Rabbit

Method : GB 15670-1995 Result : No skin irritation

GLP : yes

propane-1,2-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Information source: Internal study report

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Species : Rabbit

Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

propane-1,2-diol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node assay (LLNA)

Species : mice

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Components:

Chlorantraniliprole:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

propane-1,2-diol:

Test Type : Maximization Test

Species : Guinea pig
Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse Application Route: Oral Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

more information on target organs if applicable.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Based on available data, the classification criteria are not met.

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20

mg/l

Exposure time: 72 h

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0.1141 mg/kg

Exposure time: 2 d Remarks: Oral

LD50 (Apis mellifera (bees)): > 0.100 mg/kg

Exposure time: 2 d Remarks: Contact

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): > 2 mg/l

End point: Biomass Exposure time: 14 d Test Type: static test

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14.6 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15.1 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

ma/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Remarks: No significant adverse effect on Nitrogen minerali-

zation

No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 μg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

17 / 23

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (20 °C)

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

18 / 23

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version 1.0 Revision Date: 08/30/2024

SDS Number: 50002621

Date of last issue: 08/30/2024 Date of first issue: 08/30/2024

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments

Koc: 362 ml/g, log Koc: 2.55 Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Chlorantraniliprole)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to the Hazardous Products Regulations



AMICOR® Insecticide

Version Revision Date: SDS Number: Date of last issue: 08/30/2024 1.0 08/30/2024 50002621 Date of first issue: 08/30/2024

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Distillates (petroleum), hydro- treated light; Kerosine — un-

specified

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:, Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

No Signal Word Required

according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

When used as directed, this product does not present a hazard to humans or domestic animals.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein re-

according to the Hazardous Products Regulations



AMICOR® Insecticide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2024

 1.0
 08/30/2024
 50002621
 Date of first issue: 08/30/2024

lates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet