

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	REFINE SUPER SX
--------------	-----------------

Other means of identification

Product code	50000042
--------------	----------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Herbicide
Recommended restrictions on use	Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u>	FMC Agricultural Solutions A/S Thyborønvej 78 DK-7673 Denmark Telephone: +45 9690 9690 Telefax: +45 9690 9691 E-mail address: SDS-Info@fmc.com (E-Mail General Infor- mation)
-------------------------	--

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Finland: 358-942419014 (CHEMTREC)

Medical emergency:
Finland: 0800 147 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.
---	---

Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
--	-----------------------------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

gory 1

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Surplus, unusable plant protection product shall be exported to a collection point for hazardous waste and empty, rinsed sales packaging to an appropriate collection point

Hazardous components which must be listed on the label:

Tribenuron-methyl

Additional Labelling

EUH208 Contains tribenuron-methyl (ISO). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2 Revision Date: 22.04.2022 SDS Number: 50000042 Date of last issue: 27.08.2021
Date of first issue: 05.05.2021

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
thifensulfuron-methyl (ISO)	79277-27-3 016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
Tribenuron-methyl	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 10 - < 20
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity esti-	>= 1 - < 10

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

		mate	
		Acute inhalation toxicity (dust/mist): 0,830083 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|-------------------------|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--|
| Risks | : May cause damage to organs through prolonged or repeated exposure. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing | : High volume water jet |

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Sulphur oxides
Nitrogen oxides (NO_x)
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2 Revision Date: 22.04.2022 SDS Number: 50000042 Date of last issue: 27.08.2021
Date of first issue: 05.05.2021

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Acute local effects	10 mg/m ³
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

8.2 Exposure controls

Personal protective equipment

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

- | | | |
|-----------------------------|---|---|
| Eye protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems. |
| Hand protection
Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : | Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Equipment should conform to EN 143 |
| Filter type | : | Particulates type (P) |
| Protective measures | : | Plan first aid action before beginning work with this product. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | | |
|--|---|--|
| Appearance | : | solid, granular |
| Colour | : | light brown |
| Odour | : | slight |
| Odour Threshold | : | not determined |
| Melting point/freezing point | : | not determined |
| Boiling point/boiling range | : | Decomposition |
| Flammability | : | Not highly flammable, may be ignitable |
| Upper explosion limit / Upper flammability limit | : | not determined |
| Lower explosion limit / Lower flammability limit | : | 0,01 %(V) |
| Flash point | : | not determined |
| Decomposition temperature | : | not determined |

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

pH	:	9,4 (20 °C) Concentration: 10 g/l
Viscosity Viscosity, kinematic	:	not determined
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Bulk density	:	ca. 707 kg/m ³ packed
Relative vapour density	:	not determined

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Self-ignition	:	387 °C
Evaporation rate	:	Not applicable
Minimum ignition energy	:	> 1.000 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

10.5 Incompatible materials

Materials to avoid	:	Strong acids and strong bases
--------------------	---	-------------------------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Strong oxidizing agents

10.6 Hazardous decomposition products

Stable under recommended storage conditions.
See subsection 5.2.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: Fixed Dose Method GLP: yes Remarks: Information source: Internal study report
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No data is available on the product itself. The product contains no ingredient classified for inhalation toxicity.
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: Information source: Internal study report

Components:

thifensulfuron-methyl (ISO):

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 7,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

Tribenuron-methyl:

Acute oral toxicity	:	LD50: > 5.000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC50 (Rat): > 5,14 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Method: OECD Test Guideline 402

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Target Organs: Skin
Symptoms: Erythema

Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 420
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute toxicity estimate: 0,830083 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials
no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rat
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Based on data from a similar product.

Components:

Tribenuron-methyl:

Species : Rabbit
Assessment : Not classified as irritant

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Method : OECD Test Guideline 404
Remarks : May cause mild irritation.
Based on available data, the classification criteria are not met.

sodium carbonate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Rabbit
Result : Skin irritation

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes
Remarks : Based on data from a similar product.

Components:

Tribenuron-methyl:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Remarks : May cause mild irritation.
Based on available data, the classification criteria are not met.

sodium carbonate:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Rabbit
Method : EPA OTS 798.4500
Result : Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Local lymph node test
Species	:	Mouse
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
GLP	:	yes
Remarks	:	Based on data from similar materials Not classified

Components:

thifensulfuron-methyl (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Tribenuron-methyl:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.

Phosphoric acid, trisodium salt, dodecahydrate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro	:	Remarks: The product contains no ingredients known to be mutagenic.
-----------------------	---	---

Components:

thifensulfuron-methyl (ISO):

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Tribenuron-methyl:

Germ cell mutagenicity- Assessment : Did not show mutagenic effects in animal experiments.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test
Method: OECD Test Guideline 490
Result: negative
Remarks: Based on data from similar materials

Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogenic.

Components:

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Tribenuron-methyl:

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

Components:

Tribenuron-methyl:

Reproductive toxicity - Assessment : No toxicity to reproduction
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram
Duration of Single Treatment: 6 - 15 d
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight
Teratogenicity: NOAEL: > 245 mg/kg body weight
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kgbw
General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day
General Toxicity F1: NOAEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 4.1, 19, 88.3, 410 mg/kgbw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Tribenuron-methyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Components:

Tribenuron-methyl:

Target Organs : Thyroid, Nervous system
Assessment : May cause damage to organs through prolonged or repeated exposure.

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Tribenuron-methyl:

Species : Rabbit
LOAEL : 80 mg/kg
Target Organs : Thyroid, Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Increased mortality or reduced survival

sodium carbonate:

Species : , male and female
NOAEL : > 0,01 mg/kg

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Application Route : inhalation (dust/mist/fume)
Test atmosphere : dust/mist

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female
NOAEL : 492.77 mg/kg bw/day
LOAEL : 1433.56 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 129.31,492.77,1433.56mg/kgbw/d
Target Organs : Kidney
Remarks : Based on data from similar materials

Species : Dog, male
NOAEL : 322.88 mg/kg bw/day
LOAEL : 1107.12 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 94.23,322.88,1107.12mg/kgbw/da
Target Organs : Kidney
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Tribenuron-methyl:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 130 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information given is based on data obtained from similar product.
- Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 130 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: Information given is based on data obtained from similar product.
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,16 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- ErC50 (Lemna gibba (duckweed)): 0,0036 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 221
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- NOEC (Lemna gibba (duckweed)): < 1 mg/l
Exposure time: 14 d
Remarks: Estimated value
- Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
GLP: yes
- Toxicity to terrestrial organisms : LD50: > 112.2 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

GLP:yes

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
GLP:yes

Components:

thifensulfuron-methyl (ISO):

Toxicity to fish	:	LC50 (Salmo gairdneri): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 470 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (green algae): 0,0159 mg/l Exposure time: 72 h EC50 (Lemna minor (duckweed)): 1,3 µg/l
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC: 250 mg/l Exposure time: 28 d Species: Salmo gairdneri
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	100
Toxicity to soil dwelling organisms	:	LC50: > 2.000 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LD50: > 5.620 ppm Species: Colinus virginianus (Bobwhite quail) LD50: > 2.510 mg/kg Species: Anas platyrhynchos (Mallard duck) LD50: > 7,1 µg/bee Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Tribenuron-methyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Crustaceans): > 320 mg/l
aquatic invertebrates Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):
plants 0,068 mg/l
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l
Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,001 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic tox- : 100
icity)

Toxicity to fish (Chronic tox- : NOEC: 114 mg/l
icity) Exposure time: 21 d
Species: Cyprinodon variegatus (sheepshead minnow)
Method: OECD Test Guideline 211

NOEC: 560 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : NOEC: 41 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 100
toxicity)

Toxicity to soil dwelling or- : NOEC: 3,2 mg/kg
ganisms Exposure time: 56 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ- : LD50: > 2.250 mg/kg
isms Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm
Species: Colinus virginianus (Bobwhite quail)
Remarks: Dietary

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

LD50: > 5.620 ppm
Species: *Anas platyrhynchos* (Mallard duck)
Remarks: Dietary

LD50: > 98.4 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)

LD50: > 9.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 300 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia* (water flea)): 200 mg/l
Exposure time: 48 h
Test Type: semi-static test

Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: EU Method C3
Remarks: Based on data from similar materials

NOEC (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: EU Method C3
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l
Exposure time: 3 h

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

NOEC (activated sludge): 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: > 3.500 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.

Components:

Tribenuron-methyl:

Biodegradability : Result: Not readily biodegradable.
Remarks: The product/substance is not persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.
Metabolites are considered as persistent.
According to the results of tests of biodegradability this product is not readily biodegradable.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

thifensulfuron-methyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Tribenuron-methyl:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Bioaccumulation : Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-
octanol/water : log Pow: -0,38

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Distribution among environ-
mental compartments : Remarks: Under normal conditions the active ingredient/s
is/are of high to intermediate mobility in soil. There is a poten-
tial for leaching to groundwater.

Components:

thifensulfuron-methyl (ISO):

Distribution among environ-
mental compartments : Remarks: Mobile in soils

Tribenuron-methyl:

Distribution among environ-
mental compartments : Remarks: Under normal conditions the active ingredient/s
is/are of high to intermediate mobility in soil. There is a poten-
tial for leaching to groundwater.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be persis-
tent, bioaccumulating and toxic (PBT).. This mixture contains
no substance considered to be very persistent and very bio-
accumulating (vPvB).
: This substance/mixture contains no components considered
to be either persistent, bioaccumulative and toxic (PBT), or
very persistent and very bioaccumulative (vPvB) at levels of
0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-
ered to have endocrine disrupting properties according to
REACH Article 57(f) or Commission Delegated regulation
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
levels of 0.1% or higher.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

12.7 Other adverse effects

Product:

Additional ecological information : No other ecological effects to be specially mentioned.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

(Thifensulfuron-methyl, Tribenuron-methyl)

IATA : Environmentally hazardous substance, solid, n.o.s.
(Thifensulfuron-methyl, Tribenuron-methyl)

14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version 1.2	Revision Date: 22.04.2022	SDS Number: 50000042	Date of last issue: 27.08.2021 Date of first issue: 05.05.2021
----------------	------------------------------	-------------------------	---

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : see user defined free text

Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

Disclaimer

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



REFINE SUPER SX

Version	Revision Date:	SDS Number:	Date of last issue: 27.08.2021
1.2	22.04.2022	50000042	Date of first issue: 05.05.2021

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

FI / 6N