according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name DEMERIL M COLOURLESS

Other means of identification

Product code 50002021

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Adjuvant for plant protection products

stance/Mixture

Recommended restrictions: Use as recommended by the label.

on use For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address Cheminova Deutschland GmbH & Co. KG

Stader Elbstrasse 26

21683 Stade Germany

Telephone: +49 (0) 4141 9204 0 Telefax: +45 (0) 4141 9204 206

E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: Germany: +49-69643508409 (CHEMTREC)

0800-181-7059 (CHEMTREC)

Medical emergency:

Germany: +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust can form an explosive mixture in air.

Avoid any inhalation of the dust with adequate measures (good ventilation or respiratory mask); Pneumoconiosis a silicosis-like respiratory disorder (pulmonary talcosis) might occur.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---------------------|--|----------------|--------------------------|
| Talc (Mg3H2(SiO3)4) | 14807-96-6 238-877-9 | | >= 70 - < 90 |
| mica | 12001-26-2 | | >= 1 - < 10 |
| titanium dioxide | 13463-67-7 236-675-5 | | >= 1 - <= 5 |

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Remove contact lenses.

Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

25.06.2024 50002021 Date of first issue: 25.06.2024 1.0

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid dust formation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Methods for cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Electrical installations / working materials must comply with

the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Storage class (TRGS 510) : 11

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : The product may be used as adjuvant for plant protection

products only.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust Basis: DE DFG MAK

10 mg/m3

Peak-limit: excursion factor (category): 2;(II)

Value type (Form of exposure): AGW (Inhalable fraction)

Basis: DE TRGS 900

Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn

child

1,25 mg/m3

Peak-limit: excursion factor (category): 2;(II)

Value type (Form of exposure): AGW (Alveolate fraction)

Basis: DE TRGS 900

Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn

child

| Components | CAS-No. | Value type (Form | Control parameters | Basis |
|------------|---------|------------------|--------------------|-------|

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

| | | -f | | I | |
|------------------|---|------------------------------|-----------------------------|---------------|--|
| | | of exposure) | | | |
| Talc | 14807-96-6 | AGW (Inhalable | 10 mg/m3 | DE TRGS | |
| (Mg3H2(SiO3)4) | | fraction) | | 900 | |
| | Peak-limit: excursion factor (category): 2;(II) | | | | |
| | | | s compliance with the OEL a | nd biological | |
| | tolerance valu | | of harming the unborn child | - | |
| | | AGW (Alveolate 1,25 mg/m3 DE | | DE TRGS | |
| | | fraction) | | 900 | |
| | Peak-limit: excursion factor (category): 2;(II) | | | | |
| | Further information: When there is compliance with the OEL and biological | | | | |
| | tolerance values, there is no risk of harming the unborn child | | | | |
| | Further information: Substances that cause concern that they could be car- | | | | |
| | cinogenic for | man but cannot be a | ssessed conclusively becau- | se of lack of | |
| | data | | | | |
| | | TWA (Respirable | 0,1 mg/m3 | 2004/37/EC | |
| | | dust) | | | |
| | Further information: Carcinogens or mutagens | | | | |
| titanium dioxide | 13463-67-7 | MAK (measured | 0,3 mg/m3 | DE DFG MAK | |
| | | as the alveolate | | | |
| | | fraction) | | | |
| | Further information: Substances that cause cancer in humans or animals or | | | | |
| | that are considered to be carcinogenic for humans and for which a MAK value | | | | |
| | can be derived., Damage to the embryo or foetus is unlikely when the MAK | | | | |
| | value or the BAT value is observed | | | | |
| | | AGW (Inhalable | 10 mg/m3 | DE TRGS | |
| | | fraction) | (Titanium dioxide) | 900 | |
| | Peak-limit: excursion factor (category): 2;(II) | | | | |
| | Further information: When there is compliance with the OEL and biological | | | | |
| | tolerance values, there is no risk of harming the unborn child | | | | |
| | | AGW (Alveolate | 1,25 mg/m3 | DE TRGS | |
| | fraction) (Titanium dioxide) 900 | | | | |
| | Peak-limit: ex | cursion factor (categ | ory): 2;(II) | | |
| | Further information: When there is compliance with the OEL and biological | | | | |
| | tolerance values, there is no risk of harming the unborn child | | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health ef- | Value |
|---------------------|-----------|-----------------|----------------------|-------------|
| | | | fects | |
| Talc (Mg3H2(SiO3)4) | Workers | Inhalation | Long-term systemic | 2,16 mg/m3 |
| | | | effects | |
| | Workers | Inhalation | Acute systemic ef- | 2,16 mg/m3 |
| | | | fects | |
| | Workers | Inhalation | Long-term local ef- | 3,16 mg/m3 |
| | | | fects | |
| | Workers | Inhalation | Acute local effects | 3,6 mg/m3 |
| | Workers | Dermal | Long-term systemic | 43,2 mg/kg |
| | | | effects | bw/day |
| | Workers | Dermal | Long-term local ef- | 4,54 mg/cm2 |
| | | | fects | |
| | Consumers | Inhalation | Long-term systemic | 1,08 mg/m3 |
| | | | effects | |
| | Consumers | Inhalation | Acute systemic ef- | 1,08 mg/m3 |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

| | | fects | |
|-----------|------------|------------------------------|----------------------|
| Consumers | Inhalation | Long-term local effects | 1,8 mg/m3 |
| Consumers | Inhalation | Acute local effects | 1,8 mg/m3 |
| Consumers | Dermal | Long-term systemic effects | 21,6 mg/kg bw/day |
| Consumers | Dermal | Long-term local ef- fects | 2,27 mg/kg bw/day |
| Consumers | Oral | Long-term systemic effects | 160 mg/kg bw/day |
| Consumers | Oral | Acute systemic effects | 160 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---------------------|---------------------------------|----------------------------------|
| Talc (Mg3H2(SiO3)4) | Fresh water | 597,97 mg/l |
| | Marine water | 141,26 mg/l |
| | Fresh water sediment | 31,33 mg/kg dry weight (d.w.) |
| | Marine sediment | 3,13 mg/kg dry weight (d.w.) |
| | Air | 10 mg/m3 |
| | Intermittent use (freshwater) | 597,97 mg/l |
| | Intermittent use (marine water) | 141,26 mg/l |

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : Follow the instructions for use issued by the producer.

Skin and body protection : Protective suit

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : powder

Colour : white

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : not auto-flammable

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : dispersible

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Bulk density : 300 - 450 g/l (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned. Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Remarks: Not classified

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : Remarks: Not classified

Components:

Talc (Mg3H2(SiO3)4):

Acute oral toxicity : LD0 (Rat, male): > 5.000 mg/kg

Method: OECD Test Guideline 423

Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 2,1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: no mortality

Acute dermal toxicity : LD0 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: no mortality

mica:

Acute oral toxicity : Remarks: No data available

titanium dioxide:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male): 3,43 - 5,09 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Not classified

Components:

Talc (Mg3H2(SiO3)4):

Species : reconstructed human epidermis (RhE)

Result : No skin irritation

mica:

Remarks : No data available

titanium dioxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Not classified

Components:

Talc (Mg3H2(SiO3)4):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

mica:

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

titanium dioxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : Not classified

Components:

Talc (Mg3H2(SiO3)4):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Exposure routes : Inhalation Species : Rat

Result : Does not cause respiratory sensitisation.

titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Talc (Mg3H2(SiO3)4):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: gene mutation test

Method: QSAR Result: negative

Test Type: reverse mutation assay

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Rat (male) Application Route: Oral

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

titanium dioxide:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Talc (Mg3H2(SiO3)4):

Species : Rat, male and female

Application Route : Oral Exposure time : 101 days

Dose : 100 mg/kg bw/day NOAEL : 100 mg/kg bw/day

Method : OECD Test Guideline 453

Result : negative Target Organs : Stomach

Tumor Type : Leiomyosarcoma

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

mica:

Remarks : No data available

titanium dioxide:

Species : Mouse, male and female

Application Route : Oral
Exposure time : 103 weeks
Result : negative

Species : Rat, male and female

Application Route : Inhalation Exposure time : 2 Years

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Talc (Mg3H2(SiO3)4):

Effects on fertility : Species: Rabbit, female

Application Route: Oral

Dose: 9, 42, 195, 900 mg/kg bw/day

General Toxicity - Parent: NOAEL: > 900 mg/kg body weight General Toxicity F1: NOAEL: > 900 mg/kg body weight

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 0,16,74,350,1600mg/kg bw/day Duration of Single Treatment: 20 d

General Toxicity Maternal: NOAEL: >= 1.600 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 1.600 mg/kg bw/day

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

titanium dioxide:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Talc (Mg3H2(SiO3)4):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Talc (Mg3H2(SiO3)4):

Species : Rat, male and female

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

NOAEL : 100 mg/kg Application Route : Oral - feed Exposure time : 101 d

Dose : 100 mg/kg bw/day

Species : Rat, male and female

NOAEL : 2 mg/m3 LOAEL : 6 mg/m3

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist Exposure time : 20 d

Dose : $0, 2, 6, 18 \text{ mg/m}^3$

titanium dioxide:

Species : Rat

NOAEL : 1.000 mg/kg Application Route : Ingestion

Method : OECD Test Guideline 408

Species : Mouse, female LOAEC : 0,0108 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 weeks

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Talc (Mg3H2(SiO3)4):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Toxicity to fish : LC50 (Fish): 89.581,016 mg/l

Exposure time: 96 h Method: QSAR

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 36.812,359 mg/l

Exposure time: 48 h Method: QSAR

Toxicity to algae/aquatic

plants

NOEC (green algae): 918,089 mg/l

Exposure time: 30 d Method: QSAR

EC50 (green algae): 7.202,7 mg/l

Exposure time: 96 h Method: QSAR

Toxicity to fish (Chronic tox-

icity)

NOEC: 1.412,648 mg/l Exposure time: 30 d

Species: Fish Method: QSAR

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1.459,798 mg/l Exposure time: 30 d

Species: Daphnia (water flea)

Method: QSAR

titanium dioxide:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Lemna minor (duckweed)): > 100 mg/l

Exposure time: 7 d

Toxicity to microorganisms : EC50 : >= 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

12.2 Persistence and degradability

Components:

titanium dioxide:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

12.3 Bioaccumulative potential

Components:

Talc (Mg3H2(SiO3)4):

Bioaccumulation : Bioconcentration factor (BCF): 3,16

Method: QSAR

Partition coefficient: n-

octanol/water

log Pow: -9,4 (25 °C)

pH: 7

Method: QSAR

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

pean Parliament and of the Council on the control of major-accident hazards involving

Seveso III: Directive 2012/18/EU of the Euro-

dangerous substances.

Water hazard class (Germa-

ny)

: WGK 2 obviously hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

Not applicable

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres:

19/22

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

2004/37/EC / TWA : Long term exposure limit

DE DFG MAK / MAK : MAK value

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DEMERIL M COLOURLESS

Version Revision Date: SDS Number: Date of last issue: -

1.0 25.06.2024 50002021 Date of first issue: 25.06.2024

DE / 6N