Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Couraze Classic Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,

North Ryde NSW 2113

Telephone : +6161029887900

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

1800 033 111 (Ixom)

Medical emergency:

1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irri-

tation

Category 2A

GHS label elements

Hazard pictograms :

 \diamondsuit

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

P280 Wear eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
imidacloprid (ISO)	138261-41-3	>= 10 -< 30	
glycerol	56-81-5	< 10	
docusate sodium	577-11-7	>= 1 -< 3	

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Couraze Classic Insecticide



Version **Revision Date:** SDS Number: Date of last issue: -

03.06.2022 50001308 Date of first issue: 03.06.2022 1.0

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye irritation.

Notes to physician Treat symptomatically.

It may be helpful to show this safety data sheet to physician.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Halogenated compounds

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
glycerol	56-81-5	TWA (Mist)	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES





Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Appearance : liquid

Colour : white

off-white

Odour : not significant

pH : 7.9 (25 °C)

(undiluted)

7.2 (25 °C)

(1% solution in water)

Flash point : > 100 °C

Self-ignition : > 400 °C

Relative density : 1.147 (20 °C)

Solubility(ies)

Water solubility : Miscible

Viscosity

Viscosity, dynamic : 2,580 mPa.s (20 °C)

1,620 mPa.s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

Hazardous decomposition

products

Nitrogen oxides (NOx) Hydrogen chloride gas

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Sulphur oxides Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,673 mg/kg

Method: Calculation method

Components:

imidacloprid (ISO):

Acute oral toxicity : LD50 (Rat, male): 379 - 648 mg/kg

Method: OECD Test Guideline 401

LD50 (Mouse): 131 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.323 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

LC50 (Rat): > 0.069 mg/l Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

docusate sodium:

Acute oral toxicity : LD50 (Rat, male and female): > 2,100 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity





Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male): > 10,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

imidacloprid (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

glycerol:

Species : Rabbit

Result : No skin irritation

docusate sodium:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

imidacloprid (ISO):

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

glycerol:

Species : Rabbit

Result : No eye irritation

docusate sodium:

Species : Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

imidacloprid (ISO):

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

docusate sodium:

Exposure routes : Skin contact Species : Humans

Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: gene mutation test

Species: Mouse

Method: OECD Test Guideline 483

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

docusate sodium:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Components:

imidacloprid (ISO):

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

glycerol:

Species : Rat Application Route : Oral

Exposure time : 2 years Years Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Effects on fertility : Method: OECD Test Guideline 416

Result: Animal testing did not show any effects on fertility.

Effects on foetal develop-

ment

Method: OECD Test Guideline 414

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

glycerol:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

Effects on foetal develop-

ment

Test Type: Two-generation study

Species: Rat

Application Route: Oral

Result: negative

docusate sodium:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Duration of Single Treatment: 6 - 15 d Method: OECD Test Guideline 414

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

STOT - single exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

imidacloprid (ISO):

Species : Rat, female NOAEL : 83.3 mg/kg

Method : OECD Test Guideline 408

Symptoms : Reduced body weight, Liver effects

Species : Rat, male NOAEL : 14 mg/kg

Method : OECD Test Guideline 408 Symptoms : Reduced body weight

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d

Dose : 0, 1, 1.93, 3.91 mg/L

Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w

Dose : 0, 0.033, 0.165, 0.662 mg/L Symptoms : respiratory tract irritation

docusate sodium:

Species : Rat, male and female

NOAEL : 750 mg/kg Application Route : Oral Exposure time : 90 d

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

imidacloprid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l

Exposure time: 96 h Test Type: semi-static test

LC50 (Leuciscus idus (Golden orfe)): 237 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 105 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 85 mg/l

Exposure time: 48 h

LC50 (Hyalella azteca (Amphipod)): 0.526 mg/l

Exposure time: 96 h

EC50 (Americamysis bahia (mysid shrimp)): 0.0341 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Salmo gairdneri): 28.5 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.8 mg/l

Exposure time: 21 d

Test Type: semi-static test

EC10 (Chironomus riparius (harlequin fly)): 0.00209 mg/l

Couraze Classic Insecticide



Version **Revision Date:** SDS Number: Date of last issue: -

03.06.2022 50001308 Date of first issue: 03.06.2022 1.0

Exposure time: 28 d

Toxicity to microorganisms IC50 (activated sludge): >10000

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 10.7 mg/kg dry weight

(d.w.)

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Coturnix japonica (Japanese quail)): 31 mg/kg

LD50 (Apis mellifera (bees)): 0.0081 µg/bee

Exposure time: 48 h

LD50 (Apis mellifera (bees)): 0.0037 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

LD50 (Coturnix japonica (Japanese quail)): 2,225 ppm

Exposure time: 5 d

glycerol:

LC50 (Fish): 885 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)):

2,900 mg/l

Exposure time: 192 h

Toxicity to microorganisms EC10 (Pseudomonas putida): 10,000 mg/l

Exposure time: 16 h

docusate sodium:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 49 mg/l

Exposure time: 96 h

Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 15.2 mg/l

Exposure time: 48 h

Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 9 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50 (Pseudomonas putida): 164 mg/l

Exposure time: 16.5 h

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Method: DIN 38 412 Part 8

EC10 (Pseudomonas putida): 122 mg/l

Exposure time: 16.5 h

Persistence and degradability

Components:

imidacloprid (ISO):

Biodegradability : Result: Not readily biodegradable.

glycerol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 24 h

docusate sodium:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91 % Exposure time: 28 d

Bioaccumulative potential

Components:

imidacloprid (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 0.57 (21 °C)

glycerol:

Partition coefficient: n- : log Pow: -1.75 (25 °C)

octanol/water pH: 7.4

docusate sodium:

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-

octanol/water

: log Pow: 1.998 (20 °C)

Mobility in soil

Components:

imidacloprid (ISO):

Distribution among environ-

mental compartments

Remarks: Moderately mobile in soils

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Imidacloprid)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Imidacloprid)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

: 964

964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Class (Imidacloprid)

Packing group : III

Couraze Classic Insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : Marine Pollutants in single or combination packaging contain-

ing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA

special provision A197.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Imidacloprid)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z

Remarks : Environmentally hazardous substances meeting the descrip-

tions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6

Scheduling of Medicines and

Poisons

APVMA Code: 61591

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.





Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

imidacloprid (ISO)

mixture of polyorganosiloxanes and fillers

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 03.06.2022

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-





Version Revision Date: SDS Number: Date of last issue: -

1.0 03.06.2022 50001308 Date of first issue: 03.06.2022

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N