

SAFETY DATA SHEET

GAMIT® 360 CS



Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

SECTION 1. IDENTIFICATION

Product identifier

Product name GAMIT® 360 CS

Other means of identification

Product code 50000001

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)


SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Specific target organ toxicity : Category 2 (Liver)
- repeated exposure

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

GAMIT® 360 CS



Version 3.0 Revision Date: 02/07/2023 SDS Number: 50000001 Date of last issue: -
Date of first issue: 07/01/2020

H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P260 Do not breathe mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
clomazone (ISO)	81777-89-1	$\geq 20 - < 30$
Corn oil	8001-30-7	$\geq 5 - < 10$
sodium nitrate	7631-99-4	$\geq 5 - < 10$
calcium chloride	10043-52-4	$\geq 1 - < 5$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.

SAFETY DATA SHEET

GAMIT® 360 CS



Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Chlorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen chloride
Hydrogen cyanide
Sodium oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.

SAFETY DATA SHEET

GAMIT® 360 CS



Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

- If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Avoid formation of respirable particles.
Do not breathe vapors/dust.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Corn oil	8001-30-7	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist - respirable)	5 mg/m3	NIOSH REL

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

SAFETY DATA SHEET

GAMIT® 360 CS



Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Hand protection	:	
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product.
Hygiene measures	:	General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	encapsulated suspension
Color	:	green
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	8.86 (ca. 68 °F / 20 °C)
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 211.6 °F / 99.8 °C
Evaporation rate	:	No data available
Flammability (liquids)	:	Will not burn
Self-ignition	:	No data available

SAFETY DATA SHEET

GAMIT® 360 CS



Version 3.0	Revision Date: 02/07/2023	SDS Number: 50000001	Date of last issue: - Date of first issue: 07/01/2020
----------------	------------------------------	-------------------------	--

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.1592 (68 °F / 20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	379.8 mPa.s (68 °F / 20 °C) 277.3 mPa.s (104 °F / 40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapors may form explosive mixture with air. No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Symptoms: hyperexcitability Assessment: The component/mixture is minimally toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	:	LC0: 0.217 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality Highest attainable concentration.
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is minimally toxic after single contact with skin. Remarks: no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Respiratory sensitization

Not classified based on available information.

Product:

Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC Group 2A: Probably carcinogenic to humans
sodium nitrate 7631-99-4
(nitrate (ingested) under conditions that result in endogenous nitrosation)

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Components:

clomazone (ISO):

Remarks : No significant adverse effects were reported

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Product:

Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

Aspiration toxicity

Not classified based on available information.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Crustaceans): > 100 mg/l
aquatic invertebrates Exposure time: 48 h

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 32.7 mg/l
Exposure time: 72 h

EbC50 (Pseudokirchneriella subcapitata (green algae)): 20.4 mg/l
Exposure time: 72 h

EyC50 (Pseudokirchneriella subcapitata (green algae)): 21.4 mg/l
Exposure time: 72 h

Toxicity to terrestrial organisms : LD50 (Birds): > 2,000 mg/kg

LD50 (Apis mellifera (bees)): >313.9
Exposure time: 48 h

Components:

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6.3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 14.4 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 5.2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12.7 mg/l
Exposure time: 48 h
Test Type: static test

LC50 (Americamysis bahia (mysid shrimp)): 0.57 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Crustaceans): 0.53 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l
Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4.1 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l
Exposure time: 120 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

	End point: Growth rate Exposure time: 120 h
	EC50 (Lemna gibba (duckweed)): 13.9 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l Exposure time: 21 d Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 2.2 mg/l Exposure time: 21 d
	NOEC (Americamysis bahia (mysid shrimp)): 0.032 mg/l Exposure time: 28 d Test Type: flow-through test
	NOEC (Daphnia magna (Water flea)): 1.25 mg/l Exposure time: 21 d Test Type: static test
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 156 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg
	LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm Remarks: Dietary
	LC50 (Apis mellifera (bees)): > 85.29
	LC50 (Apis mellifera (bees)): > 100 Remarks: Contact
	LD50 (Coturnix japonica (Japanese quail)): > 2000
	NOEC (Colinus virginianus): 94 mg/kg End point: Reproduction Test

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Corn oil:

Toxicity to fish : Remarks: No data available

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8,600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 157 mg/l
Exposure time: 32 d

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 2,900 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 320 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

clomazone (ISO):

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2.5

Mobility in soil

Product:

Mobility : Remarks: Groundwater contamination is possible.

Distribution among environmental compartments : Remarks: Highly mobile in soils

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2.47
Remarks: Mobile in soils

Stability in soil :

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

GAMIT® 360 CS



Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clomazone)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

sodium nitrate	7631-99-4	>= 5 - < 10 %
----------------	-----------	---------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetic acid	64-19-7	>= 0 - < 0.1 %
sodium hydroxide	1310-73-2	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

acetic acid	64-19-7	>= 0 - < 0.1 %
sodium hydroxide	1310-73-2	>= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

sodium nitrate	7631-99-4
----------------	-----------

Pennsylvania Right To Know

water	7732-18-5
clomazone (ISO)	81777-89-1
Corn oil	8001-30-7
sodium nitrate	7631-99-4
calcium chloride	10043-52-4
acetic acid	64-19-7
sodium sulphate	7757-82-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

SAFETY DATA SHEET



GAMIT® 360 CS

Version 3.0	Revision Date: 02/07/2023	SDS Number: 50000001	Date of last issue: - Date of first issue: 07/01/2020
----------------	------------------------------	-------------------------	--

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Permissible Exposure Limits for Chemical Contaminants

Corn oil 8001-30-7

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-ONE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


SAFETY DATA SHEET

GAMIT® 360 CS



Version 3.0 Revision Date: 02/07/2023 SDS Number: 50000001 Date of last issue: -
Date of first issue: 07/01/2020

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	02/07/2023	50000001	Date of first issue: 07/01/2020

Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet