### SAFETY DATA SHEET BIFLEX 2.5 EC INSECTICIDE

SDS #: 6275-1-A

Revision date: 2017-08-16

Format: NA Version 1



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name BIFLEX 2.5 EC INSECTICIDE

Other means of identification

Product Code(s) 6275-1-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

(1R,3R)-rel-3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethylcyclopropanecarboxylat

e (CAS name); 2-methyl-3-phenylbenzyl

(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name)

Active Ingredient(s) Bifenthrin

Chemical Family Pyrethroid Pesticide

Alternate Commercial Name Talstar® 2.5 EC

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

**Restrictions on Use:** Use as recommended by the label

**Supplier Address** 

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

### 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral Category 4

**SDS #**: 6275-1-A **Revision date:** 2017-08-16

Version 1

	10.0.0.1
Acute toxicity - Dermal	Category 4
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

#### Danger

#### Hazard Statements

- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H318 Causes serious eve damage
- H351 Suspected of causing cancer
- H370 Causes damage to organs
- H372 Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/lighting equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P280 Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

- P321 Specific treatment (see supplemental first aid instructions on label)
- P308 + P311 If exposed or concerned: Call a POISON CENTER or doctor
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P312 Call a POISON CENTER or doctor if you feel unwell
- P363 Wash contaminated clothing before reuse
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P330 Rinse mouth
- P370 + P378 In case of fire: Use Foam. Carbon dioxide (CO 2). Dry chemical. Water spray or fog for extinction

### **Precautionary Statements - Storage**

- P405 Store locked up
- P403 + P235 Store in a well-ventilated place. Keep cool

SDS #: 6275-1-A

Revision date: 2017-08-16 Version 1

# **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

Very toxic to aquatic life with long lasting effects.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	2.8
Naphtha (petroleum), heavy aromatic	64742-94-5	85-95
Pseudocumene	95-63-6	20-30
Cumene	98-82-8	<1

Synonyms are provided in Section 1.

1	CID	CT	VID.	V CII	IRFS
4-	FIR		AIII	4.50	RE3

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

**Skin Contact**Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

**Inhalation** Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray or fog.

Specific Hazards Arising from the

Chemical

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not sensitive.

None known

Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **BIFLEX 2.5 EC INSECTICIDE**

**SDS #**: 6275-1-A

Revision date: 2017-08-16

Version 1

Personal Precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face

protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

**Methods for cleaning up**Clean and neutralize spill area, tools and equipment by washing with water and soap.

Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior

to recycling or disposal. Dispose of waste as indicated in Section 13.

#### 7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pseudocumene	-	-	TWA: 25 ppm	-
(95-63-6)			TWA: 125 mg/m <sup>3</sup>	
Cumene	TWA: 50 ppm	TWA: 50 ppm	IDLH: 900 ppm	Mexico: TWA 50 ppm
(98-82-8)		TWA: 245 mg/m <sup>3</sup>	TWA: 50 ppm	Mexico: TWA 245 mg/m <sup>3</sup>
		S*	TWA: 245 mg/m <sup>3</sup>	Mexico: STEL 75 ppm
				Mexico: STEL 365 mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Cumene	TWA: 25 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
(98-82-8)	STEL: 75 ppm	TWA: 246 mg/m <sup>3</sup>		TWA: 246 mg/m <sup>3</sup>
		_		

#### **Appropriate engineering controls**

Engineering measures Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the

recommended equipment.

# Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

**Respiratory Protection** For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

SDS #: 6275-1-A

Revision date: 2017-08-16 Version 1

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance Light brown Physical State Liquid

ColorNo information availableOdorAromatic hydrocarbonOdor thresholdNo information availablePHNo information available

Melting point/freezing point Not applicable

Boiling Point/Range No information available

**Flash point** 44 - 46 °C / 111.2 - 114.8 °F Tag Closed Cup

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Density7.33 lb/galSpecific gravity0.8876 @ 20°CWater solubilityEmulsifies

Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

#### 10. STABILITY AND REACTIVITY

Reactivity Not applicable

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx). Hydrogen chloride. Hydrogen fluoride.

# 11. TOXICOLOGICAL INFORMATION

Data presented is for a similar formulation.

Product Information

 LD50 Oral
 1,358 mg/kg (rat)

 LD50 Dermal
 2,000 mg/kg (rabbit)

 LC50 Inhalation
 5.5 mg/L 4 hr (rat)

Serious eye damage/eye irritation Severely irritating.

**Skin corrosion/irritation** Slightly or non-irritating (rabbit).

Sensitization Non-sensitizing

**SDS #**: 6275-1-A **Revision date:** 2017-08-16

Version 1

#### Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic toxicity** Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early

exposure in animal studies, but tremors disappeared with continued exposure.

**Mutagenicity** Bifenthrin: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder

tumors (lesion) in male mice.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

**Reproductive toxicity** Bifenthrin: No toxicity to reproduction in animal studies.

**Developmental toxicity**Bifenthrin: Not teratogenic in animal studies.

**STOT - single exposure**Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

**Target organ effects** Bifenthrin: Central Nervous System.

**Neurological effects**Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Aspiration hazard Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Cumene		Group 2B	Reasonably Anticipated	X
98-82-8		•		

#### Legend:

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

fenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	µg/L

**Persistence and degradability** Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

**Bioaccumulation** Bifenthrin: The substance has a potential for bioconcentration.

**Mobility** Bifenthrin: Immobile. Not expected to reach groundwater.

### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

SDS #: 6275-1-A

**Revision date: 2017-08-16** 

Version 1

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

#### **Contaminated Packaging**

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

#### 14. TRANSPORT INFORMATION

DOT Not regulated for transportation if shipped in Non Bulk packaging. The classification below

pertains to the shipment in Bulk packaging.

Note: According to 49 CRF §173.150(f)(1), this material was reclassified as a combustible liquid. This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impractical.

UN/ID no NA1993

**Proper Shipping Name** Combustible liquid, n.o.s

**Hazard class** Combustible

**Packing Group** 

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN1993

**Proper Shipping Name** Flammable liquid, n.o.s

**Hazard class** 3 **Packing Group** Ш

**Marine Pollutant** Bifenthrin.

UN1993, Flammable liquid, n.o.s. (aromatic hydrocarbons, bifenthrin), 3, III, Marine Description

Pollutant

#### ICAO/IATA

UN/ID no UN1993

Flammable liquid, n.o.s **Proper Shipping Name** 

**Hazard class Packing Group** Ш

Description UN1993, Flammable liquid, n.o.s. (aromatic hydrocarbons, bifenthrin), 3, III, Marine

Pollutant

IMDG/IMO

UN/ID no UN1993

**Proper Shipping Name** Flammable liquid, n.o.s 3

Hazard class **Packing Group** Ш EmS No. F-E. S-E **Marine Pollutant** Bifenthrin

Description UN1993, Flammable liquid, n.o.s. (aromatic hydrocarbons, bifenthrin), 3, III (44°C t.c.c.),

Marine Pollutant

### 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	2.8	1.0
Pseudocumene - 95-63-6	95-63-6	20-30	1.0

#### **BIFLEX 2.5 EC INSECTICIDE**

**SDS #**: 6275-1-A

**Revision date: 2017-08-16** 

Version 1

			VCISIOII
Cumene - 98-82-8	98-82-8	<1	1.0

SARA 311/312 Hazard Categories

Acute health hazardYesChronic health hazardYesFire hazardYesSudden release of pressure hazardNoReactive HazardNo

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylenes 1330-20-7	100 lb			X
Naphthalene 91-20-3	100 lb	X	Х	X

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Xylenes	100 lb	
1330-20-7	45.4 kg	
Naphthalene	100 lb	
91-20-3	45.4 kg	
Cumene	5000 lb	
98-82-8	2270 kg	

#### FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### WARNING

Causes severe eye irritation. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through theskin. This pesticide is extremely toxic to fish and aquatic invertebrates.

# US State Regulations

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Cumene - 98-82-8	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin	X		
82657-04-3			
Pseudocumene	X	X	X
95-63-6			
Cumene	X	X	X
98-82-8			

**SDS #**: 6275-1-A **Revision date**: 2017-08-16

Version 1

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin 82657-04-3				Χ	Х	X		
Naphtha (petroleum), heavy aromatic 64742-94-5	Х	Х	Х		Х	Х	Х	Х
Pseudocumene 95-63-6	Х	Х	Х	Х	Х	Х	Х	Х
Cumene 98-82-8	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
Cumene		Mexico: TWA 50 ppm
		Mexico: TWA 245 mg/m <sup>3</sup>
		Mexico: STEL 75 ppm
		Mexico: STEL 365 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Xylenes	1000 5000 kg/yr	1000 kg/yr
Bifenthrin	100 2500 kg/yr	100 kg/yr
Cumene	1000 5000 kg/yr	1000 kg/yr

# **WHMIS Statement**

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

B3 - Combustible liquid D2A - Very toxic materials D2B - Toxic materials





# 16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 3*	Flammability 2	Physical hazard 0	Personal Protection X

\*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:** 2017-08-16

Reason for revision: (M)SDS sections updated

**Disclaimer** 

#### **BIFLEX 2.5 EC INSECTICIDE**

**SDS #**: 6275-1-A **Revision date: 2017-08-16** 

Version 1

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved. **End of Safety Data Sheet**