according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name VENDETTA®

Other means of identification

Product code 50000690

Unique Formula Identifier

(UFI)

: S8UY-82Q8-WN4Q-NSYQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Chemicals Hellas MEPE

Syngrou Avenue 348 17674 Kallithea

Greece

Telephone: +30 211 1982768 Telefax: +30 211 1138614

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Greece: 30-2111768478 (CHEMTREC)

Medical emergency:

Greece: 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Skin sensitisation, Sub-category 1A H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

P102 Keep out of reach of children.

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been

read and understood.

P261 Avoid breathing mist or vapours.

P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out

of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

fluazinam (ISO)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

1,2-benzisothiazol-3(2H)-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fluazinam (ISO)	79622-59-6 612-287-00-5	Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Sens. 1A; H317 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,32	>= 25 - < 30
azoxystrobin (ISO)	131860-33-8	mg/l Acute Tox. 3; H331	>= 10 - < 20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

VersionRevision Date:SDS Number:Date of last issue: -1.009.07.202450000690Date of first issue: 09.07.2024

	607-256-00-8	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0,7 mg/l	
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti-	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Risks : The symptoms of the allergic effect range from mildly itchy,

papular rash to painful, weeping and blistering dermatitis. In animal tests, the main symptoms after oral intake were dis-

turbance of respiration and decreased activity.

May cause an allergic skin reaction. Suspected of damaging the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides Sulphur oxides

Fluorinated compounds Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the

inside, before re-use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

The product is stable under normal conditions of warehouse storage. Protect from heat and direct sunlight. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash

station should be available.

Recommended storage tem- :

perature

5 - 30 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Marine water	0,000403 mg/l
Sewage treatment plant	1,03 mg/l
Fresh water sediment	0,0499 mg/l
Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : opaque, light yellow

Odour : mild, aromatic

Odour Threshold : not determined

Melting point/freezing point : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : 94,2 °C

Method: Seta closed cup

Decomposition temperature : not determined

pH : 5,57

Concentration: 1 % (1% solution in water)

6,06 (undiluted)

Viscosity

Viscosity, dynamic : 100 - 400 mPa.s

Viscosity, kinematic : Non-newtonian fluid: viscosity is dependent on shear rate.

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : 1,246 (20 °C)

Density : 1,246 g/cm3

Relative vapour density : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

Shape : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Flammability (liquids) : ignitable, Based on available information, the classification

criteria for flammability hazard are not met.

Self-ignition : 454 °C

Evaporation rate : No data available

Surface tension : 30,6 mN/m, 25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Heating of the product will produce harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 4,86 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg

Method: OECD Test Guideline 402

Components:

fluazinam (ISO):

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

Symptoms: Diarrhoea

GLP: yes

Assessment: The component/mixture is minimally toxic after

single ingestion. Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male): 1,32 - 2,13 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Symptoms: Fatality, Breathing difficulties, ataxia

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: 0,7 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute toxicity estimate: 450 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Components:

fluazinam (ISO):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

azoxystrobin (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Components:

fluazinam (ISO):

Assessment : Risk of serious damage to eyes.

Remarks : Based on EU Harmonised classification - Annex VI of Regula-

tion (EC) No 1272/2008 (CLP Regulation)

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

GLP : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

azoxystrobin (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Result : Eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : OECD Test Guideline 429

Result : Probability or evidence of high skin sensitisation rate in hu-

mans

Components:

fluazinam (ISO):

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

GLP : yes

azoxystrobin (ISO):

Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 406

15 / 33

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Result : Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Components:

fluazinam (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Germ cell mutagenicity- As-

sessment

No genotoxic potential

azoxystrobin (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Components:

fluazinam (ISO):

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

azoxystrobin (ISO):

Method : OECD Test Guideline 451

Result : negative

Remarks : No significant adverse effects were reported

Method : OECD Test Guideline 453

Result : negative

Remarks : No significant adverse effects were reported

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

17/33

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Reproductive toxicity

Suspected of damaging the unborn child.

Product:

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Components:

fluazinam (ISO):

Effects on foetal develop-

ment

Species: Rat

Symptoms: Fetal effects, placental abnormalities, fused or incompletely ossified sternebrae, abnormalities of the head bones, not developed renal papillae and distended ureter Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Species: Rat

Symptoms: Fetal effects, Skeletal and visceral variations Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility., Some

evidence of adverse effects on development, based on animal

experiments.

azoxystrobin (ISO):

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Did not show teratogenic effects in animal experiments.

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

organ toxicant, single exposure.

Components:

fluazinam (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

fluazinam (ISO):

Species : Rat

LOAEL : 41 mg/kg, 500 ppm

Application Route : Ingestion Exposure time : 90 days Target Organs : Liver

Symptoms : Reduced body weight, increased liver weight

azoxystrobin (ISO):

Species : Rat

NOAEL : 21 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Remarks : No significant adverse effects were reported

Species : Dog

NOAEL : 50 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Remarks : No significant adverse effects were reported

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Species : Dog

NOAEL : 25 mg/kg bw/day

Application Route : Oral Exposure time : 1 yr

Remarks : No significant adverse effects were reported

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

fluazinam (ISO):

The substance does not have properties associated with aspiration hazard potential.

azoxystrobin (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

fluazinam (ISO):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Skin contact : Symptoms: irritant effects, sensitising effects

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,091 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,46 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Navicula pelliculosa (Diatom)): 0,0256 mg/l

Exposure time: 72 h

ErC50 (Navicula pelliculosa (Diatom)): 0,132 mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 6,62 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,15 mg/l

Exposure time: 7 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,21 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 219 µg/bee

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 200 μ g/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

Components:

fluazinam (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,11 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,19 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Selenastrum capricornutum (green algae)): > 0,2 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 75 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,012 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: < 0,0125 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Exposure time: 28 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 4.190 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LD50: 1.782 mg/kg

Species: Colinus virginianus (Bobwhite quail)

azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,47 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,259 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Americamysis bahia (mysid shrimp)): 0,055 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Lemna gibba (duckweed)): 3,2 mg/l

Exposure time: 14 d

EC50 (Navicula pelliculosa (Diatom)): 0,146 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

NOEC (Navicula pelliculosa (Diatom)): 0,02 mg/l

Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0,8 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,16 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

NOEC: 0,147 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,044 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0,00954 mg/l Exposure time: 28 d

Species: Americamysis bahia (mysid shrimp)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: 283 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 1.000 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LD50: > 1.000 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.200 ppm

Species: Colinus virginianus (Bobwhite quail)

Remarks: Dietary

LD50: > 200 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > 25 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: > 10 - 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7

mg/

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

: 1

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

Toxicity to microorganisms

icity)

EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

fluazinam (ISO):

Biodegradability : Result: Not readily biodegradable.

azoxystrobin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 52,11 d (25 °C)

pH: 9

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

fluazinam (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 500 - 800 Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

: log Pow: 4,67 (21 °C)

pH: 7

log Pow: 3,34 (22 °C)

pH: 9

azoxystrobin (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2,5 (20 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6,62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0,7 (20 °C)

pH: 7

log Pow: 0,99 (20 °C)

pH: 5

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

Components:

fluazinam (ISO):

Distribution among environ-

mental compartments

: Remarks: Low mobility in soil

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

azoxystrobin (ISO):

Distribution among environ-

mental compartments

Remarks: Under normal conditions the substance has low to

moderate mobility in soil.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments

Koc: 9,33 ml/g, log Koc: 0,97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluazinam, Azoxystrobin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluazinam, Azoxystrobin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluazinam, Azoxystrobin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluazinam, Azoxystrobin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Fluazinam, Azoxystrobin)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

09.07.2024 50000690 Date of first issue: 09.07.2024 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1

ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI Not in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

azoxystrobin (ISO) fluazinam (ISO)

mixture of polyorganosiloxanes and fillers

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.
H331 : Toxic if inhaled.
H332 : Harmful if inhaled.

H361d : Suspected of damaging the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity Skin Irrit. : Skin irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Skin Sens. 1A	H317	Based on product data or assessment
Repr. 2	H361d	Based on product data or assessment
Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VENDETTA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.07.2024 50000690 Date of first issue: 09.07.2024

disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

GR/6N