FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FYFANON® 440 EW

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Suite G.01, 12 Julius Avenue

North Ryde NSW 2113

Australia

Telephone : 1 800 066 355

Telefax : (02) 9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

1800 033 111 (Ixom)

Medical emergency:

1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Components

Chemical name	CAS-No.	Concentration (% w/w)
malathion (ISO) [containing ≤ 0,03 % isomala-	121-75-5	>= 30 -< 60
thion]		
Tristyryl phenol-polyethylene glycol-phosphoric	114535-82-9	< 10
acid ester		

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water. Wash contaminated clothing before re-use.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and

delayed

On exposure to larger quantities of aged product, symptoms

of poisoning (cholinesterase inhibition) may occur.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

It may be helpful to show this safety data sheet to physician.

SECTION 5. FIREFIGHTING MEASURES

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Oxides of phosphorus

Carbon oxides Sulphur oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product should never be heated above 55°C. Local heat-

ing above this temperature should be avoided as well.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present.

A hand wash station should be available.

Materials to avoid : Do not store near acids.

Recommended storage tem-

perature

< 25 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

malathion (ISO) [containing ≤ 0,03 % isomalathion]	121-75-5	TWA	10 mg/m3	AU OEL
		Further information: Sensitiser, Skin absorption		
		TWA (Inhal-	1 mg/m3	ACGIH
		able fraction		
		and vapor)		

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : off-white

Odour : glue-like

Odour Threshold : No data available

pH : 4.22 (20 °C)

Concentration: 1 %

The pH is expected to decrease on prolonged storage.

Melting point/freezing point : < 0 °C

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Boiling point/boiling range : No data available

Flash point : > 95 °C

Method: Directive 67/548/EEC, Annex V, A.9.

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not available for this mixture.

Relative vapour density : No data available

Relative density : No data available

Density : 1.1 g/cm3 (20 °C)

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-

octanol/water

Not available for this mixture.

Auto-ignition temperature : > 400 °C

Method: Regulation (EC) No. 440/2008, Annex, A.15

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 16.43 - 186.7 mPa.s (25 °C)

Method: OECD Test Guideline 114

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : 39.2 mN/m, 22 °C

Molecular weight : Not applicable

Particle size : Not applicable

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Decomposes on heating.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures

Heat, flames and sparks. Exposure to sunlight. Avoid formation of aerosol.

Heating of the product will produce harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers

Hazardous decomposition

products

Oxides of phosphorus

Carbon oxides Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 7.74 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: EPA OPP 81-2

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Acute oral toxicity : LD50 (Rat): 1,857 mg/kg

Method: OECD Test Guideline 401

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

LD50 (Rat, female): 1,608 - 2,550 mg/kg Method: OECD Test Guideline 401 Symptoms: Tremors, hypoactivity

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: EPA OPP 81 - 3

GLP: yes

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: US EPA Test Guideline OPP 81-2

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin.

LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin.

Tristyryl phenol-polyethylene glycol-phosphoric acid ester:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

GLP : yes

Tristyryl phenol-polyethylene glycol-phosphoric acid ester:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Product:

Species : Rabbit

Result : No eye irritation

Method : US EPA Test Guideline OPP 81-4

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rabbit

Result : No eye irritation Method : EPA OPP 81-4

GLP : yes

Tristyryl phenol-polyethylene glycol-phosphoric acid ester:

Species : Rabbit
Result : Eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : US EPA Test Guideline OPP 81-6

Result : Not a skin sensitizer.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Exposure routes : Dermal Species : Guinea pig

Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitisation.

GLP : yes

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

GLP : yes

Test Type : Maximisation Test

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay

positive

Species: Rat Result: negative

Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay

Species: Rat Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rat
Application Route : Ingestion
Exposure time : 24 month(s)
NOAEL : 6,000 ppm

Carcinogenicity - Assess-

ment

Result

Occurrence of tumors has been observed at excessive expo-

sure levels. This can be considered as not relevant for possi-

ble carcinogenicity to humans during normal use.

Reproductive toxicity

Based on available data, the classification criteria are not met.

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

General Toxicity F1: NOAEL: 132 - 152 mg/kg bw/day

Symptoms: Reduced offspring weight gain

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

General Toxicity Maternal: NOAEL: 400 mg/kg bw/day

Teratogenicity: NOAEL: 800 mg/kg bw/day

Result: No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day

Teratogenicity: NOAEL: 25 mg/kg bw/day

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Animal testing showed no reproductive toxicity.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rat

LOAEL : 34.4 mg/kg
Application Route : Oral - feed
Exposure time : 90 d

Target Organs : Nervous system

Symptoms : cholinesterase inhibition

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : On exposure to larger quantities of aged product symptoms of

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

poisoning (cholinesterase inhibition) may occur. The symptoms of cholinesterase inhibition are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose,

muscle spasms and coma.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Remarks : The active ingredient malathion is a cholinesterase inhibitor of

low mammalian toxicity. However, prolonged storage or storage at too high temperatures may induce formation of the much more toxic and synergistic contaminant isomalathion (LD50, oral, rat, 89 mg/kg). Both malathion and isomalathion rapidly enter the body on contact with all skin surfaces and

eves.

Repeated exposures to cholinesterase inhibitors such as malathion or isomalathion may, without warning, cause increased

susceptibility to doses of any cholinesterase inhibitor.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 285 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 528 mg/kg

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.72 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Selenastrum capricornutum (green algae)): 4.06 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.021 mg/l

Exposure time: 37 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00006 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or : (Eisenia fetida (earthworms)): 613 mg/kg

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

ganisms Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 359 mg/kg

Exposure time: 5 d

LC50 (Colinus virginianus (Bobwhite quail)): 3,497 mg/kg

Exposure time: 5 d Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 2,250 mg/kg

LD50 (Apis mellifera (bees)): 0.38 µg/bee

End point: Acute oral toxicity

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Other organisms relevant to

the environment

Harmful to terrestrial vertebrates., Harmful to terrestrial inver-

tebrates.

Tristyryl phenol-polyethylene glycol-phosphoric acid ester:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 100 - 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Biodegradability : Result: Not readily biodegradable.

Tristyryl phenol-polyethylene glycol-phosphoric acid ester:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 30 - 40 %

FYFANON® 440 EW



Version SDS Number: Date of last issue: -Revision Date:

01.11.2024 50001286 Date of first issue: 01.11.2024 1.0

Method: OECD Test Guideline 302B

Bioaccumulative potential

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Bioaccumulation Species: Fish

> Bioconcentration factor (BCF): 95 Remarks: Bioaccumulation is unlikely.

See section 9 for octanol-water partition coefficient.

Partition coefficient: n-

octanol/water

log Pow: 2.75

Mobility in soil

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

mental compartments

Distribution among environ- : Remarks: medium mobility in soil

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Malathion)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Malathion)

964

964

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo:

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Malathion)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : Environmentally hazardous substances/Marine Pollutants in

single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section

2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Malathion)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Environmentally hazardous : yes

Remarks : Environmentally hazardous substances meeting the descrip-

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

tions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-

Therapeutic Goods (Poisons : Standard) Instrument

Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

APVMA Approval No: 51150

Prohibition/Licensing Requirements

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 01.11.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is

FYFANON® 440 EW



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.11.2024 50001286 Date of first issue: 01.11.2024

used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N