According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name FAST FRUIT™

Other means of identification

Product code 50000809

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

### 1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

## 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H319 Causes serious eve irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.P280 Wear eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

**Additional Labelling** 

EUH208 Contains dimethylammonium 2,4-dichlorophenoxyacetate. May produce an

allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Componento			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
dimethylammonium 2,4-	2008-39-1	Acute Tox. 4; H302	>= 10 - < 20
dichlorophenoxyacetate	217-915-8	Eye Dam. 1; H318	
	607-040-00-3	Skin Sens. 1; H317	
		Aquatic Chronic 2;	
		H411	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapours. Hydrogen chloride

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to

prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological

safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
dimethylammonium 2,4- dichlorophenoxyace- tate	Workers	Inhalation	Long-term systemic effects	1,5 mg/m3
	Workers	Dermal	Long-term systemic effects	10,5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,26 mg/m3
	Consumers	Dermal	Long-term systemic effects	5,3 mg/kg
	Consumers	Oral	Long-term systemic effects	0,05 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
dimethylammonium 2,4-	Fresh water	0,018 mg/l
dichlorophenoxyacetate		_
	Marine water	0,002 mg/l
	Fresh water sediment	0,166 mg/kg
	Marine sediment	0,017 mg/kg
	Soil	0 mg/kg

### 8.2 Exposure controls

## Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : orange

Odour : characteristic

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : 66 °C

Decomposition temperature : not determined

pH : 4,45

(1% solution in water)

Viscosity

Viscosity, kinematic : 2,13 mm2/s (20 °C)

1,96 mm2/s (40 °C)

Solubility(ies)

Water solubility : dispersible

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Vapour pressure : Not available for this mixture.

Density : 1,0373 g/cm3 (20 °C)

Relative vapour density : not determined

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

Shape : Not applicable

9.2 Other information

Flammability (liquids) : ignitable

Self-ignition : 600 °C

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

#### **Components:**

### dimethylammonium 2,4-dichlorophenoxyacetate:

Acute oral toxicity : LD50 (Rat, female): 764 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 5,0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### **Components:**

### dimethylammonium 2,4-dichlorophenoxyacetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

**Product:** 

**Species** Rabbit

**OECD Test Guideline 405** Method

Result Eye irritation

**Components:** 

dimethylammonium 2,4-dichlorophenoxyacetate:

**Species** Rabbit

**OECD Test Guideline 405** Method Result Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

**OECD Test Guideline 406** Method Result Not a skin sensitizer.

Components:

dimethylammonium 2,4-dichlorophenoxyacetate:

Test Type **Maximisation Test** 

Species Guinea pig

Method **OECD Test Guideline 406** Result Causes sensitisation.

Germ cell mutagenicity

Not classified based on available information.

**Product:** 

Germ cell mutagenicity- As- : Contains no ingredient listed as a mutagen

sessment

**Components:** 

dimethylammonium 2,4-dichlorophenoxyacetate:

Genotoxicity in vitro Test Type: gene mutation test

Result: negative

Test Type: Micronucleus test Genotoxicity in vivo

Species: Mouse (male and female)

Application Route: Ingestion

Result: negative

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

#### Carcinogenicity

Not classified based on available information.

**Product:** 

Carcinogenicity - Assess-

ment

: Contains no ingredient listed as a carcinogen

#### Reproductive toxicity

Not classified based on available information.

**Product:** 

sessment

Reproductive toxicity - As- : Contains no ingredient listed as toxic to reproduction

#### **Components:**

### dimethylammonium 2,4-dichlorophenoxyacetate:

Effects on fertility Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rabbit

Application Route: Ingestion

Result: negative

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### Components:

### dimethylammonium 2,4-dichlorophenoxyacetate:

**Species** Rat, male and female

NOAEL 15 mg/kg LOAEL 100 mg/kg Application Route Oral Exposure time 90 d

#### **Aspiration toxicity**

Not classified based on available information.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

EC50 (Lemna gibba (duckweed)): > 13,2 mg/l

Exposure time: 7 d

Remarks: Based on data from similar materials

NOEC (Lemna gibba (duckweed)): > 1 mg/l

Exposure time: 7 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Remarks: (Data on the product itself)

Toxicity to soil dwelling or-

ganisms

NOEC: 320 mg/kg

Species: Eisenia fetida (earthworms)

Remarks: Based on data from similar materials

Toxicity to terrestrial organ-

isms

LD50: > 100 µg/bee

End point: Acute oral toxicity Species: Apis mellifera (bees)

Remarks: Based on data from similar materials

LD50: > 100 µg/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

Remarks: Based on data from similar materials

#### **Components:**

dimethylammonium 2,4-dichlorophenoxyacetate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 326 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 168 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 116,7 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (microalgae)): > 32

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 280 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOELR: 63,4 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 46,2 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LC50: > 4.028 mg/kg

Exposure time: 5 d

Species: Coturnix japonica (Japanese quail)

Method: OECD Test Guideline 205

Remarks: Dietary

#### 12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

01.12.2022 50000809 Date of first issue: 01.12.2022 2.0

#### **Components:**

#### dimethylammonium 2,4-dichlorophenoxyacetate:

Result: Not readily biodegradable. Biodegradability

> Biodegradation: 2,27 % Exposure time: 28 d

Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data is available on the product itself.

#### Components:

### dimethylammonium 2,4-dichlorophenoxyacetate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -0,57 (20 °C)

#### 12.4 Mobility in soil

## **Product:**

mental compartments

Distribution among environ- : Remarks: No data is available on the product itself.

#### **Components:**

#### dimethylammonium 2,4-dichlorophenoxyacetate:

Distribution among environ-

mental compartments

: Remarks: The substance and its major metabolites are ex-

pected to be moderately mobile in the environment.

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

## 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2,4-dichlorophenoxyacetic acid, dimethylamine salt)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2,4-dichlorophenoxyacetic acid, dimethylamine salt)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2,4-dichlorophenoxyacetic acid, dimethylamine salt)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2,4-dichlorophenoxyacetic acid, dimethylamine salt)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

**IATA** Environmentally hazardous substance, liquid, n.o.s.

(2,4-dichlorophenoxyacetic acid, dimethylamine salt)

14.3 Transport hazard class(es)

Class Subsidiary risks

**ADN** 9 **ADR** 9 RID 9 **IMDG** 9 **IATA** 9

14.4 Packing group

ADN

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels 9

**ADR** 

Packing group Ш Classification Code M6 Hazard Identification Number 90 Labels 9 Tunnel restriction code (-)

**RID** 

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels

**IMDG** 

Ш Packing group Labels 9 F-A, S-F

**EmS Code** 

IATA (Cargo)

Packing instruction (cargo 964

aircraft)

Packing instruction (LQ) Y964 Packing group Ш

Labels Miscellaneous

IATA (Passenger)

Packing instruction (passen-964

ger aircraft)

Packing instruction (LQ) : Y964 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

**ADN** 

16/20

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **FAST FRUIT™**

Version **Revision Date:** SDS Number: Date of last issue: -

01.12.2022 50000809 Date of first issue: 01.12.2022 2.0

Environmentally hazardous yes

**ADR** 

Environmentally hazardous yes

Environmentally hazardous yes

**IMDG** 

Marine pollutant ves

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Conditions of restriction for the following entries should be considered:

Number on list 3

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

E1 **ENVIRONMENTAL HAZARDS** 

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

dangerous substances.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

dimethylammonium 2,4-dichlorophenoxyacetate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Based on product data or assessment Aquatic Chronic 1 H410 Based on product data or assessment

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

**DK / 6N** 

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **FAST FRUIT™**

Version Revision Date: SDS Number: Date of last issue: -

2.0 01.12.2022 50000809 Date of first issue: 01.12.2022