

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name CARFENTRAZONE-ETHYL 240 G/L EC

Other means of identification

Product code 50000390

Unique Formula Identifier (UFI) : 8H0Y-E2N6-1N48-6D5C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Herbicide
stance/Mixture

Recommended restrictions Use as recommended by the label.
on use For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harboøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version 1.1	Revision Date: 08.09.2023	SDS Number: 50000390	Date of last issue: 21.03.2023 Date of first issue: 21.03.2023
----------------	------------------------------	-------------------------	---

Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified
Hydrocarbons, C10, aromatics, <1% naphthalene

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 2; H411 EUH066	>= 50 - < 70
carfentrazone-ethyl (ISO)	128639-02-1 607-309-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
Benzenesulfonic acid, mono-C11- 13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Acute toxicity estimate Acute dermal toxicity: 1.001 mg/kg	>= 3 - < 10
Hydrocarbons, C10, aromatics, <1% naphthalene	Not Assigned	STOT SE 3; H336 (Central nervous system)	>= 1 - < 2,5

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

		Asp. Tox. 1; H304 Aquatic Chronic 2; H411	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|-------------------------|--|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended. |
| If inhaled | : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|--|
| Symptoms | : Irritation
Headache
Dizziness |
| Risks | : The product contains petroleum distillates, which may pose an aspiration pneumonia hazard.

May be fatal if swallowed and enters airways.
Repeated exposure may cause skin dryness or cracking. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
Hydrogen fluoride
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version 1.1 Revision Date: 08.09.2023 SDS Number: 50000390 Date of last issue: 21.03.2023
Date of first issue: 21.03.2023

not be present. A hand wash station should be available.

Advice on common storage : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	6 mg/m3
	Workers	Dermal	Long-term systemic effects	8,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,48 mg/m3
	Consumers	Dermal	Long-term systemic effects	4,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,43 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Fresh water	0,023 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	1,35 mg/kg
	Marine sediment	0,135 mg/kg
	Soil	0,124 mg/kg
	Intermittent use (freshwater)	0,290 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version 1.1	Revision Date: 08.09.2023	SDS Number: 50000390	Date of last issue: 21.03.2023 Date of first issue: 21.03.2023
----------------	------------------------------	-------------------------	---

Hand protection	
Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: emulsifiable concentrate
Colour	: dark brown, translucent
Odour	: Chemical smell
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Flash point	: > 79 °C Method: closed cup

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version 1.1	Revision Date: 08.09.2023	SDS Number: 50000390	Date of last issue: 21.03.2023 Date of first issue: 21.03.2023
----------------	------------------------------	-------------------------	---

Decomposition temperature	:	not determined
pH	:	4,62 Concentration: 10 g/l 1 % In a 1% aqueous dispersion
Viscosity		
Viscosity, kinematic	:	12,31 mm ² /s (20 °C) 6,11 mm ² /s (40 °C)
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	1,0793 (20 °C)
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable
Shape	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	not determined
Evaporation rate	:	Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): 4.077 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 6,31 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rat): > 4.000 mg/kg

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

carfentrazone-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, female): 5.143 mg/kg
Method: FIFRA 81.01

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Symptoms: Tremors
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD0 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1.000 - 1.600 mg/kg
Method: OECD Test Guideline 402

Acute toxicity estimate: 1.001 mg/kg
Method: ATE value derived from LD50/LC50 value

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Assessment : No skin irritation
Remarks : May cause mild irritation.
Minimal effects that do not meet the threshold for classification.

Remarks : Repeated exposure may cause skin dryness or cracking.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment	:	No eye irritation
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4
Result	:	slight irritation
GLP	:	yes

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species	:	Guinea pig
---------	---	------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Result : Not a skin sensitizer.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	: Maximisation Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

carfentrazone-ethyl (ISO):

Test Type	: Local lymph node assay (LLNA)
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitisation.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Bone marrow chromosome aberration Species: Rat Application Route: inhalation (vapour) Result: negative

carfentrazone-ethyl (ISO):

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
-----------------------	---

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative

Germ cell mutagenicity- Assessment : No genotoxic potential

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 12 month(s)
NOAEC : 1,8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

carfentrazone-ethyl (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 104 weeks
NOAEL : 3 - 9 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Effects on fertility	: Test Type: Multi-generation study Species: Rat, male and female Application Route: Ingestion Fertility: NOEL: 4.000 ppm Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat, female Application Route: Oral General Toxicity Maternal: NOEL: 100 mg/kg bw/day Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day Result: negative Test Type: Embryo-foetal development Species: Rabbit, female Application Route: Oral General Toxicity Maternal: NOEL: 150 mg/kg bw/day Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day Result: negative
Reproductive toxicity - Assessment	: Animal testing showed no reproductive toxicity.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Effects on fertility	: Test Type: Three-generation study Species: Rat, male and female Application Route: Oral Dose: 14, 70, 350 mg/kg bw d General Toxicity - Parent: NOAEL: 350 mg/kg body weight General Toxicity F1: NOAEL: 350 mg/kg bw/day General Toxicity F2: NOAEL: 350 mg/kg bw/day Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: 0.2, 2.0, 300 and 600 mg/kg Duration of Single Treatment: 20 d General Toxicity Maternal: LOAEL: 600 mg/kg body weight Teratogenicity: LOAEL: 600 mg/kg bw/day Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for repro-

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Species	:	Dog, male and female
NOEL	:	50 mg/kg
NOAEL	:	150 mg/kg
LOAEL	:	500 mg/kg
Application Route	:	Oral
Exposure time	:	12 months
GLP	:	yes
Target Organs	:	Blood

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	:	Rat, male and female
NOAEL	:	40 mg/kg bw/day
LOAEL	:	115 mg/kg bw/day
Application Route	:	Oral - feed
Exposure time	:	6 months
Dose	:	40, 115, 340, 1030 mg/kg bw d
Remarks	:	Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Hydrocarbons, C10, aromatics, <1% naphtalene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : Slight irritation may be possible.
Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Fish): 4,42 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 5,66 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (algae): 0,135 mg/l

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

plants Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1,4 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3
plants mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to daphnia and other : EL50: 0,89 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,55 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 9,8 mg/l
aquatic invertebrates End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic : EC50 (Anabaena flos-aquae (cyanobacterium)): 0,012 mg/l
plants Exposure time: 72 h

NOEC (algae): 0,001 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0,0057 mg/l

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Exposure time: 14 d

EC50 (Selenastrum capricornutum (green algae)): 0,0133
mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0,00933
mg/l

End point: Growth rate

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox- : 10
icity)

Toxicity to microorganisms : NOEC (activated sludge): 1.000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox- : NOEC: 22 µg/l
icity) Exposure time: 89 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other : NOEC: 35 mg/l
aquatic invertebrates (Chron- End point: reproduction
ic toxicity) Exposure time: 21 d
Species: Daphnia (water flea)
Method: US EPA Test Guideline OPPTS 850.1300
Remarks: Information given is based on data obtained from
similar product.

M-Factor (Chronic aquatic : 100
toxicity)

Toxicity to soil dwelling or- : NOEC: 820 mg/kg
ganisms Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineraliza-
tion.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on carbon mineraliza-
tion.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Toxicity to terrestrial organisms : LD50: > 5.620 ppm
End point: Acute oral toxicity
Species: *Anas platyrhynchos* (Mallard duck)
Remarks: Dietary

LD50: 2.250 mg/kg
End point: Acute oral toxicity
Species: *Colinus virginianus* (Bobwhite quail)

NOEL: 1000 ppm
End point: Reproduction Test
Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 200 µg/bee
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)

LD50: > 200 µg/bee
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 31,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 62 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 29 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0,5 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,23 mg/l
Exposure time: 72 d
Species: *Oncorhynchus mykiss* (rainbow trout)
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,18 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : NOEC: 250 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

Plant toxicity : EC50: 167 mg/kg
Exposure time: 21 d
Species: Sorghum bicolor (sorghum)

80 mg/kg
Exposure time: 14 d
Species: Avena sativa (oats)

Toxicity to terrestrial organisms : EC10: 82 mg/kg
Exposure time: 21 d
Species: Hypoaspis aculeifer
Remarks: Information given is based on data obtained from similar substances.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

carfentrazone-ethyl (ISO):

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Biodegradability : Result: Not readily biodegradable.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Biodegradation: > 35 - 45 %
Exposure time: 10 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72
Method: QSAR

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 28 d
Bioconcentration factor (BCF): 176
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,595 (20 °C)

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

Koc: 866, log Koc: 2,93

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as
the unused product.
Empty containers should be taken to an approved waste han-
dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	M6

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3 1,4-dioxane (Number on list 28)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
	34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE Hydrocarbons, C10, aromatics, <1% naphthalene
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

SECTION 16: Other information

Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



CARFENTRAZONE-ETHYL 240 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
1.1	08.09.2023	50000390	Date of first issue: 21.03.2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N