

# SAFETY DATA SHEET

## CROPSURE ARCHER

This safety data sheet complies with the requirements of:  
Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS # : NP-0073-A  
Revision date: 2018-07-19  
Format: EU  
Version 1.02

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0073-A  
Product Name CROPSURE ARCHER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture  
Restrictions on use Use as recommended by the label.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited  
Rectors Lane  
Pentre  
Flintshire  
CH5 2DH  
United Kingdom  
Tel: + 44 (0) 1244 537370  
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370  
Email: fmc.agro.uk@fmc.com

#### 1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)

#### 2.2. Label elements

Hazard pictograms



**Signal Word**  
Danger

#### **Hazard Statements**

H318 - Causes serious eye damage  
H373 - May cause damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P260 - Do not breathe spray  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/attention  
P501: Dispose of contents/container as hazardous waste.

#### **2.3. Other hazards**

This product is not identified as a PBT/vPvB substance.

### **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **3.1 Substances**

The product is a mixture, not a substance.

#### **3.2 Mixture containing the following hazardous ingredients:**

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Manganese (II) sulfate	232-089-9	7785-87-7	30-60	Eye Dam.1 (H318) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	01-2119456624-35-XXXX
ethane-1,2-diol	203-473-3	107-21-1	1-10	Acute Tox. 4 (H302) STOT RE 2: (H373)	01-2119456816-28-XXXX

#### **Additional Information**

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

### **Section 4: FIRST AID MEASURES**

#### **4.1. Description of first aid measures**

<b>Eye Contact</b>	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to hospital for specialist examination.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.
<b>Inhalation</b>	Remove person from exposure ensuring one's own safety while doing so. If symptoms persist, call a doctor.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a doctor immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Most important symptoms and effects, both acute and delayed**

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed****Indication of immediate medical attention and special treatment needed, if necessary**

Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.

**Section 5: FIREFIGHTING MEASURES****5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

**Unsuitable extinguishing media**

No information available

**5.2. Special hazards arising from the substance or mixture**

Toxic fumes may be released in fire situations.

**Hazardous Combustion Products**

Sulphur oxides.

**5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

**Section 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

For personal protection see section 8. Do not attempt to take action without suitable protective clothing. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

**For emergency responders**

Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

**6.3. Methods and material for containment and cleaning up****Methods for Containment**

Surface drains within close vicinity of the spill should be covered. Dike to confine spill and absorb with non-combustible absorbent such as clay, sand or soil.

**Methods for cleaning up**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13).

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

#### Specific Use(s)

No data available.

#### Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> S*	STEL 40 ppm STEL 104 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> TWA 20 ppm TWA 52 mg/m <sup>3</sup> Skin	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> P*	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> S*	-
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Manganese (II) sulfate 7785-87-7	-	-	-	TWA 0.02 mg/m <sup>3</sup>	-
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> Pelle*	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> Ceiling 100 mg/m <sup>3</sup> C(A4) P*	Huid* STEL 104 mg/m <sup>3</sup> TWA 52 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup>	TWA 20 ppm TWA 50 mg/m <sup>3</sup> STEL 40 ppm STEL 100 mg/m <sup>3</sup> iho*	TWA 10 ppm TWA 26 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
ethane-1,2-diol 107-21-1	H* STEL 20 ppm STEL 52 mg/m <sup>3</sup> TWA 10 ppm TWA 26 mg/m <sup>3</sup>	SS-C** H* TWA 10 ppm TWA 26 mg/m <sup>3</sup> STEL 20 ppm STEL 52 mg/m <sup>3</sup>	TWA 15 mg/m <sup>3</sup> STEL 50 mg/m <sup>3</sup>	TWA 20 mg/m <sup>3</sup> TWA 52 ppm TWA 52 mg/m <sup>3</sup> S* STEL 104 mg/m <sup>3</sup> STEL 40 ppm	TWA 10 mg/m <sup>3</sup> TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> Skin

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

**Engineering measures** Ensure adequate ventilation, especially in confined areas. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Personal protective equipment**

<b>Eye/Face Protection</b>	Tightly fitting safety goggles. Provide emergency on-site eyewash.
<b>Hand Protection</b>	Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of materials such as nitrile or neoprene.
<b>Skin and Body Protection</b>	Wear protective gloves/clothing.
<b>Respiratory Protection</b>	Not required under normal use.
<b>Environmental exposure controls</b>	Refer to specific Member State legislation for requirements under Community environmental legislation.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Appearance</b>	No information available
<b>Odour</b>	Barely perceptible
<b>Colour</b>	Brown
<b>Odour threshold</b>	No information available
<b>pH</b>	4.0 - 7.0
<b>Melting point/freezing point</b>	No information available
<b>Boiling point/boiling range</b>	No information available
<b>Flash point</b>	No information available
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
Upper flammability limit:	No information available
Lower flammability limit	No information available
<b>Vapour pressure</b>	No information available
<b>Vapour density</b>	No information available
<b>Specific gravity</b>	1.36 - 1.38
<b>Water solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidising properties</b>	Non-oxidizing (by EC criteria)

**9.2. Other information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available
<b>K<sub>st</sub></b>	No information available

## Section 10: STABILITY AND REACTIVITY

**10.1. Reactivity**

None under normal use conditions

**10.2. Chemical stability**

Stable under recommended storage conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

**10.3. Possibility of hazardous reactions****Hazardous polymerisation**

Hazardous polymerization does not occur.

**Hazardous reactions**

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

Heat.

**10.5. Incompatible materials**

Strong oxidising agents, Strong bases.

**10.6. Hazardous decomposition products**

May emit toxic fumes under fire conditions. See Section 5.2 for more information.

## Section 11: TOXICOLOGICAL INFORMATION

**11.1. Information on toxicological effects****Acute toxicity****Product Information**

.

**LD50 Oral** > 5000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Manganese (II) sulfate	2150 mg/kg ( Rat )		>4.45 mg/L (rat)

**Skin corrosion/irritation** No information available.  
**Serious eye damage/eye irritation** No information available.  
**Sensitisation** No information available.  
**Mutagenicity** No information available.  
**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.

**Symptoms**

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**Aspiration hazard**

No information available.

**Section 12: ECOLOGICAL INFORMATION****12.1. Toxicity****Ecotoxicity**

RAINBOW TROUT (*Oncorhynchus mykiss*): 96H LC50 = 28.9 mg/L (calculated)

ALGAE (*Desmodesmus subspicatus*): 72H ErC50 = >100 mg/L (calculated)

DAPHNIDS (*Daphnia magna*): 48H LC50 = 89.4 mg/L (calculated)

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Manganese (II) sulfate	<i>Desmodesmus subspicatus</i> : 72H ErC50 54.5 mg/L 72H NOEC 1 mg/L	<i>Oncorhynchus mykiss</i> : 96H LC50 = 8.71 mg/L	<i>Daphnia magna</i> : 48H LC50 = 26.9 mg/L

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil****Mobility in soil**

No information available.

**Mobility**

Soluble in water.

**12.5. Results of PBT and vPvB assessment**

This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

Toxic to aquatic organisms.

**Section 13: DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods****Waste from residues / unused products**

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems.

**Contaminated Packaging**

Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No 02 01 08

**OTHER INFORMATION** NOTE : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

## Section 14: TRANSPORT INFORMATION

### IMDG/IMO

14.1 UN/ID no UN3082  
14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE SULPHATE)  
14.3 Hazard class 9  
14.4 Packing Group III  
14.5 Marine Pollutant Yes  
Environmental Hazard Yes  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3  
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The product is not transported in bulk tankers.

### RID

14.1 UN/ID no UN3082  
14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE SULPHATE)  
14.3 Hazard class 9  
14.4 Packing Group III  
14.5 Environmental Hazard Yes  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

### ADR/RID

14.1 UN/ID no UN3082  
14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE SULPHATE)  
14.3 Hazard class 9  
14.4 Packing Group III  
14.5 Environmental Hazard Yes  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

### ICAO/IATA

14.1 UN/ID no UN3082  
14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE SULPHATE)  
14.3 Hazard class 9  
14.4 Packing Group III  
14.5 Environmental Hazard Yes  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** Seveso category in Annex I to Dir. 2012/18/EU: dangerous for the environment.



The substance is covered by EU chemical legislation.

## European Union

### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)  
This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### Persistent Organic Pollutants

Not Applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

## International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Manganese (II) sulfate 7785-87-7	X	X	X	X	X	X	X	X
ethane-1,2-diol 107-21-1	X	X	X	X	X	X	X	X

## 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of R-phrases referred to under sections 2 and 3

Not applicable

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

### Legend

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	CAS (Chemical Abstracts Service)
Ceiling:	Maximum limit value:
DNEL:	Derived No Effect Level (DNEL)
EINECS:	EINECS (European Inventory of Existing Chemical Substances)
GHS:	Globally Harmonised System (GHS)
IATA:	International Air Transport Association (IATA)
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods (IMDG)
LC50:	LC50 (lethal concentration)
LD50:	LD50 (lethal dose)
PBT:	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
RID:	Regulations Concerning the International Transport of Dangerous Goods by Rail
STEL:	Short term exposure limit

SVHC SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average  
vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-19

Reason for revision: Format Change.

**Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

**Prepared By**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**