

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name RETAIN A Herbicide

Other means of identification

Product code 50001030

Product Registration Number PCP #30129

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Specific target organ toxicity : Category 2 (Thyroid, Nervous system)
- repeated exposure

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0 Revision Date: 08/17/2023 SDS Number: 50001030 Date of last issue: -
Date of first issue: 08/17/2023

GHS label elements

Hazard pictograms

:



Signal Word

: Warning

Hazard Statements

: H373 May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Tribenuron-methyl	tribenuron-methyl (ISO)	101200-48-0	16.65
thifensulfuron-methyl (ISO)	thifensulfuron-methyl (ISO)	79277-27-3	33.35

SECTION 4. FIRST AID MEASURES

General advice

: Remove victim from exposure and then have him lie down in the recovery position.
Call a physician immediately.
Show this safety data sheet to the doctor in attendance.
Keep at rest.
Keep warm and in a quiet place.
Do not leave the victim unattended.

If inhaled

: If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact

: If on clothes, remove clothes.
In case of skin contact

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0	Revision Date: 08/17/2023	SDS Number: 50001030	Date of last issue: - Date of first issue: 08/17/2023
----------------	------------------------------	-------------------------	--

- Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0	Revision Date: 08/17/2023	SDS Number: 50001030	Date of last issue: - Date of first issue: 08/17/2023
----------------	------------------------------	-------------------------	--

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Keep only in original packaging.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and con-

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

centration of the dangerous substance at the work place.
Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

Impervious clothing

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Contaminated work clothing should not be allowed out of the workplace.
Wash hands and face before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Color	: light brown
Odor	: slight, acidic
Odor Threshold	: Not applicable No data available
pH	: ca. 9.2 - 9.8 (20 °C) Concentration: 10 g/l
Melting point/range	: Not available for this mixture.
Boiling point/boiling range	: Decomposition
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Does not sustain combustion.
Upper explosion limit / Upper	: Not available for this mixture.

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0	Revision Date: 08/17/2023	SDS Number: 50001030	Date of last issue: - Date of first issue: 08/17/2023
----------------	------------------------------	-------------------------	--

flammability limit

Lower explosion limit / Lower flammability limit : Not available for this mixture.

Vapor pressure : Not available for this mixture.

Relative vapor density : Not available for this mixture.

Density : No data available

Bulk density : 692 kg/m³packed

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not available for this mixture.

Autoignition temperature : 385 °C

Decomposition temperature : Not available for this mixture.

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Stable under recommended storage conditions.

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: Fixed Dose Method Remarks: (Data on the product itself)
Acute inhalation toxicity	: Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: (Data on the product itself) Information source: Internal study report

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: (Data on the product itself)

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: (Data on the product itself)

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Maximization Test
Species	: Guinea pig
Assessment	: Not a skin sensitizer.

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Animal test did not cause sensitization by skin contact.
Remarks	:	(Data on the product itself)

Germ cell mutagenicity

Not classified based on available information.

Components:

Tribenuron-methyl:

Germ cell mutagenicity - Assessment	:	Did not show mutagenic effects in animal experiments.
-------------------------------------	---	---

thifensulfuron-methyl (ISO):

Genotoxicity in vitro	:	Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative Remarks: In vitro tests did not show mutagenic effects
-----------------------	---	---

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Carcinogenicity

Not classified based on available information.

Components:

Tribenuron-methyl:

Remarks	:	No significant adverse effects were reported
---------	---	--

Carcinogenicity - Assessment	:	Did not show carcinogenic effects in animal experiments.
------------------------------	---	--

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

Reproductive toxicity

Not classified based on available information.

Components:

Tribenuron-methyl:

Reproductive toxicity - Assessment	:	No toxicity to reproduction Animal testing did not show any effects on fetal development., Did not show teratogenic effects in animal experiments.
------------------------------------	---	--

thifensulfuron-methyl (ISO):

Reproductive toxicity - Assessment	:	Did not show teratogenic effects in animal experiments.
------------------------------------	---	---

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

STOT-single exposure

Not classified based on available information.

Components:

Tribenuron-methyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

Repeated dose toxicity

Components:

Tribenuron-methyl:

Species : Rabbit
LOAEL : 80 mg/kg
Target Organs : Thyroid, Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Increased mortality or reduced survival

thifensulfuron-methyl (ISO):

Species : Rat
LOAEL : ca. 200 mg/kg
Exposure time : 90 d
Target Organs : No specific target organs noted
Symptoms : Reduced body weight

Aspiration toxicity

Not classified based on available information.

Components:

Tribenuron-methyl:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 130 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: (Data on the product itself)
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 130 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: (Data on the product itself)
- Toxicity to algae/aquatic plants : EC50 (Lemna gibba (duckweed)): 0.0029 mg/l
End point: Frond
Exposure time: 14 d
Method: US EPA Test Guideline OPP 122-2 & 123-2
Remarks: (Data on the product itself)
Information source: Internal study report
- ErC50 (Pseudokirchneriella subcapitata (microalgae)): > 0.16 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes
Remarks: Information source: Internal study report
- Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 112.2 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes
Remarks: Information source: Internal study report
- LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes
Remarks: Information source: Internal study report

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

Components:

Tribenuron-methyl:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Crustaceans): > 320 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l
Exposure time: 14 d |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Cyprinodon variegatus (sheepshead minnow)): 114 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l
Exposure time: 21 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 41 mg/l
Exposure time: 21 d |
| Toxicity to soil dwelling organisms | : | NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg
Exposure time: 56 d |
| Toxicity to terrestrial organisms | : | LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity |

Ecotoxicology Assessment

- | | | |
|------------------------|---|-----------------------------|
| Acute aquatic toxicity | : | Very toxic to aquatic life. |
|------------------------|---|-----------------------------|

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0	Revision Date: 08/17/2023	SDS Number: 50001030	Date of last issue: - Date of first issue: 08/17/2023
----------------	------------------------------	-------------------------	--

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

thifensulfuron-methyl (ISO):

Toxicity to fish	: LC50 (Salmo gairdneri): 100 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 470 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (green algae): 0.0159 mg/l Exposure time: 72 h ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l Exposure time: 72 h EC50 (Lemna minor (duckweed)): 1.3 µg/l
Toxicity to fish (Chronic toxicity)	: NOEC (Salmo gairdneri): 250 mg/l Exposure time: 28 d NOEC (Oncorhynchus mykiss (rainbow trout)): 10.6 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg
Toxicity to terrestrial organisms	: LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm Remarks: Dietary LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm LD50 (Apis mellifera (bees)): > 7.1 µg/bee End point: Acute oral toxicity LD50 (Apis mellifera (bees)): > 100 µg/bee End point: Acute contact toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



RETAIN A Herbicide

Version 1.0	Revision Date: 08/17/2023	SDS Number: 50001030	Date of last issue: - Date of first issue: 08/17/2023
----------------	------------------------------	-------------------------	--

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.

Components:

Tribenuron-methyl:

Biodegradability : Biodegradation: 29.4 %
Exposure time: 28 d

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

Tribenuron-methyl:

Bioaccumulation : Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.38

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1
Remarks: Does not bioaccumulate.

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Components:

Tribenuron-methyl:

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

thifensulfuron-methyl (ISO):

Distribution among environmental compartments : Koc: 28.3, log Koc: 1.45
Remarks: Highly mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : Environmental hazards
Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.
Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl, Tribenuron-methyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

SAFETY DATA SHEET



RETAIN A Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/17/2023	50001030	Date of first issue: 08/17/2023

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation
FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet