

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### 1. IDENTIFICATION

Product name : Preza® 10 OD

Other means of identification : Preza®

#### Manufacturer or supplier's details

Company : FARMEX S.A.

Address : CALLE DEAM VALDIVIA N° 148,  
PISO 7, SAN ISIDRO, LIMA 27 – PERÚ  
(01) 630-6400

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)  
Peru: 51-17071295 (CHEMTREC)

Medical Emergency Number : Desde Perú: SAMU: 106;  
CISPROQUIM®: 080-050-847;  
FMC LATINOAMERICA S.A. SUCURSAL: 421-4811;  
Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012  
Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y Norte).  
Desde Venezuela: 0800 1005012

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

# SAFETY DATA SHEET

according to the Globally Harmonized System





## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :  

Signal Word : WARNING

Hazard Statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or with adequate ventilation.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing.  
**Response:**  
P301 + P317 + P330 IF SWALLOWED: Get medical help.  
Rinse mouth.  
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.  
Get medical help.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):  
Harmful if swallowed, in contact with skin or if inhaled.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version 5.0      Revision Date: 13.03.2025      SDS Number: 50000912      Date of last issue: -  
Date of first issue: 22.05.2023

### Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium dodecylbenzenesulphonate	26264-06-2	>= 10 - < 20
Cyantraniliprole	736994-63-1	>= 10 - < 20
2-ethylhexan-1-ol	104-76-7	>= 2,5 - < 10
Polyoxyethylene sorbitol hexaoleate	57171-56-9	>= 2,5 - < 10
Fatty acids, C6-10, Me esters	68937-83-7	>= 1 - < 10
methanol	67-56-1	>= 0,1 - < 1

### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off with soap and water.  
Wash contaminated clothing before re-use.  
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.  
May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

- |  |   |  |
|--|---|--|
| Suitable extinguishing media                   | : | Dry chemical, CO2, water spray or regular foam.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Unsuitable extinguishing media                 | : | Do not spread spilled material with high-pressure water streams.   |
| Specific hazards during fire fighting          | : | Do not allow run-off from fire fighting to enter drains or water courses.  |
| Hazardous combustion products                  | : | Fire may produce irritating, corrosive and/or toxic gases.<br>Carbon oxides<br>Sulfur oxides<br>Chlorine compounds<br>Nitrogen oxides (NOx)<br>Bromine compounds<br>Hydrogen cyanide   |
| Specific extinguishing methods                 | : | Remove undamaged containers from fire area if it is safe to do so.<br>Use a water spray to cool fully closed containers.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus.   |

## 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.<br>Use personal protective equipment.<br>If it can be safely done, stop the leak.<br>Do not touch or walk through the spilled material.<br>Never return spills in original containers for re-use.<br>Mark the contaminated area with signs and prevent access to unauthorized personnel.<br>Only qualified personnel equipped with suitable protective equipment may intervene.<br>For disposal considerations see section 13. |
| Environmental precautions   | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.  |
| Methods and materials for containment and cleaning up               | : | Never return spills in original containers for re-use.<br>Collect as much of the spill as possible with a suitable absorbent material.   |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.  
Protect from frost and extreme heat.  
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Recommended storage temperature : 5 - 30 °C
- Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version 5.0      Revision Date: 13.03.2025      SDS Number: 50000912      Date of last issue: -  
Date of first issue: 22.05.2023

2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
methanol	67-56-1	TWA	200 ppm 262 mg/m <sup>3</sup>	PE OEL
		Further information: skin		
		STEL	250 ppm 328 mg/m <sup>3</sup>	PE OEL
		Further information: skin		
		TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

### Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Do not inhale aerosol.  
When using do not eat or drink.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

When using do not smoke.  
Wash hands before breaks and at the end of workday.  
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: dispersion
Color	: off-white
Odor	: mild, oily
Odor Threshold	: No data available
pH	: 5,1 Concentration: 10 g/l 1 % (as a dispersion)
Melting point/freezing point	: not determined
Boiling point/boiling range	: 99 °C
Flash point	: > 99 °C Method: closed cup
Evaporation rate	: No data available
Flammability (liquids)	: Not classified as a flammability hazard
Self-ignition	: 254 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Relative vapor density	: Not available for this mixture.
Relative density	: 0,978
Density	: No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Bulk density	:	0,9 - 1,1 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity	:	
Viscosity, dynamic	:	345 mPa.s 25 rpm
		257 mPa.s 50 rpm
		200 mPa.s 100 rpm
Viscosity, kinematic	:	353 mm <sup>2</sup> /s 25 rpm
		204 mm <sup>2</sup> /s 100 rpm
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid formation of aerosol.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Avoid extreme temperatures.  
Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Stable under recommended storage conditions.  
No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

#### Product:

Acute oral toxicity : LD50(Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Assessment: The component/mixture is moderately toxic after single ingestion.

Remarks: Resolution no. 2075

Acute inhalation toxicity : LC50(Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Assessment: The component/mixture is moderately toxic after short term inhalation.

Remarks: Resolution no. 2075

Acute dermal toxicity : LD50(Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

Assessment: The component/mixture is moderately toxic after single contact with skin.

Remarks: Resolution no. 2075

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### Components:

#### **calcium dodecylbenzenesulphonate:**

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Cyantraniliprole:**

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

#### **2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Polyoxyethylene sorbitol hexaoleate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### **Fatty acids, C6-10, Me esters:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### **methanol:**

Acute oral toxicity : LD50 (Rat): 1.187 mg/kg  
  
Acute toxicity estimate (Humans): 100 mg/kg  
Method: Expert judgment

Acute inhalation toxicity : LC50 (Rat, female): 82,1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
  
LC50 (Rat, male): 92,6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute toxicity estimate: 5 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 17.100 mg/kg  
  
Acute toxicity estimate: 300 mg/kg  
Method: Expert judgment

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

#### **Cyantraniliprole:**

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

#### **2-ethylhexan-1-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

#### **Polyoxyethylene sorbitol hexaoleate:**

Species	: Rabbit
Result	: No skin irritation

#### **Fatty acids, C6-10, Me esters:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

#### **methanol:**

Species	: Rabbit
Result	: No skin irritation

#### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

Remarks	: Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

#### **Cyantraniliprole:**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: slight irritation
GLP	: yes

#### **2-ethylhexan-1-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

#### **Polyoxyethylene sorbitol hexaoleate:**

Species	: Rabbit
Result	: No eye irritation

#### **Fatty acids, C6-10, Me esters:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: slight irritation

#### **methanol:**

Species	: Rabbit
Result	: No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

### **Product:**

Species	: multiple species
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Test Type	: Local lymph node test
Species	: mice
Assessment	: May cause sensitization by skin contact.
Method	: OECD Test Guideline 429
Result	: Causes sensitization.
GLP	: yes

Remarks	: Causes sensitization.
---------	-------------------------

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

#### **Cyantraniliprole:**

Test Type	: Local lymph node test
Routes of exposure	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Magnussen-Kligman test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.
GLP	: yes
Remarks	: see user defined free text

#### **Polyoxyethylene sorbitol hexaoleate:**

Test Type	: Human repeat insult patch test (HRIPT)
-----------	--

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Species : Humans  
Result : negative

### Fatty acids, C6-10, Me esters:

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : Not a skin sensitizer.

### methanol:

Test Type : Maximization Test  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

#### Components:

##### calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

##### Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: reverse mutation assay  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### 2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Fatty acids, C6-10, Me esters:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### methanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Test system: Chinese hamster fibroblasts  
Result: negative

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

#### Components:

##### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 720 d  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

##### **Cyantraniliprole:**

Species : Rat, male and female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 200 - 2.000 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Ingestion  
Exposure time : 18 month(s)  
NOAEL : 7.000 ppm  
Method : OECD Test Guideline 451  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### 2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

### methanol:

Species	: Mouse, male and female
Application Route	: inhalation (vapor)
Exposure time	: 18 month(s)
NOAEC	: 1,3 mg/l
Result	: negative

Species	: Rat, male and female
Application Route	: inhalation (vapor)
Exposure time	: 2 Years
NOAEC	: 1,3 mg/l
Result	: negative

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Reproductive toxicity - Assessment	: Contains no ingredient listed as toxic to reproduction
------------------------------------	--

#### Components:

##### calcium dodecylbenzenesulphonate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Ingestion General Toxicity Parent: NOAEL: 400 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

##### Cyantraniliprole:

Effects on fetal development	: Test Type: Pre-natal
------------------------------	------------------------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day  
Symptoms: Maternal effects.  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### 2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: negative

### methanol:

Effects on fertility : Test Type: one-generation reproductive toxicity  
Species: Monkey, female  
Application Route: inhalation (vapor)  
General Toxicity F1: NOAEC: 2,39 mg/l  
Result: negative

Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: inhalation (vapor)  
General Toxicity F1: LOAEC: 1,3 mg/l  
General Toxicity F2: LOAEC: 1,3 mg/l  
Result: negative

Effects on fetal development : Test Type: Pre-natal  
Species: Mouse  
Application Route: inhalation (vapor)  
Developmental Toxicity: NOAEC: 6,65 mg/L  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Pre-natal  
Species: Rat  
Application Route: inhalation (vapor)  
Developmental Toxicity: NOAEC: 1,33 mg/L  
Result: Embryotoxic effects and adverse effects on the off-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

spring were detected only at high maternally toxic doses

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **2-ethylhexan-1-ol:**

Assessment : May cause respiratory irritation.

##### **methanol:**

Target Organs : Central nervous system, Eyes  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Remarks : Based on data from similar materials  
  
Species : Rat, male

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

LOAEL : 286 mg/kg  
Application Route : Skin contact  
Exposure time : 15 Days  
Remarks : Based on data from similar materials

Species : Rat, male and female  
NOAEL : 100 mg/kg bw/day  
LOAEL : 200 mg/kg bw/day  
Application Route : Oral - gavage  
Exposure time : 28 - 54 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

### Cyantraniliprole:

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Symptoms : increased liver weight  
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female  
NOAEL : 6,9 - 168 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 1091,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 3,08 - 3,48 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3150  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 8,3 - 106,6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 2 yr  
Method : OPPTS 870.4300  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 768,8 - 903,8 mg/kg bw/day

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Application Route : Ingestion  
Exposure time : 18 Months  
Method : OPPTS 870.4200  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 5,67 - 6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 1 yr  
Method : OPPTS 870.4100  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes  
Symptoms : Irritation  
Remarks : Effects are of limited toxicological significance.

### 2-ethylhexan-1-ol:

Species : Rat  
: 250 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 408

### methanol:

Species : Monkey  
LOAEL : 2.340 mg/kg  
Application Route : Ingestion  
Exposure time : 3 days

Species : Rat  
NOEC : 0,13 mg/l  
LOAEL : 1,3 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 months  
Remarks : No toxicologically significant effects were found.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Product:

No aspiration toxicity classification

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### Components:

#### **Cyantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

### **Experience with human exposure**

#### Components:

##### **methanol:**

Ingestion : Target Organs: Eyes  
Remarks: Based on Human Evidence

### **Neurological effects**

#### Components:

#### **Cyantraniliprole:**

No neurotoxicity observed in animal studies.

### **Further information**

#### Product:

Remarks : No data available

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,215 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia magna (Water flea)): 0,00947 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia magna (Water flea)): 20,4 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 63,8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to soil dwelling organisms	:	LC50: > 1.000 mg/kg Species: worms
Toxicity to terrestrial organisms	:	LD50: 3.79 µg/bee Exposure time: 72 h End point: Acute oral toxicity Species: Apis mellifera (bees)  LD50: 6.31 µg/bee Exposure time: 96 h End point: Acute contact toxicity Species: Apis mellifera (bees)  NOEC: 2.250 mg/kg End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1  LD50: > 2.250 mg/kg End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

### Components:

#### calcium dodecylbenzenesulphonate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials  LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	:	NOEC ( Pseudokirchneriella subcapitata (green algae)): 7,9



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

- plants
- mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- EC50 ( *Pseudokirchneriella subcapitata* (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: Based on data from similar materials
- NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: Based on data from similar materials
- Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg  
Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: *Colinus virginianus* (Bobwhite quail)  
Method: OECD Test Guideline 223
- Cyantraniliprole:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h  
Method: US EPA Test Guideline OPP 72-1  
GLP: yes
- LC50 (*Ictalurus punctatus* (channel catfish)): > 10 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,0204 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 ( *Pseudokirchneriella subcapitata* (green algae)): > 13 mg/l  
Exposure time: 72 h
- ErC50 ( *Lemna gibba* (duckweed)): 0,278 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Exposure time: 7 d

EyC50 ( Lemna gibba (duckweed)): 0,060 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l  
Exposure time: 28 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 1,01 mg/l  
Exposure time: 90 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: Early Life-Stage  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

LOEC: 0,00969 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,72 mg/l  
End point: reproduction  
Exposure time: 35 d  
Species: Americamysis bahia (mysid shrimp)  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222  
GLP: yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 0,0934 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP: yes

LD50: > 0,1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP: yes

LD50: > 2.250 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus  
Method: US EPA Test Guideline OPPTS 850.2100  
GLP: yes

NOEC: 1.000 ppm  
End point: Reproduction Test  
Species: Anas platyrhynchos (Mallard duck)  
Method: OECD Test Guideline 206  
GLP: yes

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 ( Desmodesmus subspicatus (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 ( Desmodesmus subspicatus (green algae)): 11,5 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

### Polyoxyethylene sorbitol hexaoleate:

Toxicity to algae/aquatic plants : EbC50 ( Skeletonema costatum (Diatom)): 20 mg/l  
Exposure time: 72 h

ErC50 ( Skeletonema costatum (Diatom)): 98 mg/l  
Exposure time: 72 h

### Fatty acids, C6-10, Me esters:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 95 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Gammarus fasciatus (freshwater shrimp)): 14,7 mg/l  
Remarks: Based on data from similar materials

### methanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15.400 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.260 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 ( Selenastrum capricornutum (green algae)): ca. 22.000 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : EC50 (activated sludge): 19.800 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 450 mg/l  
Exposure time: 28 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 208 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

### Components:

#### **calcium dodecylbenzenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

#### **Cyantraniliprole:**

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9,09 - 37,7 d  
Remarks: Fresh water

Degradation half life (DT50): 76,6 - 119 d  
Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d  
Remarks: total system

#### **2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

#### **Polyoxyethylene sorbitol hexaoleate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 99 %

Result: Biodegradable  
Biodegradation: 65 %

#### **Fatty acids, C6-10, Me esters:**

Biodegradability : Result: Readily biodegradable.

#### **methanol:**

Biodegradability : Result: Readily biodegradable.

### **Bioaccumulative potential**

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

### Components:

#### **calcium dodecylbenzenesulphonate:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

### **Cyantraniliprole:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

### **2-ethylhexan-1-ol:**

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

### **methanol:**

Partition coefficient: n-octanol/water : log Pow: -0,77 (20 °C)

### **Mobility in soil**

#### **Product:**

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### **Components:**

### **Cyantraniliprole:**

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Kd: 3,73 ml/g  
Remarks: Mobile in soils

### **Other adverse effects**

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)

- Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

- UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Control Act of precursor chemicals and controlled products : Not applicable

### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory  
TSCA : Product contains substance(s) not listed on TSCA inventory.  
AIIC : Not in compliance with the inventory  
ENCS : Not in compliance with the inventory  
ISHL : Not in compliance with the inventory  
KECI : Not in compliance with the inventory  
PICCS : Not in compliance with the inventory  
IECSC : Not in compliance with the inventory  
NZIoC : Not in compliance with the inventory  
TECI : Not in compliance with the inventory

## 16. OTHER INFORMATION



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD


Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

Revision Date : 13.03.2025

Date format : dd.mm.yyyy

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
PE OEL : Peru. Regulation adopting Limit Values for Chemical Agents in the Working Environment.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
PE OEL / TWA : Time Weighted Average  
PE OEL / STEL : Short Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: -
5.0	13.03.2025	50000912	Date of first issue: 22.05.2023

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PE / EN