- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

This Safety Data Sheet adheres to the standards and regulatory requirements of France and may not meet the regulatory requirements in other countries.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : AVAUNT® Synonyms : B10596913

DPX-MP062 30 WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

1.3. Details of the supplier of the safety data sheet

Company : Cheminova Agro France SAS

11 bis, Quai Perrache

69002 LYON

France

Telephone : +33 (0) 1 56 60 47 00 Telefax : +33 (0) 1 56 60 47 01

E-mail address : sds-support@che.dupont.com

**1.4. Emergency telephone number** +(44)-870-8200418 (CHEMTREC)

Emergency Phone ORFILA: +33 (0) 145 42 59 59 (Anti-Poison center)

Poison Centres may only possess information required for products in accordance with Regulation (EC) No 1272/2008 and national legislation.

#### **SECTION 2: Hazards identification**

Chronic aquatic toxicity, Category 2

#### 2.1. Classification of the substance or mixture

Acute toxicity, Category 4 H302: Harmful if swallowed.

Specific target organ toxicity - repeated exposure, Category 1 H372: Causes damage to organs through prolonged or repeated exposure.(Blood, Nervous system, Heart)

H410: Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements



Danger

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 13000000325

H302 Harmful if swallowed.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Special labelling of certain substances and mixtures

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. P270 P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

P501 Dispose of non used phytosanitary product (NUPP) and empty containers

> through a special collection service, for example by the partner distributors of ADIVALOR (www.adivalor.fr) according to local, regional and national

regulations.

Special labelling of certain substances and mixtures

Re-entry periods: Outdoor or field use: minimum period of 6 hours after the end of spraying. Glasshouse or indoor application: minimum period of 8 hours after the end of spraying. Preparations to which at least one of the following risk phrases have been assigned: H319, H318, H315: minimum period of 24 hours after the end of spraying. Preparations to which at least one of the following risk phrases have been assigned: H334, H317: minimum period of 48 hours

after spraying.

SP<sub>1</sub> Do not contaminate water with the product or its container (Do not clean

application equipment near surface water/Avoid contamination via drains from

farmyards and roads).

#### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Registration number	Classification according to	Concentration
	Regulation (EU) 1272/2008 (CLP)	(% w/w)

## Indoxacarb (CAS-No.173584-44-6)

(M-Factor: 1[Acute] 1[Chronic])		
	Acute Tox. 3; H301	30 %
	Acute Tox. 4; H332	

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

Skin Sens. 1B; H317	
STOT RE 1; H372	
Aquatic Acute 1; H400	
Aquatic Chronic 1; H410	

Lignin, alkali, reaction products with sodium bisulfite and formaldehyde (CAS-No.68512-35-6)

Eye Irrit. 2; H319 >= 45 - < 50 %

The above products are compliant to REACH registration obligations; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air. Oxygen or artificial respiration if needed. Consult a

physician.

Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately

with soap and plenty of water. In the case of skin irritation or allergic reactions

see a physician. Wash contaminated clothing before re-use.

Eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and

gently with water for 15-20 minutes. If eye irritation persists, consult a

specialist.

Ingestion : Obtain medical attention. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. If victim is conscious: Rinse mouth with

water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms : No cases of human intoxication are known and the symptoms of experimental

intoxication are not known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Extinguishing media which : High volume water jet, (contamination risk)

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

shall not be used for safety reasons

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Hazardous decomposition products formed under fire conditions. Carbon

dioxide (CO2) Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground

water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire

burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Control access to area. Keep people away from and upwind of spill/leak. Avoid

dust formation. Avoid breathing dust. Use personal protective equipment. Refer

to protective measures listed in sections 7 and 8.

#### 6.2. Environmental precautions

Environmental precautions

: Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Clean-up methods - small spillage Soak up with inert absorbent material.

Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Large spills should be collected mechanically (remove by pumping) for disposal. Collect leaking liquid in sealable (metal/plastic) containers. Collect and contain

contaminated absorbent and dike material for disposal.

Other information : Never return spills in original containers for re-use. Dispose of in accordance

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

with local regulations.

#### 6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling : Us

: Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding the given occupational

exposure limits (see section 8).

Advice on protection against fire and explosion

: Keep away from heat and sources of ignition. Avoid dust formation in confined

areas. During processing, dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Keep in properly labelled containers. Keep

containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep out of the reach of children. Keep

away from food, drink and animal feedingstuffs.

Advice on common storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

#### 7.3. Specific end use(s)

Plant protection products subject to Regulation (EC) No 1107/2009.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

If sub-section is empty then no values are applicable.

#### 8.2. Exposure controls

Engineering measures : In the context of a professional phytosanitary use as recommended, the end

user must refer to the label. In other cases, It is recommended to use the

following protective equipment.

Ensure adequate ventilation, especially in confined areas.

Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended

limits.

Eye protection : Safety glasses with side-shields conforming to EN166

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 13000000325

Hand protection Material: Nitrile rubber

Glove thickness: 0,3 mm

Glove length: Standard glove type.

Protection index: Class 6 Wearing time: > 480 min

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them

with soap and water.

Skin and body protection

Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-

Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required.

Tractor / sprayer without hood: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Spray application - indoor: Motorized greenhouse sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel: No personal body protection normally required during the application. However, gloves and a long sleeved shirt shall be worn when handling the treated plants after the application.

When exceptional circumstances would require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 2 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier.

Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.

The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

Protective measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during

application.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular

cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. Remove clothing/PPE immediately if material gets inside. For environmental protection remove and wash all contaminated

protective equipment before re-use. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.

Respiratory protection : Manufacturing and processing work: Half mask with a particle filter FFP1

(EN149)

Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149) Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Half

mask with a particle filter FFP1 (EN149)

Backpack / knapsack sprayer: Half mask with a particle filter P1 (EN 143). Spray application - indoor: Motorized greenhouse sprayer: Half mask with a

particle filter P1 (EN 143).

Mechanical automatized spray application in closed tunnel: No personal

respiratory protective equipment normally required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Form : dry, free flowing granules

Colour : dark brown

Odour : mild, woody

Odour Threshold : not determined

pH : 7,5 at 10 g/I (  $20 ^{\circ}\text{C}$ )

Melting point/range : Not available for this mixture.

Flash point : Not applicable

Flammability (solid, gas) : Does not sustain combustion.

Thermal decomposition : Not available for this mixture.

Auto-ignition temperature : not auto-flammable

Oxidizing properties : The product is not oxidizing. Method: Directive 67/548/EEC, Annex V, A.17.

Explosive properties : Not explosive

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 13000000325

Lower explosion limit/ Lower

flammability limit

: Not available for this mixture.

Upper explosion limit/ upper

flammability limit

: Not available for this mixture.

: Not available for this mixture. Vapour pressure

Relative density : 0,8

Bulk density : 800 kg/m3

Water solubility : not determined

Partition coefficient: n-

octanol/water

: Not applicable

: not determined Viscosity, kinematic

Relative vapour density : Not available for this mixture.

: Not available for this mixture. Evaporation rate

9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity : No hazards to be specially mentioned.

: The product is chemically stable under recommended conditions of storage, use 10.2. Chemical stability

and temperature.

10.3. Possibility of

hazardous reactions

: No dangerous reaction known under conditions of normal use. Polymerization

will not occur. No decomposition if stored and applied as directed.

10.4. Conditions to avoid : To avoid thermal decomposition, do not overheat. Under severe dusting

conditions, this material may form explosive mixtures in air.

10.5. Incompatible materials : No materials to be especially mentioned.

10.6. Hazardous decomposition products : Hydrogen fluoride Hydrogen chloride gas

**SECTION 11: Toxicological information** 

11.1. Information on toxicological effects

Acute oral toxicity

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

LD50 / Rat male : 1 876 mg/kg Method: OECD Test Guideline 401

Information source: Internal study report (Data on the product itself)

LD50 / Rat female : 687 mg/kg Method: OECD Test Guideline 401

Information source: Internal study report (Data on the product itself)

#### Acute inhalation toxicity

LC50 / 4 h Rat : > 5,6 mg/l

Method: OECD Test Guideline 403

Information source: Internal study report (Data on the product itself)

#### Acute dermal toxicity

LD50 / Rat : > 5 000 mg/kg

Method: OECD Test Guideline 402

Information source: Internal study report (Data on the product itself)

#### Skin irritation

Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Information source: Internal study report (Data on the product itself)

## Eye irritation

Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Information source: Internal study report (Data on the product itself)

#### Sensitisation

Guinea pig Maximisation Test

Result: Animal test did not cause sensitization by skin contact.

Method: OECD Test Guideline 406

Information source: Internal study report (Data on the product itself)

## Repeated dose toxicity

Oral - feed Rat Exposure time: 90 d

Method: OECD Test Guideline 408

No significant toxicological effects in 90 day studies were found below the recommended guidance values for

classification., Information source: Internal study report, (Data on the product itself)

#### Mutagenicity assessment

- Annex II



## **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

Indoxacarb

Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

#### Carcinogenicity assessment

Indoxacarb

Animal testing did not show any carcinogenic effects.

#### Toxicity to reproduction assessment

Indoxacarb
 Animal testing did not show any effects on fertility. No toxicity to reproduction

#### Assessment teratogenicity

Indoxacarb

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

#### STOT - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT - repeated exposure

Blood Nervous system Heart

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

#### Aspiration hazard

The mixture does not have properties associated with aspiration hazard potential.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxicity to fish

LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): 1,8 mg/l

Method: OECD Test Guideline 203

Information source: Internal study report (Data on the product itself)

## Toxicity to aquatic plants

EbC50 / 72 h / Pseudokirchneriella subcapitata (green algae): > 1,2 mg/l

Method: OECD Test Guideline 201

Information source: Internal study report (Data on the product itself)

#### Toxicity to aquatic invertebrates

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

EC50 / 48 h / Daphnia magna (Water flea): 1,7 mg/l

Method: OECD Test Guideline 202

Information source: Internal study report (Data on the product itself)

Toxicity to other organisms

LD50 / Colinus virginianus (Bobwhite quail): 508 mg/kg

Method: US EPA Test Guideline OPP 71-1

Information source: Internal study report (Data on the product itself)

LD50 / 48 h / Apis mellifera (bees): 0,00160 mg/kg

Method: OEPP/EPPO Test Guideline 170

Oral Information given is based on data obtained from similar product.

LD50 / 48 h / Apis mellifera (bees): 0,0013 mg/kg

Method: OEPP/EPPO Test Guideline 170

Contact Information given is based on data obtained from similar product.

Chronic toxicity to fish

Indoxacarb

Early Life-Stage / NOEC / 90 d / Oncorhynchus mykiss (rainbow trout): 0,15 mg/l

Method: OECD Test Guideline 210 Information source: Internal study report

Chronic toxicity to aquatic Invertebrates

Indoxacarb

NOEC / 21 d / Daphnia magna (Water flea): 0,9 mg/l

Method: OECD Test Guideline 202 Information source: Internal study report

## 12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

#### 12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Information refers to the main component.

# 12.4. Mobility in soil

Mobility in soil

The product is not expected to be mobile in soils.

# 12.5. Results of PBT and vPvB assessment

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

#### PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### 12.6. Other adverse effects

## Additional ecological information

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product : In accordance with local and national regulations. Must be incinerated in a

suitable incineration plant holding a permit delivered by the competent

authorities. The product should not be allowed to enter drains, water courses or

the soil.

Contaminated packaging : Do not re-use empty containers.

#### **SECTION 14: Transport information**

**ADR** 

14.1. UN number: 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Indoxacarb)

14.3. Transport hazard class(es): 9
14.4. Packing group: III

14.5. Environmental hazards: For further information see Section 12.

14.6. Special precautions for user:

Tunnel restriction code: (-)

IATA\_C

14.1. UN number: 3077

14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Indoxacarb)

14.3. Transport hazard class(es): 9
14.4. Packing group: III

14.5. Environmental hazards : For further information see Section 12.

14.6. Special precautions for user:

DuPont internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

**IMDG** 

14.1. UN number: 3077

14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Indoxacarb)

14.3. Transport hazard class(es): 9
14.4. Packing group: III

14.5. Environmental hazards : Marine pollutant

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

14.6. Special precautions for user:

No special precautions required.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations:

Nomenclature of classified installations for environmental protection: Section 4510.

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

Take note of Dir 94/33/EC on the protection of young people at work.

Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

This product is in full compliance according to REACH regulation 1907/2006/EC.

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this/these product(s).

The mixture is registered as a plant protection product under Regulation (EC) No. 1107/2009.

Refer to the label for exposure assessment information.

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under section 3.

H301	loxic if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eve irritation

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Other information professional use

#### Abbreviations and acronyms

- Annex II



# **AVAUNT®**

Version 1.0

Revision Date 03.01.2018 Ref. 130000000325

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-No. Chemical Abstracts Service number CLP Classification, Labelling and Packaging

EbC50 Concentration at which 50% reduction of biomass is observed

EC50 Median effective concentration

EN European Norm

EPA Environmental Protection Agency

ErC50 Concentration at which a 50% inhibition of growth rate is observed

EyC50 Concentration at which 50 % inhibition of yield is observed

IATA C International Air Transport Association (Cargo)

IBCInternational Bulk Chemical CodeICAOInternational Civil Aviation OrganizationISOInternational Standard OrganizationIMDGInternational Maritime Dangerous Goods

LC50 Median Lethal Concentration

LD50 Median Lethal Dose

LOEC Lowest Observed Effect Concentration

LOEL Lowest observed effect level

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.o.s. Not Otherwise Specified

NOAEC No Observed Adverse Effect Concentration

NOAEL No observed adverse effect level NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

OECD Organisation for Economic Co-operation and Development OPPTS Office of Prevention, Pesticides and Toxic Substances

PBT Persistent, Bioaccumulative and Toxic

STEL Short term exposure limit
TWA Time Weighted Average (TWA):

vPvB very Persistent and very Bioaccumulative

#### **Further information**

Before use read DuPont's safety information., Take notice of the directions of use on the label.

**Note:** The classification of substances listed in Annex VI to the CLP regulation are derived from assessment of the best knowledge and information available at the time of its publication or subsequent amendments. The information on components provided in sections 11 and 12 of this safety data sheet may in some cases not align with a legally binding classification on the basis of technical progress and availability of new information.

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

# SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 - Annex II AVAUNT®



AVAUNT®	
Version 1.0	
Revision Date 03.01.2018	Ref. 13000000325
	15/15