

Product Name: CF-09-50 Herbicide (PCP #34474)

Specification ID#: 50002672

CF-09-50 Herbicide is considered a mechanical mixture of two (2) individual products.

Attached are the component product SDS which make up **CF-09-50** Herbicide:

Express® 50 SG MUP PCP # 28176

SDS Date: 10/28/2022

Specification ID#: 50000038

Carfentrazone 40 WG MUP PCP # 34141

SDS Date: **07/20/2021**

Specification ID#: 50002567

Please review the attached SDS, for a full and complete understanding of the hazards associated with each product before use.

Manufacturer/Distributor:

FMC of Canada Limited 6755 Mississauga Road, Suite 204 Mississauga, ON L5N 7Y2 Canada

Telephone Numbers:

Product Information: 1-833-362-7722

Medical Emergency: 1-800-331-3148 (USA & Canada)

Preparation Date: 03/17/2023

Member of CropLife Canada®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

EXPRESS(R) 50 SG MUP



Version **Revision Date:** SDS Number: Date of last issue: -

10/28/2022 50000038 Date of first issue: 03/01/2018 1.1

SECTION 1. IDENTIFICATION

Product identifier

Product name EXPRESS(R) 50 SG MUP

Other means of identification

Product code 50000038

Chemical nature Herbicide

Product Registration Num-

PCP# 28176

Recommended use of the chemical and restrictions on use Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

Supplier Address FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

<u>Canada</u>

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Specific target organ toxicity : Category 2

- repeated exposure

1/14

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

GHS label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary Statements : Prevention:

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Herbicide

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
tribenuron-methyl (ISO)	tribenuron-	101200-48-0	50
	methyl (ISO)		50

SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in

the recovery position.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

EXPRESS(R) 50 SG MUP



Version **Revision Date:** SDS Number: Date of last issue: -

10/28/2022 50000038 Date of first issue: 03/01/2018 1.1

Keep at rest.

Keep warm and in a quiet place.

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact If on clothes, remove clothes.

In case of skin contact

If on skin, rinse well with water.

Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.

In case of eye contact Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Do NOT induce vomiting.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms

and effects, both acute and

delayed

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Sulfur oxides Carbon oxides

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid, granules

Color : light brown

Odor : mild

pH : 8.4 - 9.4 (20 °C)

Concentration: 10 g/l

In a 1% aqueous dispersion

Flash point : not determined

Flammability (solid, gas) : Not highly flammable

Relative vapor density : not determined

Bulk density : 640 kg/m3packed

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Solubility(ies)

Water solubility : soluble

Decomposition temperature : Not available for this mixture.

Viscosity

Viscosity, dynamic : not determined

Explosive properties : Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : dust formation

moisture

Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

Strong oxidizing agents

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Fixed Dose Method

GLP: yes

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Not classified based on available information.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig

Assessment : The product is a skin sensitizer, sub-category 1B.

Method : Maximization Test

Result : The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be

mutagenic.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogen-

ic.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have

adverse effects on reproduction.

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

Aspiration toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): > 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)):

0.0162 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.00652 mg/l

End point: Frond Exposure time: 7 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

Components:

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208

mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 114

mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg

Exposure time: 56 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

tribenuron-methyl (ISO):

Biodegradability: Biodegradation: 29.4 %

Exposure time: 28 d

Bioaccumulative potential

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0.38

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Mobility in soil

Product:

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Other adverse effects

Product:

Additional ecological information

 Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water

mark.

Do not contaminate water when cleaning equipment or dis-

posing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

Class : 9

Subsidiary risk : ENVIRONM.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Tribenuron-methyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

SAFETY DATA SHEET Carfentrazone 40 WG MUP

SDS #: FO004353-3-A **Revision date: 2021-07-20**

> Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Carfentrazone 40 WG MUP **Product Name**

Other means of identification

Product Code(s) FO004353-3-A

Legacy Product Code 50002567

CARFENTRAZONE-ETHYL: **Synonyms**

ethyl α,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]

-4-fluorobenzenepropanoate (CAS name);

ethyl (RS)-2-chloro-3-[2-chloro-5- (4-difluoromethyl-4,5-dihydro-3-methyl-5oxo-1H-1,2,4-triazol-1-yl) -4-fluorophenyl] propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

PCP# 34141

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

FMC of Canada Limited Supplier Address

6755 Mississauga Road, Suite 204 Mississauga, ON L5N 7Y2

Canada

Web: https://ag.fmc.com/ca/en

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722)

Email: SDS-Info@fmc.com

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

SDS #: FO004353-3-A **Revision date:** 2021-07-20

Version 1

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Signal Word: Warning

Hazard Statements

H319 - Causes serious eye irritation



Precautionary Statements - Prevention

P264 - Wash hands thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones.

Chemical name	CAS-No	Weight %
Carfentrazone-ethyl	128639-02-1	40
Crystalline silica, quartz	14808-60-7	<1
Naphthalene sulfonic acid-formaldehyde	9084-06-4	15 - 20
condensate, sodium salt		

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Carfentrazone 40 WG MUP

SDS #: FO004353-3-A Revision date: 2021-07-20

Version 1

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

May cause eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is required in cases of ingestion. It may be helpful to show this safety data sheet to physician.

Notes to physician: A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO₂).

Large Fire Water spray. Foam.

Unsuitable extinguishing media Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

Hazardous Combustion Products

None known

The essential breakdown products are volatile, toxic, irritant and inflammable compounds

such as nitrogen oxides, hydrogen fluoride, hydrogen chloride, sulphur dioxide, carbon monoxide, carbon dioxide and various fluorinated and chlorinated organic compounds.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of

lakes,streams, ponds, and sewer drains. Keep out of waterways. Do not release to the

environment.

Methods for Containment

Nearby surface water drains should be covered. Minor spills on the floor or other impervious

surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with detergent and water. Do not let wash liquid enter drains or waterways. Absorb wash liquid with an inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

SDS #: FO004353-3-A Revision date: 2021-07-20

Version 1

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Do not contaminate

other pesticides, fertilizers, water, food, or feed by storage or disposal. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. Remove

contaminated clothing and shoes.

Storage Store in closed, labelled containers. The storage room should be constructed of

incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should

not be present. A hand wash station should be available.

Packaging material Must only be kept in original packaging.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carfentrazone-ethyl	TWA: 1 mg/m ³	-	-	-
(128639-02-1)				
Crystalline silica, quartz	TWA: 0.025 mg/m ³	TWA: 50 µg/m³	IDLH: 50 mg/m ³	Mexico: TWA 0.025
(14808-60-7)			TWA: 0.05 mg/m ³	mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Crystalline silica, quartz	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³	TWA: 0.025 mg/m ³
(14808-60-7)			respirable	
· ·				

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles. Maintain eye

wash fountain and quick-drench facilities in work area.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

SDS #: FO004353-3-A **Revision date: 2021-07-20**

Version 1

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Granules **Physical State** Solid

Off-white to beige Color

Odor Latex

Odor threshold No information available

рΗ 8 63

Melting point/freezing point No information available **Boiling Point/Range** No information available

Flash point Not applicable

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

No information available Upper flammability limit: No information available Lower flammability limit: Vapor pressure No information available Vapor density No information available

Relative density Pour density: 44.7 lbs/ft3 (0.716 g/mL)

Tap density: 45.9 lbs/ft3 (0.735 g/mL)

Specific gravity No information available Water solubility Emulsifies in water Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Viscosity, dynamic

Explosive properties Not explosive **Oxidizing properties** Non-oxidizina

Molecular weight No information available

Pour density: 44.7 lbs/ft3 (0.716 g/mL) **Bulk density** Tap density: 45.9 lbs/ft3 (0.735 g/mL)

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heating of the product will produce harmful and irritant vapors.

Incompatible materials None known.

Hazardous Decomposition Products See Section 5 for more information.

11. TOXICOLOGICAL INFORMATION

Product Information

> 5000 mg/kg (female rat) LD50 Oral > 5000 mg/kg (rat) (male/female) **LD50 Dermal** LC50 Inhalation (dust) > 5.18 mg/L 4 hr (rat) (male/female)

Serious eye damage/eye irritation

Moderately irritating (rabbit). Skin corrosion/irritation Slightly irritating (rabbit).

SDS #: FO004353-3-A **Revision date:** 2021-07-20

Version 1

Sensitization Non-sensitizing (mice-LLNA).

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Carfentrazone-ethyl	= 5143 mg/kg (rat)	> 4000 mg/kg (rat)	> 5 mg/L 4h (rat)
(128639-02-1)			-
Naphthalene sulfonic	= 3800 mg/kg (Rat)		
acid-formaldehyde condensate,			
sodium salt			
(9084-06-4)			

Information on toxicological effects

Symptoms May cause eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Long-term exposure caused neurotoxicity (body tremors, decreased motor activity),

decreased body weight and increased liver and spleen weight

Mutagenicity Carfentrazone-ethyl: Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl No evidence of carcinogenicity from animal studies.

Neurological effectsCarfentrazone-ethyl Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl . No toxicity to reproduction in animal studies.

Developmental toxicityCarfentrazone-ethyl . Not teratogenic in animal studies.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

Neurological effects Carfentrazone-ethyl Not neurotoxic.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica, quartz	A2	Group 1	Known	X
14808-60-7		·		

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carfentrazone-ethyl (128639-0	2-1)			
Active Ingredient(s)	Duration	Species	Value	Units
	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Rainbow trout	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	μg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L
	LC50	Eisenia fetida	> 820	mg/kg
	LD50 Oral	Bee	> 200	μg/bee
	LD50 contact	Bee	> 200	μg/bee
	LD50 acute oral	Northern bobwhite	>2250	mg/kg
	LD50 Oral	Bobwhite quail	>2000	mg/kg

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Carfentrazone-ethyl	EC50 = 12 μg/l	96 h LC50 = 1,6 mg/L&0,0187	48 h EC50 > 9,8 mg/L&0,22

SDS #: FO004353-3-A Revision date: 2021-07-20

Version 1

128639-02-1	14d EC50 = 0,0057 mg/L		
Sodium Benzoate		96 h LC50: 420 - 558 mg/L	48 h EC50: < 650 mg/L (Daphnia
532-32-1		(Pimephales promelas) flow-through	magna)
		96 h LC50: > 100 mg/L (Pimephales	
		promelas) static	
Bis(2-ethylhexyl) sodium		96 h LC50: 20 - 40 mg/L	48 h EC50: = 36 mg/L (Daphnia
sulfosuccinate		(Oncorhynchus mykiss) semi-static	magna)
577-11-7		96 h LC50: < 24 mg/L	
		(Oncorhynchus mykiss) static 96 h	
		LC50: = 37 mg/L (Lepomis	
		macrochirus) static	

Persistence and degradability Carfentrazone-ethyl . Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Carfentrazone-ethyl . The substance does not have a potential for bioconcentration.

Mobility Carfentrazone-ethyl . Not relevant.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOTThis material is not a hazardous material as defined by U.S. Department of Transportation

49 CFR Parts 100 through 185, unless shipped in bulk packaging. The classification below pertains to the shipment in bulk packaging [(>119 gal, liquid) or (882 lb, solid)].

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no

UN3077

Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group III
Marine Pollutant Yes.

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

ICAO/IATA

UN/ID no UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group III

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

IMDG/IMO

UN/ID no UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Environmental Hazards Marine Pollutant

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

SDS #: FO004353-3-A Revision date: 2021-07-20

Version 1

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes moderate eye irritation. DO NOT get in eyes.

Avoid breathing dust. Avoid contact with eyes, skin or clothing.

Wash thoroughly with soap and water after handling.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Crystalline silica, quartz 14808-60-7	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					X			
Crystalline silica, quartz	X	X	Х	Х	Х	X	X	X

SDS #: FO004353-3-A

Revision date: 2021-07-20

Version 1

14808-60-7							
Naphthalene sulfonic	Х	Х	Х	Х	X	Х	X
acid-formaldehyde							
condensate, sodium salt							
9084-06-4							

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1	Flammability 1	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-07-20 Reason for revision: Initial Release

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet