according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

#### 1. IDENTIFICATION

Product name : VERIMARK® 20 SC

Manufacturer or supplier's details

Company : FMC CORPORATION

Address : 2929 WALNUT STREET

PHILADELPHIA, PA 19104 USA

(215) 299-6000 (GENERAL INFORMATION)

E-mail address : SDS-Info@fmc.com

Emergency telephone : +506-40003869

911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;

800-INTOXICA

Dominican Republic: DOMINICAN REPUBLIC - Center for Drug Information and Poisoning - (809) 562-6601 Ext. 1801 El Salvador - Rosales National Hospital - (503) 2231-9262 Guatemala - Center of Toxicological Information and Assis-

tance - (502) 2251-3560 / 2232-0735

Honduras - Hospital School - (504) 232-6105

Nicaragua - National Center of Toxicology - (505) 2289-4700

ext. 1294 cel. 8755-0983

Panama Center of Research and Information on Medications

and Toxicology (507) 523-4948

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

#### **GHS** label elements

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Hazard pictograms

\*\*\*

Signal Word : WARNING

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	>= 10 - < 20

### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Bromine compounds Nitrogen oxides (NOx)

Carbon oxides

Chlorinated compounds Hydrogen chloride Hydrogen cyanide

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment. Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilat-

ed and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

according to the Globally Harmonized System



# **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : off-white

Odor : odorless

Odor Threshold : No data available

pH : 4.42 - 4.46

Concentration: 1 % Method: CIPAC MT 75.3 (1% solution in water)

Melting point/freezing point : No data available

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Boiling point/boiling range : No data available

Flash point : > 98 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : > 800 °C

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.08 g/cm3

Method: Regulation (EC) No. 440/2008, Annex, A.3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1,916 mPa.s ( 20 °C)

Method: CIPAC MT 192

30 rpm

1,588 mPa.s ( 40 °C) Method: CIPAC MT 192

30 rpm

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Oxidizing properties : Non-oxidizing

Surface tension : 33.3 mN/m, 22.5 °C

Molecular weight : Not applicable

Particle size : No data available

Particle Size Distribution :  $D50 = 1.37 \mu m$ 

 $D90 = 3.48 \mu m$ 

Measurement method: CIPAC MT 187

#### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Protect from frost, heat and sunlight.

Heating of the mixture may evolve harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50(Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

Acute inhalation toxicity : LC50(Rat, male and female): > 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Highest attainable concentration.

Acute dermal toxicity : LD50(Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

### **Components:**

**Cyantraniliprole:** 

Acute oral toxicity : LD50 (Mouse, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

### **Components:**

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : slight irritation

#### **Components:**

Cyantraniliprole:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : slight irritation

GLP : yes

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

**Product:** 

Test Type : Local lymph node test

Species : Mouse

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Did not cause sensitization on laboratory animals.

### **Components:**

Cyantraniliprole:

Test Type : Local lymph node test

Routes of exposure : Dermal Species : Mouse

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

9/22

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

GLP : yes

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Buehler Test Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Magnussen-Kligman test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406 Result : Causes skin sensitization.

GLP : yes

Remarks : see user defined free text

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Product:** 

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

**Components:** 

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative GLP: yes

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Components:**

## **Cyantraniliprole:**

Species : Rat, male and female

Application Route : Ingestion Exposure time : 2 Years

NOAEL : 200 - 2,000 ppm

Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Ingestion
Exposure time : 18 month(s)
NOAEL : 7,000 ppm

Method : OECD Test Guideline 451

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **Components:**

#### **Cyantraniliprole:**

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Embryo-fetal toxicity.: NOAEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Test Type: Pre-natal Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day

Symptoms: Maternal effects. Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Components:

#### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Components:

### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

### Repeated dose toxicity

### **Components:**

### Cyantraniliprole:

Species : Rat

NOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 Days

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female NOAEL : 6.9 - 168 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 1091.8 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 3.08 - 3.48 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3150

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female NOAEL : 8.3 - 106.6 mg/kg bw/day

Application Route : Ingestion Exposure time : 2 yr

Method : OPPTS 870.4300

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 768.8 - 903.8 mg/kg bw/day

Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 5.67 - 6 mg/kg bw/day

Application Route : Ingestion Exposure time : 1 yr

Method : OPPTS 870.4100

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female

NOAEL : 1000 mg/kg Application Route : Dermal Exposure time : 28 Days

Method : OECD Test Guideline 410

GLP : yes Symptoms : Irritation

Remarks : Effects are of limited toxicological significance.

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **Cyantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

## **Neurological effects**

### **Components:**

### Cyantraniliprole:

No neurotoxicity observed in animal studies.

#### **Further information**

**Product:** 

Remarks : No data available

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): ca. 39 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.209 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66.3

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to soil dwelling or-

ganisms

> 1,000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50: 9.5 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

NOEL: < 1 µg a.i./bee

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Exposure time: 72 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

NOEL: 0.11 µg a.i./bee Exposure time: 72 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LD50: 2.45 µg/bee Exposure time: 72 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

NOEL: 2020 mg a.i./kg End point: Acute oral toxicity

Species: Colinus virginianus (Bobwhite quail)

Method: EPA OPP 71-1

LD50: > 2020 mg a.i./kg End point: Acute oral toxicity

Species: Colinus virginianus (Bobwhite quail)

Method: EPA OPP 71-1

LR50: 0.143 g a.s./h Exposure time: 48 h

Species: Aphidius rhopalosiphi

### Components:

**Cyantraniliprole:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPP 72-1

GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 2.9 mg/l Exposure time: 28 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0.11 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 1.01 mg/l Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: Early Life-Stage

Method: US EPA Test Guideline OPP 72-4

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00656 mg/l End point: Growth Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

LOEC: 0.00969 mg/l End point: Growth Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

NOEC: 0.00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.72 mg/l End point: reproduction Exposure time: 35 d

Species: Americamysis bahia (mysid shrimp)

Test Type: flow-through test

Method: US EPA Test Guideline OPP 72-4

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

NOEC: 1,000 mg/kg Exposure time: 14 d

16/22

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

GLP: yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50: > 0.0934 µg/bee Exposure time: 72 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP: yes

LD50:  $> 0.1055 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP: yes

LD50: > 2,250 mg/kg

End point: Acute oral toxicity Species: Colinius virginianus

Method: US EPA Test Guideline OPPTS 850.2100

GLP: yes

NOEC: 1,000 ppm

End point: Reproduction Test

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 206

GLP: yes

### Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data is available on the product itself.

**Components:** 

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9.09 - 37.7 d

Remarks: Fresh water

Degradation half life (DT50): 76.6 - 119 d

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Remarks: Soil

Degradation half life (DT50): 22.8 - 25.1 d

Remarks: total system

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

**Components:** 

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1.97 (22 °C)

pH: 4

log Pow: 2.07 (22 °C)

pH: 7

log Pow: 1.74 (22 °C)

pH: 9

Mobility in soil

**Product:** 

Distribution among environ-

mental compartments

: Remarks: No data is available on the product itself.

**Components:** 

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2.38

Kd: 3.73 ml/g

Remarks: Mobile in soils

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsa-

ble containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers pro-

gram.

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

964

(Cyantraniliprole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- :

ger aircraft)

Environmentally hazardous : yes

19/22

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Cyantraniliprole Palygorskite

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025


#### 16. OTHER INFORMATION

Revision Date : 03.03.2025

Date format : dd.mm.yyyy

#### **Further information**

#### NFPA:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

according to the Globally Harmonized System



## **VERIMARK® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 03.03.2025 50000117 Date of first issue: 03.03.2025

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

DO / EN