

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** BENEVIA® 10 OD

#### Other means of identification

**Product code** 50000912

**Unique Formula Identifier (UFI)** : GAF0-M3XD-WN4K-GKC1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Insecticide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Chemicals Hellas MEPE  
Syngrou Avenue 348  
17674 Kallithea  
Greece

Telephone: +30 211 1982768  
Telefax: +30 211 1138614  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:  
Greece: 30 210 77 93 777

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P261 Avoid breathing droplets/mist.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing, eye/face protection.

#### Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Disposal of contents/container in accordance with national legislation.

#### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1      Revision Date: 09.07.2024      SDS Number: 50000912      Date of last issue: 25.05.2023  
Date of first issue: 25.05.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413  Acute toxicity estimate  Acute oral toxicity: 1.300 mg/kg	>= 10 - < 20
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)  Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 4,3 mg/l	>= 1 - < 10
Fatty acids, C6-10, Me esters	68937-83-7	Skin Irrit. 2; H315	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

	273-094-6		
--	-----------	--	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing<br>Avoid inhalation, ingestion and contact with skin and eyes.<br>If potential for exposure exists refer to Section 8 for specific personal protective equipment.  |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |  |
|----------|--|
| Symptoms | : Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. |
|----------|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Sulphur oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Hydrogen cyanide

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1      Revision Date: 09.07.2024      SDS Number: 50000912      Date of last issue: 25.05.2023  
Date of first issue: 25.05.2023

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Recommended storage temperature : 5 - 30 °C
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm 5,4 mg/m <sup>3</sup>	2017/164/EU
Further information: Indicative				
		TWA	1 ppm 5,4 mg/m <sup>3</sup>	GR OEL

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

- |                          |  |
|--------------------------|--|
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.  |
| Respiratory protection   | : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.  |
| Protective measures      | : Plan first aid action before beginning work with this product.<br>Always have on hand a first-aid kit, together with proper instructions.<br>Wear suitable protective equipment.<br>When using do not eat, drink or smoke.<br><br>In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |  |                                 |
|--|---------------------------------|
| Physical state                                   | : liquid                        |
| Form   | : dispersion                    |
| Colour   | : off-white                     |
| Odour  | : mild, oily                    |
| Odour Threshold                                  | : No data available             |
| Melting point/freezing point                     | : not determined                |
| Boiling point/boiling range                      | : 99 °C                         |
| Upper explosion limit / Upper flammability limit | : not determined                |
| Lower explosion limit / Lower flammability limit | : not determined                |
| Flash point                                      | : > 99 °C<br>Method: closed cup |



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

Auto-ignition temperature	:	No data available
Decomposition temperature	:	not determined
pH	:	5,1 Concentration: 10 g/l 1 % (as a dispersion)
Viscosity	:	
Viscosity, dynamic	:	345 mPa,s 25 rpm  257 mPa,s 50 rpm  200 mPa,s 100 rpm
Viscosity, kinematic	:	353 mm <sup>2</sup> /s 25 rpm  204 mm <sup>2</sup> /s 100 rpm
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	Not available for this mixture.
Relative density	:	0,978
Density	:	No data available
Bulk density	:	0,9 - 1,1 g/cm <sup>3</sup>
Relative vapour density	:	Not available for this mixture.
Particle characteristics	:	
Particle size	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

---

Particle Size Distribution : Not applicable

Shape : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Flammability (liquids) : Not highly flammable, may be ignitable, Based on available information, the classification criteria for flammability hazard are not met.

Self-ignition : 254 °C

Evaporation rate : No data available

Molecular weight : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid formation of aerosol.  
Avoid extreme temperatures  
Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Assessment: The substance or mixture has no acute oral toxicity  |
| Acute inhalation toxicity | : | LC50 (Rat): > 5,2 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>GLP: yes<br>Assessment: The component/mixture is minimally toxic after short term inhalation. |
| Acute dermal toxicity     | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: yes<br>Assessment: The substance or mixture has no acute dermal toxicity  |

#### Components:

##### calcium dodecylbenzenesulphonate:

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat, male and female): 1.300 mg/kg<br>Remarks: Based on data from similar materials   |
| Acute inhalation toxicity | : | Remarks: Not classified   |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 2000 milligram per kilogram<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity<br>Remarks: Based on data from similar materials |

##### Cyantraniliprole:

- |                     |   |   |
|---------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>Assessment: The substance or mixture has no acute oral toxicity |
|---------------------|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### 2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Result : slight or no skin irritation.  
GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

### Components:

#### calcium dodecylbenzenesulphonate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### Cyantraniliprole:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

Result : No skin irritation

### 2-ethylhexan-1-ol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### Fatty acids, C6-10, Me esters:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 405  
Result : Slight or no eye irritation  
GLP : yes

### Components:

#### calcium dodecylbenzenesulphonate:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### Cyantraniliprole:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.

### 2-ethylhexan-1-ol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

### Fatty acids, C6-10, Me esters:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	slight irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Test Type	:	Local lymph node test
Species	:	mice
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 429
Result	:	Causes sensitisation.
GLP	:	yes

Remarks	:	Causes sensitisation.
---------	---	-----------------------

#### Components:

##### calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

##### Cyantraniliprole:

Test Type	:	Local lymph node test
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

##### Fatty acids, C6-10, Me esters:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro	:	Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	:	Test Type: Bone marrow chromosome aberration

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Cyantraniliprole:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### **2-ethylhexan-1-ol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### **Fatty acids, C6-10, Me esters:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Product:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

### Components:

#### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 720 d  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Cyantraniliprole:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **2-ethylhexan-1-ol:**

Species : Rat  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

### Components:

#### **calcium dodecylbenzenesulphonate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 400 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **Cyantraniliprole:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **2-ethylhexan-1-ol:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: negative

### **STOT - single exposure**

Based on available data, the classification criteria are not met.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Components:**

### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **2-ethylhexan-1-ol:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Components:**

### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

---

### Repeated dose toxicity

#### Components:

##### **calcium dodecylbenzenesulphonate:**

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

##### **Cyantraniliprole:**

Species	: Rat
NOAEL	: > 1.000 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: increased liver weight
Remarks	: Based on available data, the classification criteria are not met.

##### **2-ethylhexan-1-ol:**

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### Product:

No aspiration toxicity classification

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

### Components:

#### **Cyantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Components:

#### **Cyantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,215 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia magna (Water flea)): 0,00947 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

EC50 (Daphnia magna (Water flea)): 20,4 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 63,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Species: worms

Toxicity to terrestrial organisms : LD50: 3.79 µg/bee  
Exposure time: 72 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: 6.31 µg/bee  
Exposure time: 96 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65,4 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l

Exposure time: 21 d

Species: *Daphnia magna* (Water flea)

Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg  
Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: *Colinus virginianus* (Bobwhite quail)  
Method: OECD Test Guideline 223

### Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

### Cyantraniliprole:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h

LC50 (*Ictalurus punctatus* (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,0204 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 13 mg/l  
Exposure time: 72 h

ErC50 (*Lemna gibba* (duckweed)): 0,278 mg/l

Exposure time: 7 d

EyC50 (*Lemna gibba* (duckweed)): 0,060 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l  
Exposure time: 28 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,00969 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 0.0934 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: > 0.1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

### Fatty acids, C6-10, Me esters:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 95 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Gammarus fasciatus (freshwater shrimp)): 14,7 mg/l  
Remarks: Based on data from similar materials

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

#### Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

#### 2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

#### Fatty acids, C6-10, Me esters:

Biodegradability : Result: Readily biodegradable.

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

### Components:

#### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

### Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

### 2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

### Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Remarks: Mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Components:

#### **Cyantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Cyantraniliprole)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version 1.1	Revision Date: 09.07.2024	SDS Number: 50000912	Date of last issue: 25.05.2023 Date of first issue: 25.05.2023
----------------	------------------------------	-------------------------	---

dor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE  
Fatty acids, C6-10, Me esters

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GR OEL	:	Greece. Exposure limit values
2017/164/EU / TWA	:	Limit Value - eight hours
GR OEL / TWA	:	Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## BENEVIA® 10 OD

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2023
1.1	09.07.2024	50000912	Date of first issue: 25.05.2023

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

GR / 6N