

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FERTERRA® 0.4 GR Insecticide

#### Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : PT BINA GUNA KIMIA

Address : WISMA KODEL LANTAI 10 JALAN HR.RASUNA SAID,  
KAV. B-4, KEL. SETIA BUDI, KEC. SETIABUDI, KOTA ADM.  
JAKARTA SELATAN, PROV. DKI JAKARTA

Telephone : +62 21-50890890

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:  
001-803-017-9114 (CHEMTREC)  
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:  
0800 140 1447


---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms : 

Signal Word : None

Hazard Statements : H411 Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1      Revision Date: 2023/06/09      SDS Number: 50000063      Date of last issue: -  
Date of first issue: 2020/06/20

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	0,4
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	< 10

### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2023/06/09	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | High volume water jet   |
| Specific hazards during fire fighting          | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products                  | : | No hazardous combustion products are known  |
| Specific extinguishing methods                 | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.  |

### 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Avoid dust formation.  |
| Environmental precautions   | : | Prevent product from entering drains.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up               | : | Pick up and arrange disposal without creating dust.<br>Keep in suitable, closed containers for disposal.                       |

### 7. HANDLING AND STORAGE

- |   |   |  |
|---|---|--|
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed.  |
| Advice on safe handling                         | : | For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.   |
| Conditions for safe storage                     | : | Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid                              | : | No materials to be especially mentioned.   |
| Further information on storage stability        | : | No decomposition if stored and applied as directed.  |

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1      Revision Date: 2023/06/09      SDS Number: 50000063      Date of last issue: -  
Date of first issue: 2020/06/20

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc ( $\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$ )	14807-96-6	NAB	0,1 fibres per millilitre	ID OEL
	Further information: Confirmed human carcinogen, Chemical substance identity issued by other sources, and categorized as suspected of being a human carcinogen., Use TLV-TWA asbestos			
		NAB (Respirable)	2 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		NAB (Respirable particulate matter)	2 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA	0,1 fibres per cubic centimeter	ACGIH
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH

#### Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granules

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2023/06/09	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

---

Color	: blue green
Odor	: none
pH	: 4 - 8 (aqueous suspension)
Melting point/freezing point	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Density	: 1,3 g/cm <sup>3</sup>
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The product is not oxidizing.

---

### 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong bases Strong oxidizing agents Strong acids
Hazardous decomposition products	: Stable under recommended storage conditions.

## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat, female): > 5.000 mg/kg<br>Method: OECD Test Guideline 425  |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 5,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 5.000 mg/kg<br>Method: OECD Test Guideline 402   |

**Components:****Chlorantraniliprole:**

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Remarks: Information source: Internal study report  |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 5,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>GLP: yes<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Information source: Internal study report |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 5.000 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: yes<br>Remarks: Information source: Internal study report   |

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD0 (Rat, male): > 5.000 mg/kg<br>Method: OECD Test Guideline 423<br>Remarks: no mortality   |
| Acute inhalation toxicity | : | LC0 (Rat, male and female): > 2,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Remarks: no mortality |
| Acute dermal toxicity     | : | LD0 (Rat, male and female): > 2.000 mg/kg  |

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

Method: OECD Test Guideline 402

Remarks: no mortality

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### Components:

##### Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Remarks	: Information source: Internal study report

##### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Species	: reconstructed human epidermis (RhE)
Result	: No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

#### Components:

##### Chlorantraniliprole:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

##### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

**Components:****Chlorantraniliprole:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Routes of exposure	: Inhalation
Species	: Rat
Result	: Does not cause respiratory sensitization.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Chlorantraniliprole:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474
----------------------	---



**FERTERRA® 0.4 GR Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: gene mutation test  
Method: QSAR  
Result: negative

Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat (male)  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Chlorantraniliprole:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 805 - 1.076 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 18 month(s)  
NOAEL : 158 - 1.155 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 101 days  
Dose : 100 mg/kg bw/day  
NOAEL : 100 mg/kg bw/day

**FERTERRA® 0.4 GR Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

Method	:	OECD Test Guideline 453
Result	:	negative
Target Organs	:	Stomach
Tumor Type	:	Leiomyosarcoma
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

**Reproductive toxicity**

Not classified based on available information.

**Components:****Chlorantraniliprole:**

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20.000 ppm General Toxicity F1: NOAEL: 20.000 ppm Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 d General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day Developmental Toxicity: NOEL: 1.000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Effects on fertility	:	Species: Rabbit, female Application Route: Oral Dose: 9, 42, 195, 900 mg/kg bw/day General Toxicity Parent: NOAEL: > 900 mg/kg body weight General Toxicity F1: NOAEL: > 900 mg/kg body weight Result: negative
Effects on fetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: 0,16,74,350,1600mg/kg bw/day Duration of Single Treatment: 20 d General Toxicity Maternal: NOAEL: >= 1.600 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 1.600 mg/kg bw/day Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

**FERTERRA® 0.4 GR Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

**STOT-single exposure**

Not classified based on available information.

**Components:****Chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure**

Not classified based on available information.

**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.  
This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

**Components:****Chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****Chlorantraniliprole:**

Species : Rat, male and female  
NOEL : 1188 - 1526 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Species : Rat, male and female  
NOAEL : 100 mg/kg  
Application Route : Oral - feed  
Exposure time : 101 d  
Dose : 100 mg/kg bw/day

Species : Rat, male and female  
NOAEL : 2 mg/m<sup>3</sup>  
LOAEL : 6 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Test atmosphere : dust/mist

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

Exposure time : 20 d  
Dose : 0, 2, 6, 18 mg/m<sup>3</sup>

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

### Further information

#### Product:

Remarks : No data available

### Components:

#### Chlorantraniliprole:

Remarks : No data available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 5.000 mg/l  
Exposure time: 96 h

Toxicity to terrestrial organisms : LD50 (Columba livia (feral pigeon)): > 5.000 mg/kg  
End point: Acute oral toxicity

LD50 (Honey Bee): > 200 µg/bee

### Components:

#### Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l  
Exposure time: 96 h

Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

		Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Hyalella azteca (Amphipod)): 0,26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
		LC50 (Ceriodaphnia dubia (water flea)): 0,0067 - 0,011 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h
		NOEC (Lemna gibba (duckweed)): 2 mg/l Exposure time: 14 d
		ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 1,28 mg/l Exposure time: 36 d
		NOEC (Oncorhynchus mykiss (rainbow trout)): 0,110 mg/l Exposure time: 28 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,00447 mg/l Exposure time: 21 d Method: US EPA Test Guideline OPPTS 850.1300 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1.000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 4.0 µg/bee Exposure time: 72 h End point: Acute contact toxicity Remarks: Active substance dissolved in acetone
		LD50 (Apis mellifera (bees)): > 0.005 µg/bee Exposure time: 48 h End point: Acute contact toxicity

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2023/06/09	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2.250 mg/kg

### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Toxicity to fish : LC50 (Fish): 89.581,016 mg/l  
Exposure time: 96 h  
Method: QSAR

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 36.812,359 mg/l  
Exposure time: 48 h  
Method: QSAR

Toxicity to algae/aquatic plants : NOEC (green algae): 918,089 mg/l  
Exposure time: 30 d  
Method: QSAR

EC50 (green algae): 7.202,7 mg/l  
Exposure time: 96 h  
Method: QSAR

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 1.412,648 mg/l  
Exposure time: 30 d  
Method: QSAR

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 1.459,798 mg/l  
Exposure time: 30 d  
Method: QSAR

### Persistence and degradability

#### Components:

#### Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9  
Degradation half life (DT50): 0,3 d (50 °C) pH: 9

## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

**Bioaccumulative potential****Components:****Chlorantraniliprole:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 14  
Method: OECD Test Guideline 305  
GLP: yes  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)  
pH: 4

log Pow: 2,86 (20 °C)  
pH: 7

log Pow: 2,80 (20 °C)  
pH: 9

**Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Bioaccumulation : Bioconcentration factor (BCF): 3,16  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: -9,4 (25 °C)  
pH: 7  
Method: QSAR

**Mobility in soil****Components:****Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55  
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

**Other adverse effects****Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)

##### IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2023/06/09	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**The ingredients of this product are reported in the following inventories:**

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

### 16. OTHER INFORMATION

Revision Date : 2023/06/09

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

# SAFETY DATA SHEET



## FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2023/06/09	50000063	Date of first issue: 2020/06/20

---

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN