SAFETY DATA SHEET

SPIRIT

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0036-A

Revision date: 2018-07-23

Format: EU Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0036-A

Product Name SPIRIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)
FUH208: Contains 1 2-Benzisothiazolin-3-one May produce an allergic reaction	

2.2. Label elements

Hazard pictograms

SDS #: NP-0036-A **Revision date:** 2018-07-23

Version 1.02



Signal Word Danger

Hazard Statements

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary Statements

P260 - Do not breathe spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	
Manganese (II) sulfate	232-089-9	7785-87-7	25-35	Eye Dam.1 (H318) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	01-2119456624-35- XXXX	
AMMONIUM NITRATE	299-347-8	6484-52-2	1-10	Ox. Sol. 3 (H272) Eye Irrit. 2 (H319)	01-2119490981-27- XXXX	
ethane-1,2-diol	203-473-3	107-21-1	1-10	Acute Tox. 4 (H302) STOT RE 2: (H373)	01-2119456816-28- XXXX	

Additional Information

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

hospital for specialist examination.

Skin Contact Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.

NP-0036-A SPIRIT

SDS #: NP-0036-A

Revision date: 2018-07-23

Version 1.02

Inhalation Remove person from exposure ensuring one's own safety while doing so. Consult a doctor

if necessary.

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

Hazardous Combustion

Products

Sulphur oxides, Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

SDS #: NP-0036-A **Revision date**: 2018-07-23

Version 1.02

6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Dike to confine spill and

absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to

local/national regulations (see Section 13).

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
ethane-1,2-diol	TWA 20 ppm	STEL 40 ppm	TWA 20 ppm	TWA 20 ppm	-
107-21-1	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 52 mg/m ³	TWA 52 mg/m ³	
	STEL 40 ppm	STEL 30 mg/m ³	STEL 40 ppm	STEL 40 ppm	
	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 104 mg/m ³	STEL 104 mg/m ³	
	S*	TWA 20 ppm	P*	S*	
		TWA 52 mg/m ³			
		Skin			
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Manganese (II) sulfate	-	-	-	TWA 0.02 mg/m ³	-
7785-87-7					
ethane-1,2-diol	TWA 20 ppm	TWA 20 ppm	Huid*	TWA 20 ppm	TWA 10 ppm
107-21-1	TWA 52 mg/m ³	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 50 mg/m ³	TWA 26 mg/m ³
	STEL 40 ppm	STEL 40 ppm	TWA 52 mg/m ³	STEL 40 ppm	TWA 10 mg/m ³
	STEL 104 mg/m ³	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 100 mg/m ³	H*
	Pelle*	Ceiling 100 mg/m ³		iho*	
		C(A4)			
		P*			
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
ethane-1,2-diol	H*	SS-C**	TWA 15 mg/m ³	TWA 20 mg/m ³	TWA 10 mg/m ³
107-21-1	STEL 20 ppm	H*	STEL 50 mg/m ³	TWA 52 ppm	TWA 20 ppm
	STEL 52 mg/m ³	TWA 10 ppm		TWA 52 mg/m ³	TWA 52 mg/m ³
	TWA 10 ppm	TWA 26 mg/m ³		S*	STEL 40 ppm
	TWA 26 mg/m ³	STEL 20 ppm		STEL 104 mg/m ³	STEL 104 mg/m ³

SDS #: NP-0036-A

Revision date: 2018-07-23

Version 1.02

STEL 52 mg/m³ STEL 40 ppm Skin

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas. The floor of the storage room

must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

AppearanceLiquid suspensionOdourBarely perceptibleColourNo information availableOdour thresholdNo information available

pH 4.0 - 6.0

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation Rate
Flammability (solid, gas)
No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 1.65 - 1.69
Water solubility Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available No information available **Autoignition temperature Decomposition temperature** No information available No information available Viscosity, kinematic Viscosity, dynamic No information available No information available **Explosive properties Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

SDS #: NP-0036-A **Revision date**: 2018-07-23

Varion 4.00

Version 1.02

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents, Strong acids, Strong bases.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions. See Section 5 for more information.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

LD50 Oral > 3000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

	Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
	Manganese (II) sulfate	2150 mg/kg (Rat)		>4.45 mg/L (rat)
Ī	AMMONIUM NITRATE	>5000 mg/kg (Rat)		> 88.8 mg/L (Rat)4 h

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.
No information available.
No information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

NP-0036-A SPIRIT

SDS #: NP-0036-A

Revision date: 2018-07-23

Version 1.02

Symptoms Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity ALGAE (Desmodesmus subspicatus) - 72H ErC50 = >100 (calculated) mg/L

DAPHNIDS (Daphnia magna) - 48H LC50 = 83.0 (calculated) mg/L

RAINBOW TROUT (Oncorhynchus mykiss) - 96H LC50 = 26.9 (calculated) mg/L

Chemical name Toxicity to algae Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Manganese (II) sulfate Desmodesmus subspicatus: Oncorhynchus mykiss: Daphnia magna: 48H LC50 = 26.9 mg/L 72H ErC50 54.5 mg/L 96H LC50 = 8.71 mg/L72H NOEC 1 mg/L AMMONIUM NITRATE 48 h LC50: 65 - 85 mg/L (Cyprinus carpio) semi-static

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

Soluble in water.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

SDS #: NP-0036-A

Revision date: 2018-07-23

Version 1.02

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

EWC Waste Disposal No 02 01 08

OTHER INFORMATION NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE

SULPHATE)

 14.3 Hazard class
 9

 14.4 Packing Group
 III

 14.5 Marine Pollutant
 Yes

 Environmental Hazard
 Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to This product is not transported in bulk containers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE

SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE

SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MANGANESE

SULPHATE)

 14.3 Hazard class
 9

 14.4 Packing Group
 III

 14.5 Environmental Hazard
 Yes

14.6 Special ProvisionsNo special precautions.

Tunnel code: E Transport category: 3

SDS #: NP-0036-A

Revision date: 2018-07-23

Version 1.02

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Manganese (II) sulfate 7785-87-7	Х	Х	X	Х	Х	X	Х	Х
AMMONIUM NITRATE 6484-52-2	Х	Х	Х	Х	Х	Х	Х	Х
ethane-1,2-diol 107-21-1	Х	Х	Х	Х	Х	Х	Х	Х

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

Not applicable

Full text of H-Statements referred to under sections 2 and 3

EUH208 - May produce an allergic reaction

H272 - May intensify fire; oxidiser

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)

NP-0036-A SPIRIT

SDS #: NP-0036-A

Revision date: 2018-07-23 Version 1.02

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-23

Reason for revision: Format Change.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet