

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

1. IDENTIFICATION

Product name : ALLY® XP

Manufacturer or supplier's details

Company : FMC Latinoamérica S.A. Sucursal

Address : Av. Circunvalación del Club Golf los Incas
No. 208, Interior, 705-B, Torre 111
Urbanización Club Golf los Incas
Santiago de Surco. Lima, Perú

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
Peru: 51-17071295 (CHEMTREC)

Medical Emergency Number : Desde Perú: SAMU: 106;
CISPROQUIM®: 080-050-847;
FMC LATINOAMERICA S.A. SUCURSAL: 421-4811;
Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012
Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y Norte).
Desde Venezuela: 0800 1005012

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version
4.0

Revision Date:
09.07.2024

SDS Number:
50001047

Date of last issue: 01.09.2021
Date of first issue: 09.07.2024

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H302 + H312 Harmful if swallowed or in contact with skin.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing.
Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.
Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):
Harmful if swallowed.
Harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	74223-64-6	≥ 50 - < 70
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	$\geq 2,5$ - < 10
sucrose	57-50-1	≥ 1 - < 10
trisodium orthophosphate	7601-54-9	≥ 1 - $< 2,5$

4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version 4.0	Revision Date: 09.07.2024	SDS Number: 50001047	Date of last issue: 01.09.2021 Date of first issue: 09.07.2024
----------------	------------------------------	-------------------------	---

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Do not give milk or alcoholic beverages.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed or in contact with skin. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO _x)
Sulfur oxides
Carbon oxides
Hydrogen cyanide |
| Specific extinguishing methods | : Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so.
Use extinguishing measures that are appropriate to local cir- |

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

cumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Firefighters should wear protective clothing and self-contained for fire-fighters breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version 4.0 Revision Date: 09.07.2024 SDS Number: 50001047 Date of last issue: 01.09.2021
Date of first issue: 09.07.2024

Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose	57-50-1	TWA	10 mg/m ³	PE OEL
		TWA	10 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not breathe dust.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granular
Color	: light brown
Odor	: odorless
Odor Threshold	: No data available
pH	: ca. 4,6
Melting point/range	: No data available
Boiling point/boiling range	: Decomposition: yes
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: 1,47 (25 °C)
Density	: No data available
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	Not applicable
Molecular weight	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid dust formation.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity	:	LD50(Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity Assessment: The component/mixture is moderately toxic after
---------------------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

single ingestion.

Remarks: Resolution no. 2075

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Remarks: Inhalation is not expected to be a relevant route of exposure.

Acute dermal toxicity : LD50(Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Assessment: The component/mixture is moderately toxic after single contact with skin.
Remarks: Resolution no. 2075

Components:

Metsulfuron-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: US EPA Test Guideline OPP 81-1
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

sucrose:

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

trisodium orthophosphate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC0 (Rat, male and female): > 0,83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Components:

Metsulfuron-methyl:

Species : Rabbit
Assessment : Not classified as irritant

Method : US EPA Test Guideline OPP 81-5
Result : No skin irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks : No data available

trisodium orthophosphate:

Species : Rabbit
Result : Skin irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4
Result	:	slight irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

trisodium orthophosphate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Animal test did not cause sensitization by skin contact.
GLP	:	yes

Components:

Metsulfuron-methyl:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Not a skin sensitizer.

trisodium orthophosphate:

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Metsulfuron-methyl:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation Result: positive GLP: yes
--	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	--

trisodium orthophosphate:

Genotoxicity in vitro	: Test Type: Micronucleus test Test system: Human lymphocytes Method: OECD Test Guideline 487 Result: negative
-----------------------	---

	: Test Type: gene mutation test Test system: mouse lymphoma cells Method: OECD Test Guideline 490 Result: negative
--	---

Germ cell mutagenicity - Assessment	: In vitro tests did not show mutagenic effects
-------------------------------------	---

Carcinogenicity

Not classified due to lack of data.

Components:

Metsulfuron-methyl:

Species	: Rat, male and female
Exposure time	: 104 weeks
NOAEL	: 500 ppm
Result	: negative

Species	: Mouse, male and female
---------	--------------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Exposure time : 18 month(s)
NOAEL : 5.000 ppm
Result : negative

trisodium orthophosphate:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified due to lack of data.

Components:

Metsulfuron-methyl:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

trisodium orthophosphate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1.000 mg/kg body weight
Fertility: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat
Application Route: Oral
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: > 410 mg/kg body weight
Result: negative
Remarks: Based on data from similar materials

Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw/day

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Duration of Single Treatment: 30 d
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified due to lack of data.

Components:

trisodium orthophosphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Components:

trisodium orthophosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Reduced body weight

trisodium orthophosphate:

Species : Dog, male
NOAEL : 323 mg/kg
LOAEL : 1.107 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 94, 323, 1107 mg/kg bw/day
Remarks : Based on data from similar materials

Species : Dog, female
NOAEL : 493 mg/kg
LOAEL : 1.434 mg/kg
Application Route : Oral
Exposure time : 90 d

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Dose : 129, 493, 1434 mg/kg bw/day
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metsulfuron-methyl:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43,1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65,7 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 68 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 10 mg/l
End point: reproduction
Exposure time: 21 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3,13 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC: 0,5 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)

NOEC: 5,6 mg/kg
End point: reproduction
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: > 50 µg/bee

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

isms

Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 2.510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

NOEC: 1.000 mg/kg
End point: Reproduction Test
Species: Colinius virginianus

NOEC: 1.000 ppm
End point: Reproduction Test
Species: Anas platyrhynchos (Mallard duck)
Method: OECD Test Guideline 206

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

sucrose:

Toxicity to fish : Remarks: No data available

trisodium orthophosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Metsulfuron-methyl:

Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

sucrose:

Biodegradability : Remarks: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation	:	Species: <i>Lepomis macrochirus</i> (Bluegill sunfish) Exposure time: 28 d Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water	:	Pow: 0,018 (25 °C) log Pow: -1,7 (25 °C) pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	Environmental hazards Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
-----------------------------------	---	--

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Metsulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Control Act of precursor chemicals and controlled products. : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Metsulfuron-methyl
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 09.07.2024
Date format	: dd.mm.yyyy

Further information

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP


Version
4.0

Revision Date:
09.07.2024

SDS Number:
50001047

Date of last issue: 01.09.2021
Date of first issue: 09.07.2024

NFPA:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
PE OEL : Peru. Regulation adopting Limit Values for Chemical Agents in the Working Environment.

ACGIH / TWA : 8-hour, time-weighted average
PE OEL / TWA : Time Weighted Average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® XP

Version	Revision Date:	SDS Number:	Date of last issue: 01.09.2021
4.0	09.07.2024	50001047	Date of first issue: 09.07.2024

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PE / EN