## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

**Section 1: Identification** 

Product name : Rovral® Aquaflo Fungicide

Other means of identification : IPRODIONE 500 G/L SC

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019

6 Clayton Street, Newmarket

1023 Auckland New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

0800 734 607 (Ixom)

Medical emergency:

0800 764 766 (NZ Poisons Information Centre) 0800 111174 (24 hour Medical Emergency) 0800 387668 (Transport Emergency)

Section 2: Hazard identification

**GHS Classification** 

Specific target organ toxicity - :

Category 2

repeated exposure

Hazardous to the aquatic environment - acute hazard

Category 1

Hazardous to the aquatic environment - chronic hazard

Category 1

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

**GHS** label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe mist or vapours. P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
iprodione (ISO)	36734-19-7	>= 30 -< 50
propane-1,2-diol	57-55-6	>= 1 -< 10

#### Section 4: First-aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

### Section 5: Fire-fighting measures

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical

Foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx) Carbon oxides Chlorine compounds

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Hazchem Code : 3Z

### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### Section 7: Handling and storage

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
propane-1,2-diol	57-55-6	WES-TWA	10 mg/m3	NZ OEL
		(particulate)		
		WES-TWA	150 ppm	NZ OEL
		(Vapour and	474 mg/m3	
		particulates)		

#### Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### Section 9: Physical and chemical properties

Physical state : liquid

Form : suspension

Colour : white

Odour : mild

pH : 4 - 6 (23 °C)

Melting point/freezing point : not determined

Boiling point/boiling range : > 100 °C

Flash point : does not flash

Self-ignition : does not ignite

Vapour pressure : 2.37 kPa (20 °C)

Density : 1.155 g/cm3 (20 °C)

Solubility(ies)

Water solubility : Miscible

Partition coefficient: n-

octanol/water

: log Pow: 3 pH: 3 - 5

Active ingredient

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

### Section 10: Stability and reactivity

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Stable under recommended storage conditions.

### **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Components:** 

iprodione (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 3.29 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Symptoms: Breathing difficulties

Assessment: The component/mixture is minimally toxic after

short term inhalation. Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: EPA OPP 81-2 Symptoms: Irritation

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin.

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l

Exposure time: 2 h





Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Test atmosphere: vapour Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

**Components:** 

iprodione (ISO):

Species : Rabbit

Assessment : Not classified as irritant

Method : EPA OPP 81-5
Result : No skin irritation

GLP : yes

propane-1,2-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

iprodione (ISO):

Species : Rabbit

Result : No eye irritation Method : EPA OPP 81-4

Remarks : Based on available data, the classification criteria are not met.

propane-1,2-diol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

## Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Not classified based on available information.

**Product:** 

Species : Guinea pig

Result : Not a skin sensitizer.

**Components:** 

iprodione (ISO):

Test Type : Buehler Test Species : Guinea pig

Assessment : Not a skin sensitizer.
Method : EPA OPP 81-6

Result : Does not cause skin sensitisation.

propane-1,2-diol:

Test Type : Maximisation Test

Species : Guinea pig Result : negative

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

iprodione (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: in vitro DNA damage and/or repair study

Test system: Bacillus subtilis

Metabolic activation: with and without metabolic activation

Result: positive

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Species: Mouse Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

iprodione (ISO):

Species : Rat, male

Exposure time : 2 y

6.1 mg/kg bw/day 12.4 mg/kg bw/day

Result : positive

Symptoms : Testicular effects
Target Organs : Adrenal gland, Testes

Species : Rat, female

Exposure time : 2 y

8.4 mg/kg bw/day 16.5 mg/kg bw/day

Target Organs : Adrenal gland

Carcinogenicity - Assess-

ment

The observed tumors do not appear to be relevant for men.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

iprodione (ISO):

Effects on foetal develop: Species: Rabbit

ment

General Toxicity Maternal: NOAEL: 20 mg/kg bw/day

Developmental Toxicity: NOAEL: 60 mg/kg bw/day

Symptoms: Reduced body weight, Total Resorptions / resorp-

tion rate

Species: Rat

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

General Toxicity Maternal: NOAEL: 20 mg/kg bw/day Developmental Toxicity: NOAEL: 20 mg/kg bw/day Symptoms: Reduced body weight, foetal mortality

Target Organs: Adrenal gland

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse Application Route: Oral

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

#### **Components:**

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Product:** 

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Components:

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

iprodione (ISO):

Species: Rat, maleNOAEL: 78 mg/kgLOAEL: 151 mg/kgApplication Route: Oral

Exposure time : Oral

Target Organs : Reproductive organs

Species : Rat, female





Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

NOAEL : 89 mg/kg LOAEL : 189 mg/kg Application Route : Oral Exposure time : 90 d

Target Organs : Reproductive organs

Species : Rat, male
NOAEL : 28 mg/kg
LOAEL : 207 mg/kg
Application Route : Inhalation
Exposure time : 28 d

Target Organs : Adrenal gland

Species : Rat, female
NOAEL : 43 mg/kg
LOAEL : 241 mg/kg
Application Route : Inhalation
Exposure time : 28 d

Target Organs : Adrenal gland

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg

Application Route : Oral Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

**Aspiration toxicity** 

Not classified based on available information.

**Components:** 

iprodione (ISO):

The substance does not have properties associated with aspiration hazard potential.

**Further information** 

**Product:** 

Remarks : No data available

**Section 12: Ecological information** 

**Ecotoxicity** 

**Components:** 

iprodione (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.1 mg/l

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.25 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus subspicatus): > 0.5 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.26 mg/l Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.17 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LD50 (Apis mellifera (bees)): > 250 µg/bee

Exposure time: 48 h Remarks: Contact

LD50 (Apis mellifera (bees)): > 25 µg/bee

Exposure time: 48 h Remarks: Oral

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

Persistence and degradability

**Components:** 

iprodione (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 146 d pH: 5

Degradation half life (DT50): 0.2 d pH: 8

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

**Bioaccumulative potential** 

**Components:** 

iprodione (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 70 Remarks: Bioaccumulation is unlikely.

See section 9 for octanol-water partition coefficient.

Partition coefficient: n-

octanol/water

log Pow: 3 (20 °C)

pH: 7

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Mobility in soil

**Components:** 

iprodione (ISO):

Distribution among environ-

mental compartments

OI I-

Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

## Rovral® Aquaflo Fungicide



SDS Number: Date of last issue: -Version **Revision Date:** 

10.11.2023 50001560 1.0 Date of first issue: 10.11.2023

### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

#### **Section 14: Transport information**

### International Regulations

**UNRTDG** 

**UN** number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Iprodione)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Iprodione)

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

964

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous yes

**IMDG-Code** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Iprodione)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Environmentally hazardous substances/Marine Pollutants in Remarks

> single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section

2.10.2.7 of IMDG code.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**NZS 5433** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Iprodione)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **Section 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mix-

### **HSNO Approval Number**

HSR000623

ACVM Registered Number: P8000

### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-(3,5-DICHLOROPHENYL)-N-ISOPROPYL-2,4-DIOXOIMIDAZOLIDINE-1-CARBOXAMIDE Ethylene oxide/propylene oxide block copolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory





Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

#### **Section 16: Other information**

Revision Date : 10.11.2023

Date format : dd.mm.yyyy

#### Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

## Rovral® Aquaflo Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 10.11.2023 50001560 Date of first issue: 10.11.2023

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N