

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

#### Other means of identification

**Product code** 50000690

**Unique Formula Identifier (UFI)** : S8UY-82Q8-WN4Q-NSYQ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Fungicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Skin sensitisation, Sub-category 1A	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H361d Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P261 Avoid breathing mist or vapours.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

#### **Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

#### Hazardous components which must be listed on the label:

fluazinam (ISO)  
1,2-benzisothiazol-3(2H)-one

#### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fluazinam (ISO)	79622-59-6 612-287-00-5	Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Sens. 1A; H317 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10  Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 1,32 mg/l	>= 25 - < 30
azoxystrobin (ISO)	131860-33-8 607-256-00-8	Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10	>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1      Revision Date: 23.05.2025      SDS Number: 50000690      Date of last issue: 05.06.2023  
Date of first issue: 05.06.2023

		M-Factor (Chronic aquatic toxicity): 10	
		Acute toxicity estimate	
		Acute inhalation toxicity (dust/mist): 0,7 mg/l	
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	$\geq 2,5 - < 10$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 $\geq 0,036 \%$  Acute toxicity estimate  Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	$\geq 0,0025 - < 0,025$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Consult a physician.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.

Risks : May cause an allergic skin reaction.  
Suspected of damaging the unborn child.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Sulphur oxides  
Fluorinated compounds  
Chlorinated compounds

#### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
Ensure adequate ventilation.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not inhale aerosol.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / work-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1      Revision Date: 23.05.2025      SDS Number: 50000690      Date of last issue: 05.06.2023  
Date of first issue: 05.06.2023

ing materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from heat and direct sunlight. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### 8.2 Exposure controls

#### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Eye/face protection      | : | Eye wash bottle with pure water<br>Tightly fitting safety goggles  |
| Hand protection          | : |  |
| Material                 | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.  |
| Remarks                  | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.  |
| Skin and body protection | : | Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.  |
| Respiratory protection   | : | In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.  |
| Protective measures      | : | Plan first aid action before beginning work with this product.<br>Always have on hand a first-aid kit, together with proper instructions.<br>Wear suitable protective equipment.<br>When using do not eat, drink or smoke.<br><br>In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |  |   |   |
|--|---|---|
| Physical state                                   | : | liquid  |
| Colour   | : | opaque, light yellow  |
| Odour  | : | mild, aromatic  |
| Odour Threshold                                  | : | not determined  |
| Melting point/freezing point                     | : | not determined  |
| Boiling point/boiling range                      | : | not determined  |
| Upper explosion limit / Upper flammability limit | : | not determined  |
| Lower explosion limit / Lower flammability limit | : | not determined  |
| Flash point                                      | : | 94,2 °C<br>Method: Seta closed cup  |
| Decomposition temperature                        | : | not determined  |
| pH   | : | 5,57<br>Concentration: 1 %<br>(1% solution in water)<br>6,06<br>(undiluted) |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

Viscosity	
Viscosity, dynamic	: 100 - 400 mPa.s
Viscosity, kinematic	: Non-newtonian fluid: viscosity is dependent on shear rate.
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: 1,246 (20 °C)
Density	: 1,246 g/cm <sup>3</sup>
Relative vapour density	: not determined
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable

### 9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Flammability (liquids)	: ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition	: 454 °C
Evaporation rate	: No data available
Miscibility with water	: dispersible
Surface tension	: 30,6 mN/m, 25 °C
Molecular weight	: Not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

### 10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours. Avoid formation of aerosol.
---------------------	--

### 10.5 Incompatible materials

Materials to avoid	: Avoid strong acids, bases, and oxidizers
--------------------	--

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Not classified based on available information.

##### Product:

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat, female): > 2.000 mg/kg<br>Method: OECD Test Guideline 425  |
| Acute inhalation toxicity | : | LC50 (Rat): > 4,86 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 4.000 mg/kg<br>Method: OECD Test Guideline 402   |

##### Components:

##### **fluazinam (ISO):**

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat, female): > 2.000 mg/kg<br>Method: OECD Test Guideline 425<br>Symptoms: Diarrhoea<br>GLP: yes<br>Assessment: The component/mixture is minimally toxic after single ingestion.<br>Remarks: no mortality |
| Acute inhalation toxicity | : | LC50 (Rat, male): 1,32 - 2,13 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Symptoms: Fatality, Breathing difficulties, ataxia<br>GLP: yes                      |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 2.000 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: yes<br>Assessment: The component/mixture is minimally toxic after single contact with skin.<br>Remarks: no mortality       |

##### **azoxystrobin (ISO):**

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | Acute toxicity estimate: 0,7 mg/l                            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Remarks : Minimal effects that do not meet the threshold for classification.

### Components:

#### fluazinam (ISO):

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
GLP : yes  
Remarks : Minimal effects that do not meet the threshold for classification.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### azoxystrobin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	Minimal effects that do not meet the threshold for classification.

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	:	No data available
---------	---	-------------------

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

### Components:

#### fluazinam (ISO):

Assessment	:	Risk of serious damage to eyes.
Remarks	:	Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
GLP	:	yes

#### azoxystrobin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

---

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Assessment	:	The product is a skin sensitizer, sub-category 1A.
Method	:	OECD Test Guideline 429
Result	:	Probability or evidence of high skin sensitisation rate in humans

#### Components:

##### fluazinam (ISO):

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Assessment	:	The product is a skin sensitizer, sub-category 1A.
Method	:	OECD Test Guideline 429
Result	:	May cause sensitisation by skin contact.
GLP	:	yes

##### azoxystrobin (ISO):

Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

##### 1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### Components:

##### **fluazinam (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Germ cell mutagenicity- Assessment : No genotoxic potential

##### **azoxystrobin (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

##### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### Components:

##### **fluazinam (ISO):**

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

##### **azoxystrobin (ISO):**

Method : OECD Test Guideline 451  
Result : negative  
Remarks : No significant adverse effects were reported

Method : OECD Test Guideline 453  
Result : negative  
Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

Suspected of damaging the unborn child.

#### Product:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### Components:

#### **fluazinam (ISO):**

Effects on foetal development : Species: Rat  
Symptoms: Fetal effects, placental abnormalities, fused or incompletely ossified sternebrae, abnormalities of the head bones, not developed renal papillae and distended ureter  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Species: Rat  
Symptoms: Fetal effects, Skeletal and visceral variations  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

#### **azoxystrobin (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity  
Did not show teratogenic effects in animal experiments.

#### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT - single exposure**

Not classified based on available information.

### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### Components:

#### **fluazinam (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### fluazinam (ISO):

Species : Rat  
LOAEL : 41 mg/kg, 500 ppm  
Application Route : Ingestion  
Exposure time : 90 days  
Target Organs : Liver  
Symptoms : Reduced body weight, increased liver weight

#### azoxystrobin (ISO):

Species : Rat  
NOAEL : 21 mg/kg bw/day  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 50 mg/kg bw/day  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 25 mg/kg bw/day  
Application Route : Oral  
Exposure time : 1 yr  
Remarks : No significant adverse effects were reported

#### 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation
Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

### Aspiration toxicity

Not classified based on available information.

#### Product:

No aspiration toxicity classification

#### Components:

##### **fluazinam (ISO):**

The substance does not have properties associated with aspiration hazard potential.

##### **azoxystrobin (ISO):**

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### **fluazinam (ISO):**

Skin contact : Symptoms: irritant effects, sensitising effects

### Further information

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,091 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 0,46 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | NOEC (Navicula pelliculosa (Diatom)): 0,0256 mg/l<br>Exposure time: 72 h<br><br>ErC50 (Navicula pelliculosa (Diatom)): 0,132 mg/l<br>Exposure time: 72 h<br><br>ErC50 (Lemna gibba (duckweed)): 6,62 mg/l<br>Exposure time: 7 d<br><br>NOEC (Lemna gibba (duckweed)): 0,15 mg/l<br>Exposure time: 7 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,21 mg/l<br>Exposure time: 48 h<br>Species: Daphnia magna (Water flea)   |
| Toxicity to soil dwelling organisms                                    | : | LC50: > 1.000 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)  |
| Toxicity to terrestrial organisms                                      | : | LD50: > 219 µg/bee<br>End point: Acute oral toxicity<br>Species: Apis mellifera (bees)<br><br>LD50: > 200 µg/bee<br>End point: Acute contact toxicity<br>Species: Apis mellifera (bees)   |

##### Components:

##### **fluazinam (ISO):**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,11 mg/l<br>Exposure time: 96 h      |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,19 mg/l<br>Exposure time: 48 h               |
| Toxicity to algae/aquatic plants                    | : | IC50 (Selenastrum capricornutum (green algae)): > 0,2 mg/l<br>Exposure time: 96 h |
| M-Factor (Acute aquatic tox-                        | : | 10  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

icity)

Toxicity to microorganisms : EC50 (activated sludge): 75 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,012 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: < 0,0125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 28 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 4.190 mg/kg  
Species: Anas platyrhynchos (Mallard duck)  
  
LD50: 1.782 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

### azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,47 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,259 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
  
EC50 (Americamysis bahia (mysid shrimp)): 0,055 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Lemna gibba (duckweed)): 3,2 mg/l  
Exposure time: 14 d  
  
EC50 (Navicula pelliculosa (Diatom)): 0,146 mg/l  
Exposure time: 72 h  
  
NOEC (Navicula pelliculosa (Diatom)): 0,02 mg/l  
Exposure time: 72 h  
  
NOEC (Lemna gibba (duckweed)): 0,8 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Toxicity to fish (Chronic toxicity)	: NOEC: 0,16 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204  NOEC: 0,147 mg/l Exposure time: 28 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,044 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)  NOEC: 0,00954 mg/l Exposure time: 28 d Species: Americamysis bahia (mysid shrimp)
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50: 283 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 1.000 mg/kg Species: Anas platyrhynchos (Mallard duck)  LD50: > 1.000 mg/kg Species: Colinus virginianus (Bobwhite quail)  LD50: > 5.200 ppm Species: Colinus virginianus (Bobwhite quail) Remarks: Dietary  LD50: > 200 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees)  LD50: > 25 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	: LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **fluazinam (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **azoxystrobin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 52,11 d (25 °C)  
pH: 9

#### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

#### Components:

##### **fluazinam (ISO):**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 500 - 800  
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 4,67 (21 °C)  
pH: 7

log Pow: 3,34 (22 °C)  
pH: 9

### azoxystrobin (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,5 (20 °C)

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7

log Pow: 0,99 (20 °C)  
pH: 5

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### fluazinam (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil

#### azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the substance has low to moderate mobility in soil.

### 1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

<b>ADR</b>	: UN 3082
<b>RID</b>	: UN 3082
<b>IMDG</b>	: UN 3082
<b>IATA</b>	: UN 3082

### 14.2 UN proper shipping name

<b>ADN</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazinam, Azoxystrobin)
<b>ADR</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazinam, Azoxystrobin)
<b>RID</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazinam, Azoxystrobin)
<b>IMDG</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazinam, Azoxystrobin)
<b>IATA</b>	: Environmentally hazardous substance, liquid, n.o.s. (Fluazinam, Azoxystrobin)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version 1.1	Revision Date: 23.05.2025	SDS Number: 50000690	Date of last issue: 05.06.2023 Date of first issue: 05.06.2023
----------------	------------------------------	-------------------------	---

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered:  
Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  azoxystrobin (ISO) fluazinam (ISO)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

mixture of polyorganosiloxanes and fillers

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H361d	:	Suspected of damaging the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Sens. 1A	H317
Repr. 2	H361d
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fluazinam 375 g/l + Azoxystrobin 150 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2023
1.1	23.05.2025	50000690	Date of first issue: 05.06.2023

---

DK / 6N