according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

05.03.2024 50000912 Date of first issue: 05.03.2024 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name BENEVIA®

Other means of identification

Product code 50000912

Unique Formula Identifier

(UFI)

GAF0-M3XD-WN4K-GKC1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Insecticide

stance/Mixture

on use

Recommended restrictions: Use as recommended by the label. For consumer and professional use.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro Bulgaria EOOD

> ISKARSKO SHOSE BLVD. NO.7 TRADE CENTER EUROPE BUILDING 7, OFFICE 8, FLOOR 4

1528 Sofia

Bulgaria

Telephone: +359 (0) 2 818 5656 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:

Clinic of Toxicology at the Hospital " N.I. Pirogov" Emergency telephone/fax: +359 2 9154 233

National number: 112

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention. P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
calcium dodecylbenzenesulpho- nate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413 Acute toxicity estimate Acute oral toxicity: 1.300 mg/kg	>= 10 - < 20
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate	>= 1 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

		Acute inhalation toxicity (dust/mist): 4,3 mg/l	
Fatty acids, C6-10, Me esters	68937-83-7 273-094-6	Skin Irrit. 2; H315	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center. Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Exposure to skin may result in mild symptoms include itching,

hives or rash, and skin redness. More severe symptoms in-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

clude sneezing, itchy watery eyes, and difficulty breathing.

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides
Sulphur oxides
Chlorine compounds
Nitrogen oxides (NOx)
Bromine compounds
Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak. Do not touch or walk through the spilled material.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aer-

osol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A

hand wash station should be available.

Recommended storage tem- :

perature

5 - 30 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm	2017/164/EU
			5,4 mg/m3	
	Further information: Indicative			
		TWA	1 ppm	BG OEL
			5,4 mg/m3	
	Further information: This substance is listed with an occupational exposure			
	limit in the European Union. The occupational exposure limits in this ordinance are consistent with the values adopted for the European Union (they			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

are equal to or lower than the EU-values)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-ethylhexan-1-ol	Workers	Inhalation	Long-term systemic effects	12,8 mg/m3
	Workers	Dermal	Long-term systemic effects	23 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2,3 mg/m3
	Consumers	Dermal	Long-term systemic effects	11,4 mg/kg
	Consumers	Oral	Long-term systemic effects	1,1 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-ethylhexan-1-ol	Fresh water	0,017 mg/l
	Intermittent use/release	0,17 mg/l
	Marine water	0,0017 mg/l
	Sewage treatment plant	10 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0,284 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recom-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

mended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : dispersion

Colour : off-white

Odour : mild, oily

Odour Threshold : No data available

Melting point/freezing point : not determined

Boiling point/boiling range : 99 °C

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 99 °C

Method: closed cup

Auto-ignition temperature : No data available

Decomposition temperature : not determined

pH : 5,1

Concentration: 10 g/l 1 %

(as a dispersion)

Viscosity

Viscosity, dynamic : 345 mPa,s

25 rpm

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version	Revision Date:	SDS Number:	Date of last issue: -
---------	----------------	-------------	-----------------------

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

257 mPa,s 50 rpm

200 mPa,s 100 rpm

Viscosity, kinematic : 353 mm2/s

25 rpm

204 mm2/s 100 rpm

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : Not available for this mixture.

Relative density : 0,978

Density : No data available

Bulk density : 0,9 - 1,1 g/cm3

Relative vapour density : Not available for this mixture.

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

Shape : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Flammability (liquids) : Not highly flammable, may be ignitable, Based on available

information, the classification criteria for flammability hazard

are not met.

Self-ignition : 254 °C

Evaporation rate : No data available

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid formation of aerosol.

Avoid extreme temperatures Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin contact

exposure

Acute toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

citv

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Cyantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

Components:

calcium dodecylbenzenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

2-ethylhexan-1-ol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Fatty acids, C6-10, Me esters:

Species : Rabbit

13/31

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation

GLP : yes

Components:

calcium dodecylbenzenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Cyantraniliprole:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

2-ethylhexan-1-ol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Fatty acids, C6-10, Me esters:

Species : Rabbit

Method : OECD Test Guideline 405

Result : slight irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node test

Species : mice

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 429
Result : Causes sensitisation.

GLP : yes

Remarks : Causes sensitisation.

Components:

calcium dodecylbenzenesulphonate:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

Cyantraniliprole:

Test Type : Local lymph node test
Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Fatty acids, C6-10, Me esters:

Exposure routes : Skin contact Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Contains no ingredient listed as a mutagen

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Components:

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat (male and female)

Application Route: Oral Exposure time: 90 d Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Cyantraniliprole:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Fatty acids, C6-10, Me esters:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess-

ment

: Contains no ingredient listed as a carcinogen

Components:

calcium dodecylbenzenesulphonate:

Species : Rat, male and female

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

05.03.2024 50000912 Date of first issue: 05.03.2024 1.0

Application Route Oral Exposure time 720 d

NOAEL 250 mg/kg body weight

Result negative

Remarks Based on data from similar materials

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Cyantraniliprole:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

2-ethylhexan-1-ol:

Species Rat **Application Route** Oral

Exposure time 24 month(s) Result negative

Reproductive toxicity

Not classified based on available information.

Product:

sessment

Reproductive toxicity - As- : Contains no ingredient listed as toxic to reproduction

Components:

calcium dodecylbenzenesulphonate:

Test Type: Fertility/early embryonic development Effects on fertility

> Species: Rat, male and female **Application Route: Ingestion**

General Toxicity - Parent: NOAEL: 400 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Cyantraniliprole:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

2-ethylhexan-1-ol:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

calcium dodecylbenzenesulphonate:

Species : Rat, male and female

NOAEL : 85 mg/kg LOAEL : 145 mg/kg Application Route : Oral

Exposure time : 9 Months

Remarks : Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days

Remarks : Based on data from similar materials

Species : Rat, male and female NOAEL : 100 mg/kg bw/day LOAEL : 200 mg/kg bw/day Application Route : Oral - gavage Exposure time : 28 - 54 Days

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

Cyantraniliprole:

Species : Rat

NOAEL : > 1.000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

2-ethylhexan-1-ol:

Species : Rat

250 mg/kg

Application Route : Oral Exposure time : 13 Weeks

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 37 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,215 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

EC50 (Daphnia magna (Water flea)): 0,00947 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

EC50 (Daphnia magna (Water flea)): 20,4 µg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): 63,8

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Species: worms

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

Toxicity to terrestrial organ-

isms

LD50: 3.79 µg/bee Exposure time: 72 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: 6.31 µg/bee Exposure time: 96 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1,65 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

NOEC: 1,18 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

LC50: 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50: 1.356 mg/kg Exposure time: 14 d

Species: Colinus virginianus (Bobwhite quail)

Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0,060 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 2,9 mg/l Exposure time: 28 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: 0,00656 mg/l Exposure time: 21 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version **Revision Date:** SDS Number: Date of last issue: -

05.03.2024 50000912 Date of first issue: 05.03.2024 1.0

ic toxicity) Species: Daphnia magna (Water flea)

> NOEC: 0,00969 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0,00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 0.0934 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: $> 0.1055 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

2-ethylhexan-1-ol:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 39 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l

Exposure time: 72 h

EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l Toxicity to microorganisms

Exposure time: 72 h

Fatty acids, C6-10, Me esters:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 95 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Gammarus fasciatus (freshwater shrimp)): 14,7 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

aquatic invertebrates Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301E

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Fatty acids, C6-10, Me esters:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 70,79

Method: QSAR

Partition coefficient: n-

octanol/water

log Pow: 4,77 (25 °C)

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1,97 (22 °C)

pH: 4

log Pow: 2,07 (22 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

pH: 7

log Pow: 1,74 (22 °C)

pH: 9

2-ethylhexan-1-ol:

Partition coefficient: n-

octanol/water

log Pow: 2,9 (25 °C)

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

: Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2,38 Remarks: Mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version **Revision Date:** SDS Number: Date of last issue: -

05.03.2024 50000912 Date of first issue: 05.03.2024 1.0

Labels Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous yes

Environmentally hazardous yes

Environmentally hazardous yes

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-

6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

Fatty acids, C6-10, Me esters

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

BG OEL : Bulgaria. Ordinance on the Protection of Workers from Risks

related to Exposure to Chemical Agents at Work.

2017/164/EU / TWA : Limit Value - eight hours

BG OEL / TWA : 8-hr Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BENEVIA®

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.03.2024 50000912 Date of first issue: 05.03.2024

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:Classification procedure:Skin Sens. 1H317Based on product data or assessmentAquatic Acute 1H400Based on product data or assessmentAquatic Chronic 1H410Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

BG / 6N