

Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name Aim EW (Reformulated for Spartan Charge).

Other means of identification

Product code 50002773

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide for experimental purpose only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2B

GHS label elements

Signal Word : Warning

Hazard Statements : H320 Causes eye irritation.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	21.3
alpha-Hydro-omega- hydroxypoly[oxy(methylethane-1,2- diyl)]	25322-69-4	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes eye irritation.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing : High volume water jet



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

media

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds Hydrogen cyanide Hydrogen chloride

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhal- able particu- late matter)	1 mg/m3	ACGIH
alpha-Hydro-omega- hydroxy- poly[oxy(methylethane-1,2- diyl)]	25322-69-4	TWA (aero- sol)	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white to white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.089 g/cm3

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 Oral (Rat): > 4,000 mg/kg

Remarks: Based on data from a similar product.

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 Dermal (Rat): > 4,000 mg/kg

Remarks: Based on data from a similar product.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Mild skin irritation

Remarks : Based on data from a similar product.

Remarks : May cause skin irritation and/or dermatitis.



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Result : Mild eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : Not expected to cause skin sensitisation.

Based on data from a similar product.

Germ cell mutagenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Result: negative

Germ cell mutagenicity -

Assessment

No genotoxic potential.

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Carcinogenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Species : Rat, male and female

Application Route : Oral Exposure time : 104 weeks

NOAEL : 3 - 9 mg/kg bw/day

Result : negative

Species : Mouse, male and female

Application Route : Oral
Exposure time : 80 weeks
NOAEL : > 7,000 ppm
Result : negative

Species : Dog, male and female

Exposure time : 52 weeks

NOAEL : 150 mg/kg bw/day

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Effects on fertility : Test Type: Multi-generation study

Species: Rat, male and female Application Route: Ingestion Fertility: NOEL: 4,000 ppm

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat, female Application Route: Oral

General Toxicity Maternal: NOEL: 100 mg/kg bw/day Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Result: negative

Test Type: Embryo-fetal development

Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: NOEL: 150 mg/kg bw/day Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day

Result: negative

Reproductive toxicity - As-

sessment

Animal testing showed no reproductive toxicity.

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 421

Result: negative

STOT-single exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral Exposure time : 90 days

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Dermal Exposure time : 21 days



Aim EW (Reformulated for Spartan Charge).

Version **Revision Date:** SDS Number: Date of last issue: -

04/18/2023 50002773 Date of first issue: 04/18/2023 1.0

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Species Rat

NOAEL >= 1,000 mg/kg

Application Route Oral Exposure time 31d

Method **OECD Test Guideline 407**

Aspiration toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

No data available Remarks

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

carfentrazone-ethyl (ISO):

: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l

Exposure time: 72 h

NOEC (algae): 0.001 mg/l Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l

Exposure time: 14 d



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.22 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 820 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

End point: Acute oral toxicity

Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

End point: Acute oral toxicity

Remarks: Dietary

LD50 (Apis mellifera (bees)): > 200 μg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 μg/bee

End point: Acute contact toxicity

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 105.8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 86.6 % Exposure time: 28 d

Method: OECD Test Guideline 301F



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Bioaccumulative potential

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 176 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 3.36 (68 °F / 20 °C)

alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)]:

Partition coefficient: n-

octanol/water

: log Pow: 0.01

Mobility in soil

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field

leaching study.

Koc: 866, log Koc: 2.93

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Carfentrazone-ethyl)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Carfentrazone-ethyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Carfentrazone-ethyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Carfentrazone-ethyl)

Class : 9 Packing group : III

Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(Carfentrazone-ethyl)

Remarks : Shipment by ground under DOT is non-regulated; however it



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
butan-1-ol	71-36-3	100	100 (F003)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

alpha-Hydro-omega- 25322-69-4 >= 1 - < 5 %

hydroxy-

poly[oxy(methylethane-

1,2-diyl)]

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water 7732-18-5
butyl benzoate 136-60-7
carfentrazone-ethyl (ISO) 128639-02-1
Monobutyl ether of polymer of 2-methyloxirane / oxirane 9038-95-3
alpha-Hydro-omega-hydroxypoly[oxy(methylethane-1,2-diyl)] 25322-69-4
high molecular weight polymeric emulsifier Not Assigned butan-1-ol 71-36-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-

(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE

high molecular weight polymeric emulsifier

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Flammability Health Instability

Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population;



Aim EW (Reformulated for Spartan Charge).

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/18/2023 50002773 Date of first issue: 04/18/2023

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet