

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** SPOTLIGHT® C 24 EC

#### Other means of identification

**Product code** 50000390

**Unique Formula Identifier (UFI)** : 8H0Y-E2N6-1N48-6D5C

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Chemicals Hellas MEPE  
Syngrou Avenue 348  
17674 Kallithea  
Greece

Telephone: +30 211 1982768  
Telefax: +30 211 1138614  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:  
Greece: 30 210 77 93 777

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1	Revision Date: 21.02.2025	SDS Number: 50000390	Date of last issue: 09.01.2024 Date of first issue: 09.01.2024
----------------	------------------------------	-------------------------	---

Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H304 May be fatal if swallowed and enters airways.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/personal protective equipment for eyes/face.

#### Response:

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Disposal of contents/container in accordance with national legislation.

**Hazardous components which must be listed on the label:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified  
Hydrocarbons, C10, aromatics, <1% naphthalene

### Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 50 - < 70
carfentrazone-ethyl (ISO)	128639-02-1 607-309-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2;	>= 3 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1      Revision Date: 21.02.2025      SDS Number: 50000390      Date of last issue: 09.01.2024  
Date of first issue: 09.01.2024

		H411 Acute toxicity estimate Acute dermal toxicity: 1.001 mg/kg	
Hydrocarbons, C10, aromatics, <1% naphthalene	Not Assigned	STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2,5

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.  
Keep respiratory tract clear.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation  
Headache  
Dizziness

Risks : The product contains petroleum distillates, which may pose an aspiration pneumonia hazard.

May be fatal if swallowed and enters airways.  
Repeated exposure may cause skin dryness or cracking.  
Causes serious eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Fluorine compounds  
Hydrogen cyanide  
Hydrogen chloride  
Hydrogen fluoride  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	6 mg/m3
	Workers	Dermal	Long-term systemic effects	8,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,48 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1      Revision Date: 21.02.2025      SDS Number: 50000390      Date of last issue: 09.01.2024  
Date of first issue: 09.01.2024

	Consumers	Dermal	Long-term systemic effects	4,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,43 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Fresh water	0,023 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	1,35 mg/kg
	Marine sediment	0,135 mg/kg
	Soil	0,124 mg/kg
	Intermittent use (freshwater)	0,290 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Form : emulsifiable concentrate



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Colour	:	dark brown, translucent
Odour	:	Chemical smell
Odour Threshold	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Flash point	:	> 79 °C Method: closed cup
Auto-ignition temperature	:	456 °C Method: Regulation (EC) No. 440/2008, Annex, A.15
Decomposition temperature	:	not determined
pH	:	4,62 Concentration: 10 g/l 1 % In a 1% aqueous dispersion
Viscosity	:	
Viscosity, kinematic	:	12,31 mm <sup>2</sup> /s (20 °C) 6,11 mm <sup>2</sup> /s (40 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	1,0793 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	No data available
Particle Size Distribution	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Evaporation rate	:	Not available for this mixture.
Miscibility with water	:	dispersible

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

Vapours may form explosive mixture with air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50 (Rat): 4.077 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 6,31 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 4.000 mg/kg

#### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4,688 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

#### **carfentrazone-ethyl (ISO):**

Acute oral toxicity	: LD50 (Rat, female): 5.143 mg/kg Method: US EPA Test Guideline OPP 81-1 Symptoms: Tremors GLP: yes
---------------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Symptoms: Tremors, chromodacryorrhea, nasal discharge  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg  
Method: US EPA Test Guideline OPP 81-2  
GLP: yes  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Acute oral toxicity : LD0 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1.000 - 1.600 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

#### **Product:**

Assessment : No skin irritation  
Remarks : May cause mild irritation.  
Minimal effects that do not meet the threshold for classification.

Remarks : Repeated exposure may cause skin dryness or cracking.

#### **Components:**

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
Result : No skin irritation  
Remarks : Minimal effects that do not meet the threshold for classification.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Based on data from similar materials

### **carfentrazone-ethyl (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: slight irritation
GLP	: yes

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Species	: Rabbit
Result	: Skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Result	: Risk of serious damage to eyes.
Remarks	: According to calculation method of Regulation (EC) No 1272/2008. The GHS classification specified by the authority

#### **Components:**

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

### **carfentrazone-ethyl (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: EPA OPP 81-4
Result	: slight irritation
GLP	: yes

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Species	: Rabbit
Result	: Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

### **Product:**

Species : Guinea pig  
Result : Not a skin sensitizer.

### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

#### **carfentrazone-ethyl (ISO):**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : US EPA Test Guideline OPP 81-6  
Result : Does not cause skin sensitisation.  
GLP : yes

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
GLP : yes

#### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

#### **carfentrazone-ethyl (ISO):**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: U.S. EPA 84-2  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Result: negative  
GLP: yes

Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : No genotoxic potential

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mu-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

tation assay)  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Application Route: Oral  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
Application Route : inhalation (vapour)  
Exposure time : 12 month(s)  
NOAEC : 1,8 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **carfentrazone-ethyl (ISO):**

Species : Rat, female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 3 mg/kg bw/day  
LOAEL : 12 mg/kg bw/day  
Method : U.S. EPA 83-5  
Result : no increase in tumors observed  
Target Organs : Liver  
GLP : yes

Species : Mouse, female  
Application Route : Ingestion  
Exposure time : 80 weeks  
NOAEL : 10 mg/kg bw/day  
LOAEL : 110 mg/kg bw/day  
Method : U.S. EPA 83-5  
Result : no increase in tumors observed  
Target Organs : Liver  
GLP : yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1	Revision Date: 21.02.2025	SDS Number: 50000390	Date of last issue: 09.01.2024 Date of first issue: 09.01.2024
----------------	------------------------------	-------------------------	---

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **carfentrazone-ethyl (ISO):**

- Effects on fertility : Test Type: Multi-generation study  
Species: Rat, male and female  
Application Route: Ingestion  
Fertility: NOEL: 4.000 ppm  
Result: negative
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOEL: 100 mg/kg bw/day  
Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day  
Result: negative
- Test Type: Embryo-foetal development  
Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: NOEL: 150 mg/kg bw/day  
Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day  
Result: negative
- Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

##### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

- Effects on fertility : Test Type: Three-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 14, 70, 350 mg/kg bw d  
General Toxicity - Parent: NOAEL: 350 mg/kg body weight  
General Toxicity F1: NOAEL: 350 mg/kg bw/day  
General Toxicity F2: NOAEL: 350 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials
- Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 0.2, 2.0, 300 and 600 mg/kg  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: LOAEL: 600 mg/kg body weight  
Teratogenicity: LOAEL: 600 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **carfentrazone-ethyl (ISO):**

Remarks : No significant adverse effects were reported

##### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Hydrocarbons, C10, aromatics, <1% naphtalene:**

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **carfentrazone-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rat, male and female
NOAEC	: 0,9 - 1,8 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 12 Months

##### **carfentrazone-ethyl (ISO):**

Species	: Mouse, male
NOAEL	: 143 mg/kg
LOAEL	: 571 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Method	: EPA 82-1
GLP	: yes
Target Organs	: Blood, Liver

Species	: Dog, male and female
NOEL	: 150 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Target Organs	: Blood

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

---

Species	: Dog, male and female
NOEL	: 50 mg/kg
NOAEL	: 150 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 12 months
GLP	: yes
Target Organs	: Blood

Species	: Rat, male
NOAEL	: 58 mg/kg
Exposure time	: 90 d
Method	: EPA 82-1
GLP	: yes

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Species	: Rat, male and female
NOAEL	: 40 mg/kg bw/day
LOAEL	: 115 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 6 months
Dose	: 40, 115, 340, 1030 mg/kg bw d
Remarks	: Based on data from similar materials

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### **Product:**

May be fatal if swallowed and enters airways.

#### **Components:**

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

### **carfentrazone-ethyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

### **Hydrocarbons, C10, aromatics, <1% naphtalene:**

May be fatal if swallowed and enters airways.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to
------------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### Neurological effects

#### Components:

##### **carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks : Slight irritation may be possible.  
Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Concentrations substantially above the TLV value may cause narcotic effects.  
Solvents may degrease the skin.

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Fish): 4,42 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 5,66 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (algae): 0,135 mg/l  
Exposure time: 72 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

#### carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,55 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

LC50 (Menidia beryllina (Silverside)): 1,14 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: EPA OPP 72-1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 9,8 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,0133 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes  NOEC (Selenastrum capricornutum (green algae)): 0,00933 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes  EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l Exposure time: 120 h  EC50 (Navicula pelliculosa (Diatom)): 12 µg/l Exposure time: 72 h Test Type: static test  EC50 (Skeletonema costatum (Diatom)): 15 µg/l Exposure time: 72 h GLP: yes
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to microorganisms	:	NOEC (activated sludge): 1.000 mg/l Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: 22 µg/l Exposure time: 89 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes  NOEC: 0,118 mg/l Exposure time: 102 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: flow-through test Method: US EPA Test Guideline OPP 72-4
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,309 mg/l End point: Growth Exposure time: 21 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 202

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 820 mg/kg  
Species: *Eisenia fetida* (earthworms)

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 5.620 ppm  
End point: Acute oral toxicity  
Species: *Anas platyrhynchos* (Mallard duck)  
Remarks: Dietary

LD50: 2.250 mg/kg  
End point: Acute oral toxicity  
Species: *Colinus virginianus* (Bobwhite quail)

NOEL: 1000 ppm  
End point: Reproduction Test  
Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 200 µg/bee  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)

LD50: > 200 µg/bee  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)

### Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 31,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 62 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1	Revision Date: 21.02.2025	SDS Number: 50000390	Date of last issue: 09.01.2024 Date of first issue: 09.01.2024
----------------	------------------------------	-------------------------	---

- |  |  |
|--|--|
| Toxicity to algae/aquatic plants                                       | : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0,5 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials  |
| Toxicity to microorganisms   | : EC50 (activated sludge): 550 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209   |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC: 0,23 mg/l<br>Exposure time: 72 d<br>Species: Oncorhynchus mykiss (rainbow trout)<br>Test Type: flow-through test<br>Remarks: Based on data from similar materials  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 1,18 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Test Type: flow-through test<br>Remarks: Based on data from similar materials   |
| Toxicity to soil dwelling organisms                                    | : NOEC: 250 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)<br>Method: OECD Test Guideline 207<br>Remarks: Based on data from similar materials<br><br>LC50: > 1.000 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)<br>Method: OECD Test Guideline 207<br>Remarks: Based on data from similar materials |
| Plant toxicity   | : EC50: 167 mg/kg<br>Exposure time: 21 d<br>Species: Sorghum bicolor (sorghum)<br><br>80 mg/kg<br>Exposure time: 14 d<br>Species: Avena sativa (oats)  |
| Toxicity to terrestrial organisms                                      | : EC10: 82 mg/kg<br>Exposure time: 21 d<br>Species: Hypoaspis aculeifer<br>Remarks: Information given is based on data obtained from similar substances.   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

**Hydrocarbons, C10, aromatics, <1% naphtalene:**

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

#### **carfentrazone-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

#### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Biodegradability : Inoculum: activated sludge, non-adapted  
Result: Not readily biodegradable.  
Biodegradation: 2,9 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.

Biodegradation: > 35 - 45 %

Exposure time: 10 d

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72  
Method: QSAR



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1	Revision Date: 21.02.2025	SDS Number: 50000390	Date of last issue: 09.01.2024 Date of first issue: 09.01.2024
----------------	------------------------------	-------------------------	---

### **carfentrazone-ethyl (ISO):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Exposure time: 28 d  
Bioconcentration factor (BCF): 176  
Method: OECD Test Guideline 305E  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 3,16  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,595 (20 °C)

## 12.4 Mobility in soil

### **Product:**

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

### **carfentrazone-ethyl (ISO):**

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

Koc: 866, log Koc: 2,93

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

	N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
<b>IMDG</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)
<b>IATA</b>	: Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl, ALKYL(C3-C6)BENZENES)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
<b>IATA (Passenger)</b>	
Packing instruction (passenger aircraft)	: 964

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version 1.1	Revision Date: 21.02.2025	SDS Number: 50000390	Date of last issue: 09.01.2024 Date of first issue: 09.01.2024
----------------	------------------------------	-------------------------	---

Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	--

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
---	------------------

Regulation (EC) on substances that deplete the ozone layer	: Not applicable
--	------------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
---	------------------

Regulation (EU) No 649/2012 of the European Parliament	: Not applicable
--	------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  CFZ TECHNICAL (JB) Hydrocarbons, C10, aromatics, <1% naphtalene
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

TECI : Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SPOTLIGHT® C 24 EC

Version	Revision Date:	SDS Number:	Date of last issue: 09.01.2024
1.1	21.02.2025	50000390	Date of first issue: 09.01.2024

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Asp. Tox. 1	H304
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR / 6N