

# SAFETY DATA SHEET



## OVERMAG®

Version 1.0      Revision Date: 27.02.2024      SDS Number: 50001133      Date of last issue: -  
Date of first issue: 27.02.2024

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

Chemical product identification : OVERMAG®

#### Relevant identified uses of the substance or mixture and uses advised against

Recommended use : A fertilizer with micronutrients for use in agriculture

Restrictions on use : Use as recommended by the label.

#### Details of the supplier of the safety data sheet

Company name of supplier : FMC AGRO LIMITED

Supplier's address : RECTORS LANE  
PENTRE, FLINTSHIRE  
CH5 2DH, UNITED KINGDOM  
TEL: + 44 1244 537370  
E-MAIL: FMC.AGRO.UK@FMC.COM

E-mail address : SDS-Info@fmc.com

Emergency and toxicological information number in Chile : Chile: Spills: CITUC: +56 2 2247 3600 (24 hours) Fire: 132 (24 hours)  
+56-22-5814934 (CHEMTREC - Chile)  
1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : Chile: CITUC: +56 2 2635 3800 (24 hours)

### SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Not a hazardous substance or mixture.

#### Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

### SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Systematic chemical	Common Name	CAS-No.	Concentration	Classification
---------------------	-------------	---------	---------------	----------------

# SAFETY DATA SHEET



## OVERMAG®

Version 1.0      Revision Date: 27.02.2024      SDS Number: 50001133      Date of last issue: -  
Date of first issue: 27.02.2024

name			or range (% w/w)	
ethanediol	ethanediol	107-21-1	$\geq 1 - < 5$	Acute toxicity (Oral), Category 4 Specific target organ toxicity - repeated exposure (Oral) (Kidney), Category 2
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0,0025 - < 0,025$	Acute toxicity (Oral), Category 4 Serious eye damage, Category 1 Skin sensitization, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 2

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Inhalation : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- Skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.
- Eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- Ingestion : Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

High volume water jet

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

Recommendations for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

Methods and material for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

#### Handling

Precautions for safe handling : For personal protection see section 8.  
Avoid formation of respirable particles.  
Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.

Operational and technical measures : Normal measures for preventive fire protection.

Contact prevention : Avoid contact with skin, eyes and clothing.  
Do not inhale aerosol.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Technical measures : Protect from frost, fire, heat and direct sunlight.

Recommended storage temperature : > 5 °C

Further information on storage stability : No decomposition if stored and applied as directed.

#### Specific end use(s)

Specific use(s) : Fertilizers

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible maximum con-	Basis
------------	---------	----------------------------------	---	-------

# SAFETY DATA SHEET



## OVERMAG®

Version 1.0      Revision Date: 27.02.2024      SDS Number: 50001133      Date of last issue: -  
Date of first issue: 27.02.2024

			centration	
ethanediol	107-21-1	LPA (aero-sol)	40 ppm 100 mg/m3	CL OEL
		Further information: Substances classified as 'A.4' are under consideration but have not yet valid information to be classified as carcinogenic to humans or laboratory animals, so the exposure of workers to them should be maintained at the lowest possible level.		
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH

### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
  
No personal respiratory protective equipment normally required.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
Wear suitable protective equipment.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state : liquid

# SAFETY DATA SHEET



## OVERMAG®

Version 1.0	Revision Date: 27.02.2024	SDS Number: 50001133	Date of last issue: - Date of first issue: 27.02.2024
----------------	------------------------------	-------------------------	--

---

Color	:	white
Odor	:	Barely perceptible
Odor Threshold	:	No data available
pH	:	9,0 - 11,0 Concentration: 100 %
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Vapor density	:	No data available
Relative density	:	1,42 - 1,46
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

Oxidizing properties : Non-oxidizing

### Other information

Bulk density : No data available

Molecular weight : Not applicable

Particle size : No data available

Self-ignition : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost.  
Heat, flames and sparks.  
Extremes of temperature and direct sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified due to lack of data.

### Product:

Acute oral toxicity : Acute toxicity estimate(Rat): > 8.000 mg/kg  
Method: Calculation method

### Components:

#### ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2,5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3.500 mg/kg

#### 1,2-benzisothiazol-3(2H)-one:

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified due to lack of data.

#### Product:

Remarks : Not expected to be irritating to skin.

#### Components:

##### ethanediol:

Species : Rabbit  
Result : No skin irritation

##### 1,2-benzisothiazol-3(2H)-one:

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage or eye irritation

Not classified due to lack of data.

#### Product:

Remarks : Not expected to be irritating to eyes.

#### Components:

##### ethanediol:

Species : Rabbit  
Result : No eye irritation

##### 1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit  
Method : EPA OPP 81-4  
Result : Irreversible effects on the eye



# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified due to lack of data.

#### Respiratory sensitization

Not classified due to lack of data.

#### Product:

Remarks : Not expected to cause skin sensitisation.

#### Components:

##### ethanediol:

Test Type : Maximization Test  
Species : Guinea pig  
Result : Does not cause skin sensitization.

##### 1,2-benzisothiazol-3(2H)-one:

Test Type : Maximization Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitization by skin contact.

Species : Guinea pig  
Method : FIFRA 81.06  
Result : May cause sensitization by skin contact.

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### ethanediol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

##### 1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified due to lack of data.

#### Components:

##### **ethanediol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

### Reproductive toxicity

Not classified due to lack of data.

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters.  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

### Specific particular organ toxicity - single exposure

Not classified due to lack of data.

### Specific particular organ toxicity - repeated exposure

Not classified due to lack of data.

#### Components:

##### ethanediol:

Routes of exposure	: Oral
Target Organs	: Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### 1,2-benzisothiazol-3(2H)-one:

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

### Repeated dose toxicity

#### Components:

##### ethanediol:

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 12 months
Species	: Dog
NOAEL	: > 2.200 - < 4.400 mg/kg
Application Route	: Dermal
Exposure time	: 4 weeks
Method	: OECD Test Guideline 410

##### 1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation
Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

### Inhalation hazard

Not classified due to lack of data.

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

### Further information

#### Product:

Remarks : No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Toxicity

#### Components:

##### **ethanediol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 72.860 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: IC50 ( Pseudokirchneriella subcapitata (green algae)): 10.940 mg/l Exposure time: 96 h
Toxicity to microorganisms	: (activated sludge): > 1.995 mg/l Exposure time: 30 min Method: ISO 8192
Toxicity to fish (Chronic toxicity)	: 1.500 mg/l Exposure time: 28 d Species: Menidia peninsulæ (tidewater silverside)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: 33.911 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

##### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l Exposure time: 96 h Test Type: static test  LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 ( Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l

Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **ethanediol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **ethanediol:**

Partition coefficient: n-octanol/water : log Pow: -1,36

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water	:	log Pow: 0,7 (20 °C) pH: 7
		log Pow: 0,99 (20 °C) pH: 5

### Mobility in soil

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments	:	Koc: 9,33 ml/g, log Koc: 0,97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils
---	---	---

### Other adverse effects

#### Product:

Additional ecological information	:	No data available
-----------------------------------	---	-------------------

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging, and contaminated material	:	It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

##### NCh382

Not regulated as a dangerous good

#### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

### SECTION 15. REGULATORY INFORMATION

#### National Regulations

Chile. Decree 190. Carcinogenic Substances, Hazardous Waste Management. : Not applicable

Decree 1358 - Establishment of rules governing the control measures of precursors and essential chemicals. : sodium hydroxide

Resolution 408/16 Exempt, Approving List of Health Hazardous Substances : Not included in list of Article 3, item a)

#### Other regulations

NCh 2245:2021 Safety data sheet for chemical products - Content and order of sections

NCh 2190:2019 Land transport of dangerous goods - Hazard identification marks

NCh 382:2021 Dangerous Goods – Classification

Decree 57 of 2019, Regulation on Classification, Labeling, and Notification of Hazardous Chemicals and Mixtures

D.S. 148/03 Sanitary Regulation on hazardous wastes handling

D.S. 298/94 Regulation on transport of hazardous cargo on streets and roads

D.S. 594/99 Regulation on sanitary and environmental basic conditions at work places

#### International Regulations

#### The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  emulsion of silicone sodium acrylate
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

The receiver should verify the possible existence of legal regulations applicable to chemical.

---

### SECTION 16. OTHER INFORMATION

Revision Date	:	27.02.2024
Date format	:	dd.mm.yyyy

#### Full text of H-Statements

#### Abbreviations and acronyms

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Sens.	:	Skin sensitization
STOT RE	:	Specific target organ toxicity - repeated exposure
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CL OEL	:	Chile. Regulation on basic sanitary and environmental conditions in the workplace
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CL OEL / LPA	:	Ceiling value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with



# SAFETY DATA SHEET



## OVERMAG®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.02.2024	50001133	Date of first issue: 27.02.2024

---

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CL / EN