

SAFETY DATA SHEET

BROCK

This safety data sheet complies with the requirements of:
Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0056-A
Revision date: 2019-11-18
Format: EU
Version 1.03

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0056-A

Product Name BROCK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A micronutrient suspension concentrate for use in agriculture

Restrictions on use Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited
Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 1244 537370
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0) 1244 537370
Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

Austria: +43 1 406 43 43
Belgium: +32 70 245 245
Bulgaria: +359 2 9154 409
Cyprus: 1401
Czech Republic: +420 224 919 293, +420 224 915 402
Denmark: +45 82 12 12 12
France: +33 (0) 1 45 42 59 59
Finland: +358 9 471 977
Greece: 30 210 77 93 777
Hungary: +36 80 20 11 99
Ireland (Republic): +352 1 809 2166
Italy: +39 02 6610 1029
Lithuania: +370 523 62052, +370 687 53378
Luxembourg: +352 8002 5500
Netherlands: +31 30 274 88 88
Norway: +47 22 591300
Poland: +48 22 619 66 54, +48 22 619 08 97
Portugal: 800 250 250 (in Portugal only), +351 21 330 3284
Romania: +40 21318 3606

Slovakia: +421 2 54 77 4 166
Slovenia: +386 41 650 500
Spain: +34 91 562 04 20
Sweden: +46 08-331231112
Switzerland: 145
United Kingdom: 0870 600 6266 (in the UK only)
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture *Regulation (EC) No 1272/2008*

Chronic aquatic toxicity	Category 1 (H410)
EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.	

2.2. Label elements

Hazard pictograms



Signal Word
WARNING

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects
EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary Statements

P273 - Avoid release to the environment
P391 - Collect spillage
P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Copper(+1) oxide	Present	1317-39-1	1-10	Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119513794-36-XXXX
ethane-1,2-diol	203-473-3	107-21-1	1-10	Acute Tox. 4 (H302) STOT RE 2: (H373)	01-2119456816-28-XXXX

Additional Information

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16.

Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Call a doctor if irritation persists.
Skin Contact	Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.
Inhalation	Remove person from exposure ensuring one's own safety while doing so.
Ingestion	Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed	Skin contact: May see mild irritation at the site of contact. Eye contact: Possible irritation and redness. Ingestion: Possible irritation of the throat. Inhalation: May experience irritation of the throat with a feeling of tightness in the chest. Delayed/Immediate effects: Immediate effects can be expected after short-term exposure. May cause an allergic reaction in individuals already sensitised to 1,2-Benzisothiazolin-3-one.
--	---

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary	Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.
---	---

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Surface drains within close vicinity of the spill should be covered. Dike to confine spill and absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13).

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Use only in area provided with appropriate exhaust ventilation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	STEL 40 ppm STEL 104 mg/m ³ STEL 30 mg/m ³ TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ Skin	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ P*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	-
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Copper(+1) oxide 1317-39-1	-	-	-	TWA 0.02 mg/m ³	-
ethane-1,2-diol	TWA 20 ppm	TWA 20 ppm	Huid*	TWA 20 ppm	TWA 10 ppm

107-21-1	TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Pelle*	TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Ceiling 100 mg/m ³ C(A4) P*	STEL 104 mg/m ³ TWA 52 mg/m ³ TWA 10 mg/m ³	TWA 50 mg/m ³ STEL 40 ppm STEL 100 mg/m ³ iho*	TWA 26 mg/m ³ TWA 10 mg/m ³ H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
ethane-1,2-diol 107-21-1	H* STEL 20 ppm STEL 52 mg/m ³ TWA 10 ppm TWA 26 mg/m ³	SS-C** H* TWA 10 ppm TWA 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³	TWA 15 mg/m ³ STEL 50 mg/m ³	TWA 20 ppm TWA 52 mg/m ³ S* STEL 104 mg/m ³ STEL 40 ppm	TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 30 mg/m ³ STEL 104 mg/m ³ Skin

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering measures The floor of the storage room must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection Safety glasses with side-shields. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Liquid
Odour	Barely perceptible
Colour	Red brown
Odour threshold	No information available
pH	7.0 - 9.0
Melting point/freezing point	No information available
Boiling point/boiling range	No information available
Flash point	No information available
Evaporation Rate	No information available
Flammability (solid, gas)	
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit	No information available
Vapour pressure	No information available
Vapour density	No information available
Specific gravity	1.73 - 1.75
Water solubility	Dispersible in water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available

Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidising properties	Non-oxidizing (by EC criteria)

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC content (%)	No information available
Density	No information available
Bulk density	No information available
K _{st}	No information available

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions**Hazardous polymerisation**

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents, Strong acids, Strong bases.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Acute toxicity****Product Information**

.

LD50 Oral	> 3000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)
-----------	--

Skin corrosion/irritation	No information available.
---------------------------	---------------------------

Serious eye damage/eye irritation	No information available.
-----------------------------------	---------------------------

Sensitisation No information available
Mutagenicity No information available.
Carcinogenicity No information available.

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.

Symptoms

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.
May cause an allergic reaction in individuals already sensitised to
1,2-Benzisothiazolin-3-one.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

RAINBOW TROUT (*Oncorhynchus mykiss*): 96H LC50 = 2.79 mg/L (calculated)

DAPHNIDS (*Daphnia magna*): 48H LC50 = 0.843 mg/L (calculated)

ALGAE (*Pseudokirchneriella subcapitata*): 72H ErC50 = 0.991 mg/L (calculated)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil
No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems. The diluted product and wash waters may be sent to a licensed facility for wastewater treatment.
Contaminated Packaging	Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	02 01 08
OTHER INFORMATION	NOTE : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER (I) OXIDE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Marine Pollutant	Yes
Environmental Hazard	Yes
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	This product is not transported in bulk containers.

RID

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER (I) OXIDE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Environmental Hazard	Yes
14.6 Special Provisions	None

ADR/RID

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER (I) OXIDE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Environmental Hazard	Yes
14.6 Special Provisions	None

ICAO/IATA

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER (I) OXIDE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Environmental Hazard	Yes
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Not applicable

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Copper(+1) oxide 1317-39-1	X	X	X	X	X	X	X	X
ethane-1,2-diol 107-21-1	X	X	X	X	X	X	X	X

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

EUH208 - May produce an allergic reaction

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	CAS (Chemical Abstracts Service)
Ceiling:	Maximum limit value:
DNEL:	Derived No Effect Level (DNEL)
EINECS:	EINECS (European Inventory of Existing Chemical Substances)
GHS:	Globally Harmonised System (GHS)
IATA:	International Air Transport Association (IATA)
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods (IMDG)
LC50:	LC50 (lethal concentration)
LD50:	LD50 (lethal dose)
PBT:	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
STEL: Short term exposure limit
SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average
vPvB: very Persistent and very Bioaccumulative

Revision date: 2019-11-18

Reason for revision: Format Change.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide.
This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet