According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name EASIMIX

Other means of identification

Product code 50001921

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Water conditioner used in agriculture

stance/Mixture

Recommended restrictions

on use

: Use as recommended by the label.

### 1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agro Limited

Rectors Lane, Pentre

Flintshire CH5 2DH United Kingdom

Telephone: + 44 1244 537370 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency: England and Wales: 111 Scotland: 84 54 24 2424

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Skin corrosion, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :

 $\langle \! \rangle$ 

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

ter for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label: phosphoric acid

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

#### Components

| Chemical name CAS-No. EC-No. | Classification | Concentration (% w/w) |
|------------------------------|----------------|-----------------------|
|------------------------------|----------------|-----------------------|

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

|                          | Index-No. Registration number          |   |              |
|--------------------------|--|---|--------------|
| phosphoric acid          | 7664-38-2<br>231-633-2<br>015-011-00-6 | Skin Corr. 1B;<br>H314  | >= 20 - < 25 |
|                          |  | specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % |              |
| ethanediol               | 107-21-1<br>203-473-3<br>603-027-00-1  | Acute Tox. 4; H302<br>STOT RE 2; H373<br>(Kidney)   | >= 1 - < 10  |
| Citric acid, monohydrate | 5949-29-1                              | Eye Irrit. 2; H319  | >= 1 - < 10  |
| potassium laurate        | 10124-65-9<br>233-344-7                | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>STOT SE 3; H335<br>(Respiratory system)                                    | >= 1 - < 10  |

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with difficul-

ty.

If on skin, rinse well with water. If on clothes, remove clothes.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Get medical attention if irritation develops and persists.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Water conditioner used in agriculture

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### **Occupational Exposure Limits**

| Components      | CAS-No.  | Value type (Form of exposure)  | Control parameters | Basis          |  |
|-----------------|--|--|--------------------|----------------|--|
| phosphoric acid | 7664-38-2  | TWA  | 1 mg/m3            | GB EH40        |  |
|                 |  | STEL   | 2 mg/m3            | GB EH40        |  |
|                 |  | TWA  | 1 mg/m3            | 2000/39/EC     |  |
|                 | Further inform   | Further information: Indicative  |                    |                |  |
|                 |  | STEL   | 2 mg/m3            | 2000/39/EC     |  |
|                 | Further inform   | Further information: Indicative  |                    |                |  |
| ethanediol      | 107-21-1   | TWA (Vapour)   | 20 ppm             | GB EH40        |  |
|                 |  |  | 52 mg/m3           |                |  |
|                 | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |  |                    |                |  |
|                 |  |  |                    |                |  |
|                 |  |  |                    |                |  |
|                 |  | TWA (particles)  | 10 mg/m3           | GB EH40        |  |
|                 | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |  |                    |                |  |
|                 |  |  |                    | sorption will  |  |
|                 |  |  |                    |                |  |
|                 |  | STEL (Vapour)  | 40 ppm             | GB EH40        |  |
|                 |  |  | 104 mg/m3          |                |  |
|                 | Further information: Can be absorbed through the skin. The assigned sub-   |  |                    |                |  |
|                 | stances are those for which there are concerns that dermal absorption will   |  |                    |                |  |
|                 | lead to systemic toxicity.   |  |                    |                |  |
|                 |  | STEL   | 40 ppm             | 2000/39/EC     |  |
|                 |  |  | 104 mg/m3          |                |  |
|                 |  | Further information: Identifies the possibility of significant uptake through the skin, Indicative |                    |                |  |
|                 |  | TWA  | 20 ppm             | 2000/39/EC     |  |
|                 | Further infers   | action: Identifies the   | 52 mg/m3           | (a through the |  |
|                 | Further information: Identifies the possibility of significant uptake through the  |  |                    |                |  |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

skin, Indicative

#### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : liquid

Colour : colourless

Odour : Barely perceptible

Odour Threshold : No data available

pH : < 2.0

Concentration: 1 %

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Flash point : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : Non-oxidizing

9.2 Other information

Particle size : No data available

Particle Size Distribution : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Toxic fumes

**SECTION 11: Toxicological information** 

11.1 Information on toxicological effects

**Acute toxicity** 

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : Acute toxicity estimate (Rat): > 7,000 mg/kg

Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 12.86 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2,000 mg/kg

Method: OECD Test Guideline 423

ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

Citric acid, monohydrate:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Acute oral toxicity : LD50 Oral (Mouse, male and female): 5,400 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Assessment : Irritating to skin.
Result : Mild skin irritation

Remarks : May cause mild irritation.

**Components:** 

phosphoric acid:

Species : Rabbit Assessment : Corrosive

Result : Corrosive after 3 minutes to 1 hour of exposure

ethanediol:

Species : Rabbit

Result : No skin irritation

Citric acid, monohydrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

potassium laurate:

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment : Irritating to eyes.
Result : Eye irritation
Remarks : Eye irritation

Components:

phosphoric acid:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity

10/23

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

14.12.2023 50001921 Date of first issue: 27.03.2019 1.1

ethanediol:

Rabbit **Species** 

Result No eye irritation

Citric acid, monohydrate:

Species Rabbit

**OECD Test Guideline 405** Method

Result Irritation to eyes, reversing within 21 days

potassium laurate:

Result Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks Not expected to cause skin sensitisation

Components:

ethanediol:

Test Type **Maximisation Test Species** Guinea pig

Result Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Genotoxicity in vitro Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

ethanediol:

Genotoxicity in vitro Test Type: reverse mutation assay

Method: OPPTS 870.5100

Result: negative

Genotoxicity in vivo Test Type: dominant lethal test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Species: Rat

Application Route: Oral

Result: negative

Citric acid, monohydrate:

Genotoxicity in vitro : Test Type: Micronucleus test

Method: OECD Test Guideline 487

Result: positive

Test Type: reverse mutation assay Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat (male) Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Test Type: Rodent Dominant Lethal Assay

Species: Rat (male and female)

Application Route: Oral

Method: Regulation (EC) No. 440/2008, Annex, B.22

Result: negative

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Components:**

#### ethanediol:

Species : Mouse Application Route : Oral

Exposure time : 24 month(s)
Result : negative

### Citric acid, monohydrate:

Carcinogenicity - Assess- :

Weight of evidence does not support classification as a car-

ment cinogen

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# **Components:**

# phosphoric acid:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight

Result: negative

Remarks: Based on data from similar materials

Citric acid, monohydrate:

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Mouse

Application Route: Oral

Dose: 0, 2.41, 11.2, 52.0, 241 mg/k Duration of Single Treatment: 6 - 15 d

Teratogenicity: NOAEL: > 241 mg/kg body weight

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 0, 2.95, 13.7, 63.6, 295 mg/k Duration of Single Treatment: 6 - 15 d

Teratogenicity: NOAEL: > 295 mg/kg body weight

Test Type: reproductive and developmental toxicity study

Species: Rabbit Application Route: Oral

Dose: 0, 4.25, 19.75, 91.70, 425 mg Duration of Single Treatment: 6 - 15 d

Teratogenicity: NOAEL: > 425 mg/kg body weight

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

# STOT - single exposure

Based on available data, the classification criteria are not met.

### **Components:**

#### potassium laurate:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

**Components:** 

ethanediol:

Exposure routes : Oral Target Organs : Kidney

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Citric acid, monohydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

phosphoric acid:

Species : Rat, male and female

NOAEL : 250 mg/kg
Application Route : Oral - gavage
Exposure time : 42 - 54 d

Method : OECD Test Guideline 422

ethanediol:

Species : Rat

NOAEL : 150 mg/kg Application Route : Oral Exposure time : 12 months

Species : Dog

NOAEL : > 2,200 - < 4,400 mg/kg

Application Route : Dermal Exposure time : 4 weeks

Method : OECD Test Guideline 410

Citric acid, monohydrate:

Species : Rat

NOAEL : 4,000 mg/kg LOAEL : 8,000 mg/kg

Application Route : Oral Exposure time : 10d

Dose : 2, 4, 8, 16 g/kg bw/day

Species : Mouse
NOAEL : 1,000 mg/kg
LOAEL : 2,000 mg/kg

Application Route : Oral Exposure time : 10d

Dose : 1, 2, 4, 8 g/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

**Further information** 

**Product:** 

Remarks : No data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940

mg/l

Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l

Exposure time: 30 min Method: ISO 8192

Toxicity to fish (Chronic tox-

icity)

1,500 mg/l

Exposure time: 28 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

33,911 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Citric acid, monohydrate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l

Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h Test Type: static test

Toxicity to algae/aquatic

plants

NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l

Exposure time: 8 d Test Type: static test

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

NOEC (Protozoa): 325 mg/l

Exposure time: 72 h

Toxicity to terrestrial organ-

isms

NOEC: > 4 mg/kg Exposure time: 14 d

Species: Birds

LD50: > 4 mg/kg Exposure time: 14 d Species: Birds

### 12.2 Persistence and degradability

# **Components:**

phosphoric acid:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

ethanediol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90 - 100 %

Exposure time: 10 d

Method: OECD Test Guideline 301A

Citric acid, monohydrate:

Biodegradability : Result: Readily biodegradable.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

Method: OECD Test Guideline 301B

Result: Readily biodegradable. Method: OECD Test Guideline 301E

Result: Inherently biodegradable. Method: OECD Test Guideline 302B

# 12.3 Bioaccumulative potential

# **Components:**

ethanediol:

Partition coefficient: n-

octanol/water

log Pow: -1.36

Citric acid, monohydrate:

Bioaccumulation : Bioconcentration factor (BCF): 3.2

Method: QSAR

Partition coefficient: n-

octanol/water

log Pow: -1.55

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Other adverse effects

#### **Product:**

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

### **Components:**

phosphoric acid:

Additional ecological infor- : Harmful effects on aquatic organisms also due to pH shift.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

mation

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 1805
ADR : UN 1805
RID : UN 1805
IMDG : UN 1805
IATA : UN 1805

# 14.2 UN proper shipping name

ADN : PHOSPHORIC ACID SOLUTION

(Orthophosphoric acid)

ADR : PHOSPHORIC ACID SOLUTION

(Orthophosphoric acid)

RID : PHOSPHORIC ACID SOLUTION

(Orthophosphoric acid)

IMDG : PHOSPHORIC ACID SOLUTION

(Orthophosphoric acid)

IATA : Phosphoric acid, solution

(Orthophosphoric acid)

### 14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 8

 ADR
 : 8

 RID
 : 8

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

IMDG : 8 IATA : 8

# 14.4 Packing group

**ADN** 

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

**ADR** 

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

**IMDG** 

Packing group : III Labels : 8

EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo : 856

aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

IATA (Passenger)

Packing instruction (passen- : 852

ger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

### 14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

**RID** 

Environmentally hazardous : no

**IMDG** 

Marine pollutant : no

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

ethanediol (Number on list 3)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Control of Major Accident Hazards Regulations

2015 (COMAH)

Not applicable

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

| Version<br>1.1 | Revision Date: 14.12.2023 |   | OS Number:<br>001921 | Date of last issue: - Date of first issue: 27.03.2019 |
|----------------|---------------------------|---|----------------------|---|
| AIIC           |                           | : | On the inventory,    | or in compliance with the inventory                   |
| DSL            |                           | : | All components of    | this product are on the Canadian DSL                  |
| ENCS           |                           | : | On the inventory,    | or in compliance with the inventory                   |
| ISHL           |                           | : | On the inventory,    | or in compliance with the inventory                   |
| KECI           |                           | : | On the inventory,    | or in compliance with the inventory                   |
| PICCS          |                           | : | Not in compliance    | with the inventory                                    |
| IECSC          |                           | : | On the inventory,    | or in compliance with the inventory                   |
| NZIoC          |                           | : | Not in compliance    | with the inventory                                    |
| TECI           |                           | : | On the inventory,    | or in compliance with the inventory                   |
|                |                           |   |                      |   |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

# Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

# Classification of the mixture: Classification procedure:

Skin Corr. 2 H315 Based on product data or assessment Eye Dam. 2 H319 Based on product data or assessment

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

# **Prepared by**

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **EASIMIX**

Version Revision Date: SDS Number: Date of last issue: -

1.1 14.12.2023 50001921 Date of first issue: 27.03.2019

© 2021-2023 FMC Corporation. All Rights Reserved.

**GB/6N**