

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Altacor® 35WG insecticide

#### Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:  
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:  
86 532 8388 9090

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: granular
Color	: light brown
Odor	: slight, sweet

Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements


# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	35
kaolin	1332-58-7	>= 1 -< 10
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	>= 1 -< 10

## 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

- If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical  
Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Hydrogen chloride  
Sulfur oxides  
Bromine compounds  
Chlorine compounds
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Remove undamaged containers from fire area if it is safe to do so.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Use a water spray to cool fully closed containers.  
Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Avoid dust formation.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Never return spills in original containers for re-use.

Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Avoid formation of respirable particles.

Avoidance of contact : Strong acids and strong bases  
Strong oxidizing agents

#### Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.  
Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.  
Do not breathe dust or spray mist.  
Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Color : light brown

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

---

Odor	: slight, sweet
Odor Threshold	: No data available
pH	: 7 - 10 (25 °C) Concentration: 10 g/l
Melting point/range	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: not determined
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not expected to be ignitable
Self-ignition	: > 155 °C
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Bulk density	: 0.7 - 0.86 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Particle size	:	not determined

### 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if used as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid dust formation.  Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	:	Sulfur oxides Halogenated compounds Nitrogen oxides (NOx) Carbon oxides

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 6.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### Components:

#### **Chlorantraniliprole:**

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

#### **kaolin:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401  LD50: > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LD50: 5.07 mg/l Method: OECD Test Guideline 436
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg  LD50: > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Acute oral toxicity	:	LD50 (Rat, female): > 10 g/kg
---------------------	---	-------------------------------

### **Skin corrosion/irritation**

Not classified based on available information.

### Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

### Components:

#### **Chlorantraniliprole:**

Species	:	Rabbit
---------	---	--------



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Method : OECD Test Guideline 404  
Result : No skin irritation

### kaolin:

Method : OECD Test Guideline 404  
Result : No skin irritation

### Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Species : Rabbit  
Result : slight irritation  
Method : OECD Test Guideline 405  
GLP : yes  
Remarks : Minimal effects that do not meet the threshold for classification.

### Components:

#### Chlorantraniliprole:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### kaolin:

Result : No eye irritation  
Method : OECD Test Guideline 405

### Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No eye irritation  
Method : OECD Guideline 492

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Product:

Test Type : Local lymph node test  
Species : Mouse  
Method : OECD Test Guideline 406  
Result : Animal test did not cause sensitization by skin contact.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### Components:

#### **Chlorantraniliprole:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

#### **kaolin:**

Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Species	: Guinea pig
Result	: Not a skin sensitizer.

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Chlorantraniliprole:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

#### **kaolin:**

Genotoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
-----------------------	---

Genotoxicity in vivo	: Remarks: No data available
----------------------	------------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 805 - 1,076 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 18 month(s)  
NOAEL : 158 - 1,155 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity Parent: NOAEL: 20,000 ppm  
General Toxicity F1: NOAEL: 20,000 ppm  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 6 - 20 d  
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Developmental Toxicity: NOEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

### Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

### STOT-single exposure

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Remarks : No significant adverse effects were reported

### kaolin:

Remarks : No significant adverse effects were reported

### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### STOT-repeated exposure

Not classified based on available information.

### Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

### Components:

#### Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### Repeated dose toxicity

#### Components:

##### Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Method	: OECD Test Guideline 408

##### kaolin:

Remarks : No data available

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

### Further information

#### Product:

Remarks : No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.029 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0 mg/l Exposure time: 72 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l  
Exposure time: 21 d  
Remarks: Information refers to the main ingredient.

Toxicity to soil dwelling organisms : (Eisenia fetida (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg  
Exposure time: 14 d  
Method: US EPA Test Guideline OPPTS 850.2100

LD50 (Apis mellifera (bees)): 285.7 µg/abeille285.7 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Method: OECD Test Guideline 214  
GLP: yes

### Components:

#### **Chlorantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): > 2 mg/l  
Exposure time: 14 d

NOEC (Lemna gibba (duckweed)): 2 mg/l  
Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l  
Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

aquatic invertebrates (Chronic toxicity)	Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50 ( <i>Eisenia fetida</i> (earthworms)): > 1,000 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 ( <i>Apis mellifera</i> (bees)): > 0.005 µg/bee Exposure time: 48 h End point: Acute oral toxicity  LD50 ( <i>Apis mellifera</i> (bees)): > 0.0274 µg/bee Exposure time: 48 h End point: Acute contact toxicity  LD50 ( <i>Colinus virginianus</i> (Bobwhite quail)): > 2,250 mg/kg  LC50 ( <i>Anas platyrhynchos</i> (Mallard duck)): > 5,620 ppm  LD50 ( <i>Poephila guttata</i> (zebra finch)): > 2,250 mg/kg

### kaolin:

Toxicity to fish	: LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): > 1,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: No data available
Toxicity to microorganisms	: Remarks: No data available

### Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish	: LC50 ( <i>Pimephales promelas</i> (fathead minnow)): 615 mg/l Exposure time: 96 h
------------------	--

### Persistence and degradability

#### Product:

Biodegradability	: Result: Not biodegradable
------------------	-----------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### Components:

#### **Chlorantraniliprole:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life (DT50): 10 d pH: 9

#### **kaolin:**

Biodegradability	:	Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	---	---

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: < 5 % Exposure time: 28 d Method: OECD Test Guideline 301E
------------------	---	--

### **Bioaccumulative potential**

#### Product:

Bioaccumulation	:	Remarks: Does not bioaccumulate. Estimation based on data obtained on active ingredient.
-----------------	---	---

### Components:

#### **Chlorantraniliprole:**

Biodegradability	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 15 Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	log Pow: 2.77 (20 °C) pH: 4  log Pow: 2.86 (20 °C) pH: 7  log Pow: 2.80 (20 °C) pH: 9

#### **kaolin:**

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	Remarks: Not applicable

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Bioaccumulation	:	Remarks: No data available
-----------------	---	----------------------------



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Partition coefficient: n-octanol/water : log Pow: -3.45

### Mobility in soil

#### Components:

##### **Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55  
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

##### **kaolin:**

Distribution among environmental compartments : Remarks: Low mobility in soil.

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)

##### IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### GB 6944/12268

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

#### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 16. OTHER INFORMATION

Revision Date	: 2022/10/24
Date format	: yyyy/mm/dd

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2022/10/24	50000012	Date of first issue: 2019/06/06

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN