SAFETY DATA SHEET

RUGBY 200 CS

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: 6044-A

Revision date: 2019-12-23

Format: EU Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product Code(s) 6044-A

Product Name RUGBY 200 CS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

CHEMINOVA A/S, a subsidiary of FMC Corporation Supplier

Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690

SDS.Ronland@fmc.com

For further information, please contact:

(+45) 97 83 53 53 (24 h; for emergencies only) **Contact point**

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

> Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500 Netherlands: +31 30 274 88 88

Slovakia: +421 2 54 77 4 166

Norway: +47 22 591300 Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 800 250 250 (in Portugal only), +351 21 330 3284

Romania: +40 21318 3606

Page 1/11

Revision date: 2019-12-23

Version 1

Slovenia: +386 41 650 500 Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 (H302)
Acute aquatic toxicity	Category 1 (H400)

2.2. Label elements





Signal Word WARNING

Hazard Statements

H302 - Harmful if swallowed H400 - Very toxic to aquatic life

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Precautionary Statements

P264: Wash thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P301+P330: IF SWALLOWED: Do NOT induce vomiting.

P330 - Rinse mouth

P391 - Collect spillage

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

None of the ingredients in the product meets the criteria for being PBT or vPvB.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

Chemical name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
2-Methylnaphthalene	-	91-57-6	1-5	Acute Tox. 4 (H302)	No data available
Cadusafos	-	95465-99-9	20.6	Acute Tox. 2 (H300)Acute Tox. 1 (H310)Acute Tox. 1 (H330)Aquatic Acute 1 (H400), M-factor 100	No data available
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0	-	1-5	Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411), EUH066	01-2119451097-39

Revision date: 2019-12-23

Version 1

Additional Information

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids,

until no evidence of chemical remains. See physician if any symptom develops.

Skin Contact Immediately remove contaminated clothing and footwear. Call a poison control center or

doctor for further treatment advice.

Inhalation If experiencing any discomfort, immediately remove from exposure. Light cases: Keep

person under surveillance. Get medical attention immediately if symptoms develop. Serious

cases: Get medical attention immediately or call for an ambulance.

Ingestion If the exposed person is conscious, make him/her vomit quickly. Make the exposed person

rinse mouth and then drink 1 or 2 glasses of water or milk. Let him/her induce vomiting by touching the back of the throat with a finger. If vomiting occurs, let him/her rinse mouth and drink fluids again. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Symptoms of exposure may include headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration, blurred vision, tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine, phenothiazines and theophylline are probably contraindicated. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Observe patient to ensure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as hydrogen sulphide, dialkyl sulphides, alkyl mercaptans, sulphur dioxide, carbonmonoxide, carbon dioxide, nitrogen oxides and phosphorus pentoxide.

Revision date: 2019-12-23

Version 1

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots. Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area.

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment It is recommended to consider possibilities to prevent damaging effects of spills, such as

bunding or capping.

impervious surface should be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with damp cloth and/or strong industrial detergent with much water. Absorb wash liquid onto a suitable absorbent such as universal binder, attapulgite, bentonite or other absorbent clays and transfer contaminated absorbent to suitable containers. The used containers should be properly

closed and labelled.

spills which soak into the ground should be dug up and transferred to suitable containers. in water should be contained as much as possible by isolation of the contaminated water.

The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for disposal information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. Otherwise it is recommended to handle the material by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8. For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8. Keep all unprotected persons and children away from working area.

As soon as a feeling of tingling is noted in any skin area, it is recommended to immediately apply lidocaine or a vitamin E cream.

Revision date: 2019-12-23

Version 1

Avoid contact with eyes, skin or clothing. Avoid breathing vapour or dust. Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep away from open flames, hot surfaces and sources of ignition. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. Specific end use(s)

Specific Use(s)

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

To our knowledge, personal exposure limits have not been established for the active ingredient in this product.

Derived No Effect Level (DNEL) Cadusafos: Not Established.

EFSA has established an AOEL of 0.007 mg/kg bw/day.

Predicted No Effect Concentration

(PNEC)

Cadusafos:

Freshwater 0.8 µg/l

8.2. Exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well. In cases of incidental high exposure, maximal personal protection maybe necessary, such as respirator, face mask, chemical

resistant coveralls.

Personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles. Maintain eye

wash fountain and quick-drench facilities in work area.

Hand Protection Wear chemical protective gloves made of materials such as nitrile or neoprene.

Skin and Body ProtectionWear appropriate chemical resistant clothing to prevent skin contact depending on the

extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of appreciable or prolonged exposure,

coveralls of barrier laminate may be required.

Revision date: 2019-12-23

Version 1

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

General information Persons working with this product for a longer period should have frequent blood tests of

their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the

cholinesterase level has returned to normal.

Environmental exposure controls Do not release to the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Suspension
Odor Slight mercaptan

Color Green

Odor threshold No information available

pH 7.4-7.9

Melting point/freezing pointNo information availableBoiling Point/RangeNo information available

Flash point 89-92 °C / 192-198 °F Tag Closed Cup

Evaporation Rate No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure Cadusafos: 1.2 x 10 -5 Pa at 25°C

Vapor density No information available

Specific gravity 1.05-1.07

Water solubility 248 mg/l The product is emulsifiable in water.

Solubility in other solvents cadusafos at 25°C in: methanol > 250 g/kg

heptane 125 g/kg

Partition coefficient Cadusafos: log Kow = 3.85 at 20°C and pH 5.5

Autoignition temperature

Decomposition temperature

Viscosity, kinematic

Viscosity, dynamic

Cadusafos: 270°C

No information available

No information available

No information available

Explosive propertiesOxidizing properties
Not explosive
Non-oxidizing

9.2. Other information

Softening point
Molecular weight
VOC content (%)

No information available
No information available
No information available

Relative density 1.05 - 1.07 Bulk density 1.06

K_{st} No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

To our knowledge, the product has no special reactivities.

10.2. Chemical stability

The product (cadusafos) may decompose rapidly when heated, which can result in explosion. It is recommended not to heat the product. Direct local heating such as electric heating or by steam must be avoided.

Revision date: 2019-12-23

Version 1

The decomposition is to a considerable extent dependent on time as well as temperature due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as dialkyl sulphides and alkyl mercaptans.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerization

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases, Metals.

10.6. Hazardous decomposition products

Carbon oxides (COx), Phosphorous oxides, Sulfur dioxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

 LD50 Oral
 1,097 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LC50 Inhalation (dust)
 > 3.87 mg/L 4 hr (rat)

Skin corrosion/irritation Non-irritating.

Serious eye damage/eye irritation Minimally irritating (rabbit).

Sensitization Non-sensitizing

Chronic toxicity Cadusafos: Prolonged exposure caused inhibition of red blood cell and brain

cholinesterase, and decreased motor activity.

MutagenicityThe product contains no ingredients known to be mutagenic.CarcinogenicityThe product contains no ingredients known to be carcinogenic.

Reproductive toxicityThe product contains no ingredients known to have adverse effects on reproduction.

Developmental toxicityCadusafos: Not teratogenic in animal studies.

STOT - single exposureNo specific effects after single exposure have been observed.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

NOAEL: 0.067 mg/kg bw/day in a 90-day rat study, based on decreased cholinesterase

activity in red blood cells at higher levels.

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

Revision date: 2019-12-23

Version 1

cholinesterase activity in brain, red blood cells and plasma.

Target organ effects Symptoms

Central Nervous System (CNS), Peripheral Nervous System (PNS).

This substance is a reversible cholinesterase-inhibiting pesticide, which elicits symptoms in

humans typical of cholinesterase inhibition including headache, light-headedness,

weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result in death. Reduction of blood acetylcholinesterase levels

can occur without symptoms of toxicity.

Aspiration hazard

The product does not present an aspiration pneumonia hazard.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

There are no data available for this product.

Cadusafos (95465-99-9)					
Active Ingredient(s)	Duration	Species	Value	Units	
Cadusafos	48 h EC50	Crustacea	1.6	μg/L	
	96 h LC50	Fish	0.13	mg/L	
	72 h EC50	Algae	4.3	mg/L	
	21 d NOEC	Crustacea	0.23	μg/L	
	21 d NOEC	Fish	5.2	μg/L	
	96 h NOEC	Algae	1.0	mg/L	
	LD50	Bobwhite quail	16.1	mg/kg	
	LC50, contact	Apis mellifera	1.80	μg/bee	
	LC50, oral	Apis mellifera	2.07	μg/bee	

12.2. Persistence and degradability

Cadusafos: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

12.3. Bioaccumulative potential

Cadusafos: The substance does not have a potential for bioconcentration.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

Cadusafos: Moderately mobile; Has some potential to reach groundwater.

12.5. Results of PBT and vPvB assessment

None of the ingredients in the product meets the criteria for being PBT or vPvB.

12.6. Other adverse effects

No information available

Revision date: 2019-12-23 Version 1

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Residual waste

Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste. Dispose of as hazardous waste in compliance with local and national regulations.

According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.

Contaminated containers and packages

It is recommended to consider possible ways of disposal in the following order:

- 1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
- 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
- 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
- 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(cadusafos)

14.3 Hazard class 9
14.4 Packing Group III

14.5 Marine Pollutant

Environmental Hazard Yes

14.6 Special ProvisionsAvoid any unnecessary contact with the product. Misuse can result in damage to health. Do

not release to the environment

EmS No. F-A, S-F

14.7 Transport in bulk according to The product is not transported in bulk by ship.

Annex II of MARPOL 73/78 and the

IBC Code

<u>RID</u>

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (cadusafos)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special ProvisionsAvoid any unnecessary contact with the product. Misuse can result in damage to health. Do

not release to the environment

ADR/RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (cadusafos)

14.3 Hazard class 9
14.4 Packing Group III
14.5 Environmental Hazard Yes

14.6 Special ProvisionsAvoid any unnecessary contact with the product. Misuse can result in damage to health. Do

not discharge to the environment.

6044-A RUGBY 200 CS

SDS #: 6044-A

Revision date: 2019-12-23

Version 1

ICAO/IATA

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (cadusafos)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special ProvisionsAvoid any unnecessary contact with the product. Misuse can result in damage to health. Do

not release to the environment

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorizations and/or restrictions on use:

The product is subject to Reg. 689/2008 concerning export and import of dangerous chemicals (PIC procedure). See www.pic.int.

Persistent Organic Pollutants

Not Applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

DANGEROUS FOR THE ENVIRONMENT

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Cadusafos 95465-99-9						X		

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this product.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Revision date: 2019-12-23

Version 1

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonized System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorization:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Classification procedure

Acute oral toxicity: test data

Hazards to the aquatic environment, acute: calculation method

Key literature references and sources for data

Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.

Revision date: 2019-12-23

Reason for revision: SDS sections updated.

Training Advice This material should only be used by persons who are made aware of its hazardous

properties and have been instructed in the required safety precautions.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet