

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name DINIRO

Other means of identification

Product code 50001496

Unique Formula Identifier (UFI) : MHG0-X0MC-900Y-SKES

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1 Revision Date: 21.05.2025 SDS Number: 50001496 Date of last issue: 22.11.2023
Date of first issue: 22.11.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sodium 3,6-dichloro-o-anisate	1982-69-0 217-846-3 607-243-00-7	Acute Tox. 4; H332 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 4,46 mg/l	>= 30 - < 50
Nicosulfuron	111991-09-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 10 - < 20
prosulfuron (ISO)	94125-34-5 016-084-00-7	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100100 M-Factor (Chronic aquatic toxicity):	>= 2,5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1 Revision Date: 21.05.2025 SDS Number: 50001496 Date of last issue: 22.11.2023
Date of first issue: 22.11.2023

		100100	
		Acute toxicity estimate	
		Acute oral toxicity: 986 mg/kg	
sodium hydroxide	1310-73-2 215-185-5 011-002-00-6	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318	$\geq 0,5 - < 1$
		specific concentration limit Skin Corr. 1A; H314 $\geq 5\%$ Skin Corr. 1B; H314 $2 - < 5\%$ Skin Irrit. 2; H315 $0,5 - < 2\%$ Eye Irrit. 2; H319 $0,5 - < 2\%$	
Substances with a workplace exposure limit :			
kaolin	1332-58-7 310-194-1		$\geq 10 - < 20$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If swallowed, call a poison control centre or doctor immediately.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Sulphur oxides
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1 Revision Date: 21.05.2025 SDS Number: 50001496 Date of last issue: 22.11.2023
Date of first issue: 22.11.2023

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m ³	DK OEL
		S (Respirable dust)	4 mg/m ³	DK OEL
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
Further information: Carcinogens or mutagens				
sodium hydroxide	1310-73-2	L	2 mg/m ³	DK OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

8.2 Exposure controls

Personal protective equipment

- | | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection | : Eye wash bottle with pure water
Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Wear face-shield and protective suit for abnormal processing problems. |
| Hand protection | |
| Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--------------------------------------------------|----------------------------------------------------|
| Physical state | : solid |
| Form | : granules |
| Colour | : light brown |
| Odour | : No data available |
| Melting point/freezing point | : No data available |
| Boiling point/boiling range | : No data available |
| Flammability | : May form combustible dust concentrations in air. |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : 500 °C |
| Decomposition temperature | : No data available |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

pH	:	6 - 10 Concentration: 1 %
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Bulk density	:	0,57 g/m ³
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammable solids	:	
Burning number	:	2 (20 °C) 3 (100 °C)
Self-ignition	:	No data available
Minimum ignition energy	:	> 1.000 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	-------------------------------------------------------------

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	------------------------------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 2.000 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg

Components:

sodium 3,6-dichloro-o-anisate:

Acute oral toxicity	: LD50 (Rat, male and female): 4.600 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): 4,46 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Remarks: Based on data from similar materials

Nicosulfuron:

Acute oral toxicity	: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425 Remarks: Information source: Internal study report
Acute inhalation toxicity	: LC50 (Rat): > 5,47 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Remarks: Information source: Internal study report

prosulfuron (ISO):

Acute oral toxicity	: LD50 (Rat, male and female): 986 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50: 5,07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

sodium 3,6-dichloro-o-anisate:

Species : Rabbit
Assessment : No skin irritation
Result : slight irritation
Remarks : Based on data from similar materials

Nicosulfuron:

Assessment : No skin irritation
Method : OECD Test Guideline 404

prosulfuron (ISO):

Species : Rabbit
Result : No skin irritation

sodium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

kaolin:

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Components:

sodium 3,6-dichloro-o-anisate:

Species	:	Rabbit
Result	:	Eye irritation

Nicosulfuron:

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

prosulfuron (ISO):

Species	:	Rabbit
Result	:	No eye irritation

sodium hydroxide:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

kaolin:

Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

Components:

sodium 3,6-dichloro-o-anisate:

Species	:	Guinea pig
Result	:	Did not cause sensitisation on laboratory animals.

Nicosulfuron:

Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Remarks	:	Minimal effects that do not meet the threshold for classification.

prosulfuron (ISO):

Species	:	Guinea pig
Result	:	Did not cause sensitisation on laboratory animals.

sodium hydroxide:

Remarks	:	substance is corrosive
---------	---	------------------------

kaolin:

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

sodium 3,6-dichloro-o-anisate:

Germ cell mutagenicity- Assessment	:	Animal testing did not show any mutagenic effects., Based on data from similar materials
------------------------------------	---	------------------------------------------------------------------------------------------

Nicosulfuron:

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	----------------------------------------------------------------------------

prosulfuron (ISO):

Germ cell mutagenicity- Assessment	:	Animal testing did not show any mutagenic effects.
------------------------------------	---	----------------------------------------------------

sodium hydroxide:

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	----------------------------------------------------------------------------

kaolin:

Genotoxicity in vitro	:	Test Type: Ames test
-----------------------	---	----------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

sodium 3,6-dichloro-o-anisate:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies., Based on data from similar materials

Nicosulfuron:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

prosulfuron (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

sodium hydroxide:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

sodium 3,6-dichloro-o-anisate:

Reproductive toxicity - Assessment : No toxicity to reproduction, Based on data from similar materials

prosulfuron (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

sodium hydroxide:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

sodium 3,6-dichloro-o-anisate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Based on data from similar materials

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

sodium 3,6-dichloro-o-anisate:

Species : Rat
NOAEL : 110 mg/kg
Application Route : Oral
Exposure time : 2 y
Remarks : Based on data from similar materials

prosulfuron (ISO):

Remarks : No adverse effect has been observed in chronic toxicity tests.

kaolin:

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

sodium hydroxide:

General Information	: Symptoms: corrosive effects
Inhalation	: Target Organs: Respiratory Tract Symptoms: corrosive effects
Skin contact	: Target Organs: Skin Symptoms: corrosive effects
Eye contact	: Target Organs: Eyes Symptoms: corrosive effects
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: corrosive effects

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,73 mg/l Exposure time: 72 h ErC50 (Lemna gibba (gibbous duckweed)): 0,017 mg/l Exposure time: 7 d NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,046 mg/l End point: Growth rate Exposure time: 72 h NOEC (Lemna gibba (gibbous duckweed)): 0,006 mg/l End point: Growth rate Exposure time: 7 d EC10 (Raphidocelis subcapitata (freshwater green alga)): 0,34 mg/l
----------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

End point: Growth rate
Exposure time: 72 h

EC10 (Lemna gibba (gibbous duckweed)): 0,0051 mg/l
End point: Growth rate
Exposure time: 7 d

Components:

sodium 3,6-dichloro-o-anisate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (algae): 3,7 - 41 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

EC50 (Skeletonema costatum (marine diatom)): Exposure time: 120 h
Remarks: Based on data from similar materials

NOEC (Skeletonema costatum (marine diatom)): 0,011 mg/l
Exposure time: 120 h
Remarks: Based on data from similar materials

Toxicity to terrestrial organisms : 1.373 mg/kg
Species: Birds

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Nicosulfuron:

Toxicity to fish : LC50 (Salmo gairdneri): 65,7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 90 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Scenedesmus subspicatus): 182 mg/l
Exposure time: 72 h

IC50 (Anabaena flos-aquae (cyanobacterium)): 7,8 mg/l
Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 0,0017 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Toxicity to fish (Chronic toxicity)	: NOEC: 10 mg/l Exposure time: 28 d Species: Salmo gairdneri
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 25 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.250 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: > 2.000 ppm Species: Anas platyrhynchos (Mallard duck) LC50: > 5.000 ppm Exposure time: 8 d Species: Anas platyrhynchos (Mallard duck) LD50: > 76 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees) LD50: > 20 µg/bee End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

prosulfuron (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,074 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,008 mg/l Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

EC50 (Lemna gibba (gibbous duckweed)): 0,00126 mg/l
Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0,00083 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

100

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 5,8 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 32 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

100

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

12.2 Persistence and degradability

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Biodegradability : Remarks: No data is available on the product itself.

Components:

sodium 3,6-dichloro-o-anisate:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Nicosulfuron:

Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

prosulfuron (ISO):

Biodegradability : Result: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

sodium 3,6-dichloro-o-anisate:

Bioaccumulation : Remarks: Low potential for bioaccumulation
Based on data from similar materials

Nicosulfuron:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,36 (25 °C)
pH: 4

log Pow: -1,77 (25 °C)
pH: 7

log Pow: -2 (25 °C)
pH: 9

prosulfuron (ISO):

Bioaccumulation : Remarks: Low potential for bioaccumulation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version 1.1	Revision Date: 21.05.2025	SDS Number: 50001496	Date of last issue: 22.11.2023 Date of first issue: 22.11.2023
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Partition coefficient: n-octanol/water : log Pow: -0,76 (25 °C)
pH: 9

log Pow: -0,21 (25 °C)
pH: 6,9

log Pow: 1,5 (25 °C)
pH: 5

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

sodium 3,6-dichloro-o-anisate:

Distribution among environmental compartments : Remarks: Highly mobile in soils
Based on data from similar materials

Stability in soil : Dissipation time: 1,4 - 11 d
Percentage dissipation: 50 %
Remarks: not persistent, Based on data from similar materials

Nicosulfuron:

Distribution among environmental compartments : Remarks: Mobile in soils

prosulfuron (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (prosulfuron, Nicosulfuron)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (prosulfuron, Nicosulfuron)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (prosulfuron, Nicosulfuron)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (prosulfuron, Nicosulfuron)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (prosulfuron, Nicosulfuron)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Not applicable

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Nicosulfuron prosulfuron (ISO) sodium 3,6-dichloro-o-anisate
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
DK OEL	: Denmark. Occupational Exposure Limits
2004/37/EC / TWA	: Long term exposure limit
DK OEL / S	: Exposure period of 15 minutes
DK OEL / GV	: Long term exposure limit
DK OEL / L	: Ceiling

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DINIRO

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2023
1.1	21.05.2025	50001496	Date of first issue: 22.11.2023

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2	H319
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N