

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

SECTION 1. IDENTIFICATION

Product identifier

Product name PINNACLE® SG Toss-N-Go® Herbicide

Other means of identification

Product code 50001031

Product Registration Number PCP #30741

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

Version 1.1 Revision Date: 12/04/2023 SDS Number: 50001031 Date of last issue: -
Date of first issue: 03/01/2018

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|-----------------------------|-----------------------------|------------|-----------------------|
| thifensulfuron-methyl (ISO) | thifensulfuron-methyl (ISO) | 79277-27-3 | 50 |
| sodium carbonate | sodium carbonate | 497-19-8 | $\geq 10 - < 30$ * |

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing : High volume water jet

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|----------------|------------------------------|-------------------------|--|
| Version 1.1 | Revision Date: 12/04/2023 | SDS Number: 50001031 | Date of last issue: - Date of first issue: 03/01/2018 |
|----------------|------------------------------|-------------------------|--|

media

- | | |
|--|--|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Thermal decomposition can lead to release of irritating gases and vapors. Nitrogen oxides (NOx) Sulfur oxides Carbon oxides |
| Specific extinguishing methods | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. |
| Further information | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. Immediately evacuate personnel to safe areas. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Sweep up and collect the leakage in a dry sealed container. Keep in suitable, closed containers for disposal. Clean contaminated surface thoroughly. |

SECTION 7. HANDLING AND STORAGE

- | | |
|------------------------------|---|
| Advice on protection against | : Normal measures for preventive fire protection. |
|------------------------------|---|

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|----------------|------------------------------|-------------------------|--|
| Version 1.1 | Revision Date: 12/04/2023 | SDS Number: 50001031 | Date of last issue: - Date of first issue: 03/01/2018 |
|----------------|------------------------------|-------------------------|--|

fire and explosion

Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

- Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : solid
- Form : granules
- Color : light brown
- Odor : mild
- pH : 9.2 (25 °C)
Concentration: 10 g/l
- Melting point/range : ca. 182 °C
- Flash point : not determined
- Flammability (solid, gas) : Not highly flammable, may be ignitable
- Lower explosion limit / Lower flammability limit : 0.1 - 0.25 g/l
- Density : No data available
- Bulk density : ca. 696 kg/m³ packed
- Solubility(ies)
Water solubility : soluble

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : Not applicable

Viscosity
Viscosity, dynamic : No data available

Explosive properties : Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.
Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: Fixed Dose Method
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

GLP: yes

Components:

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2.3 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Target Organs: Skin
Symptoms: Erythema

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Components:

thifensulfuron-methyl (ISO):

Assessment : No skin irritation
Method : OECD Test Guideline 404
Remarks : Minimal effects that do not meet the threshold for classification.

sodium carbonate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Product:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| GLP | : | yes |

Components:

thifensulfuron-methyl (ISO):

| | | |
|--------|---|-------------------------|
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |

sodium carbonate:

| | | |
|---------|---|--|
| Species | : | Rabbit |
| Result | : | Irritation to eyes, reversing within 21 days |

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

| | | |
|-----------|---|--|
| Test Type | : | Maximization Test |
| Species | : | Guinea pig |
| Method | : | US EPA Test Guideline OPPTS 870.2600 |
| Result | : | Animal test did not cause sensitization by skin contact. |
| GLP | : | yes |

Components:

thifensulfuron-methyl (ISO):

| | | |
|---------|---|------------------------------------|
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 429 |
| Result | : | Does not cause skin sensitization. |

Germ cell mutagenicity

Not classified based on available information.

Product:

| | | |
|-------------------------------------|---|--|
| Germ cell mutagenicity - Assessment | : | Not mutagenic in Ames Test., Did not show mutagenic effects in animal experiments. |
|-------------------------------------|---|--|

Components:

thifensulfuron-methyl (ISO):

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative |
|-----------------------|---|---|

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|----------------|------------------------------|-------------------------|--|
| Version 1.1 | Revision Date: 12/04/2023 | SDS Number: 50001031 | Date of last issue: - Date of first issue: 03/01/2018 |
|----------------|------------------------------|-------------------------|--|

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogenic.

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Components:

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.
Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Components:

thifensulfuron-methyl (ISO):

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram
Duration of Single Treatment: 6 - 15 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight
Teratogenicity: NOAEL: > 245 mg/kg body weight
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

thifensulfuron-methyl (ISO):

Species : Rat
LOAEL : ca. 200 mg/kg
Exposure time : 90 d
Target Organs : No specific target organs noted
Symptoms : Reduced body weight

sodium carbonate:

Species : Rat, male and female
NOAEL : > 0.01 mg/kg
Application Route : inhalation (dust/mist/fume)
Test atmosphere : dust/mist

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Further information

Product:

Remarks : Information presented in section 11 conforms to the requirements of the Hazardous Products Regulations (HPR) and WHMIS 2015. See Section 15 for applicable information conforming to the requirements of the Pest Management Regulatory Agency (PMRA).

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Lemna gibba (duckweed)): 0.00130 mg/l
Exposure time: 14 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
Remarks: Information source: Internal study report

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

thifensulfuron-methyl (ISO):

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 470 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|----------------|------------------------------|-------------------------|--|
| Version 1.1 | Revision Date: 12/04/2023 | SDS Number: 50001031 | Date of last issue: - Date of first issue: 03/01/2018 |
|----------------|------------------------------|-------------------------|--|

| | |
|--|---|
| aquatic invertebrates | Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : IC50 (green algae): 0.0159 mg/l Exposure time: 72 h ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l Exposure time: 72 h EC50 (Lemna minor (duckweed)): 1.3 µg/l |
| Toxicity to fish (Chronic toxicity) | : NOEC (Salmo gairdneri): 250 mg/l Exposure time: 28 d NOEC (Oncorhynchus mykiss (rainbow trout)): 10.6 mg/l Exposure time: 21 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d |
| Toxicity to soil dwelling organisms | : LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg |
| Toxicity to terrestrial organisms | : LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm Remarks: Dietary LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm LD50 (Apis mellifera (bees)): > 7.1 µg/bee End point: Acute oral toxicity LD50 (Apis mellifera (bees)): > 100 µg/bee End point: Acute contact toxicity |

Ecotoxicology Assessment

| | |
|--------------------------|---|
| Acute aquatic toxicity | : Very toxic to aquatic life. |
| Chronic aquatic toxicity | : Very toxic to aquatic life with long lasting effects. |

sodium carbonate:

| | |
|---|--|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l Exposure time: 96 h Test Type: static test |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Ceriodaphnia (water flea)): 200 mg/l Exposure time: 48 h Test Type: semi-static test |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Persistence and degradability

Components:

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1
Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

thifensulfuron-methyl (ISO):

Distribution among environmental compartments : Koc: 28.3, log Koc: 1.45
Remarks: Highly mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : Environmental hazards
Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.
Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
Do not apply where/when conditions favour runoff.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|---|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | | |
|---------------------------|---|---|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl) |
| Class | : | 9 |
| Subsidiary risk | : | ENVIRONM. |
| Packing group | : | III |
| Labels | : | 9 (ENVIRONM.) |
| Environmentally hazardous | : | yes |

IATA-DGR

- | | | |
|--|---|---|
| UN/ID No. | : | UN 3077 |
| Proper shipping name | : | Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 956 |
| Packing instruction (passenger aircraft) | : | 956 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|---|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

| | |
|-------|---|
| TCSI | : Not in compliance with the inventory |
| TSCA | : Product contains substance(s) not listed on TSCA inventory. |
| AIIC | : Not in compliance with the inventory |
| DSL | : This product contains the following components that are not on the Canadian DSL nor NDSL. METHYL 3-[[[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL)CARBAMOYL]SULFAMOYL]THIOPHENE-2-CARBOXYLATE Lactose monohydrate |
| ENCS | : Not in compliance with the inventory |
| ISHL | : Not in compliance with the inventory |
| KECI | : Not in compliance with the inventory |
| PICCS | : Not in compliance with the inventory |
| IECSC | : Not in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |
| TECI | : Not in compliance with the inventory |

Canadian lists

No substances are subject to a Significant New Activity Notification.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINNACLE® SG Toss-N-Go® Herbicide

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.1 | 12/04/2023 | 50001031 | Date of first issue: 03/01/2018 |

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet