According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name GALBEN M 73 WP

Other means of identification

Product code 50001306

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Fungicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com (E-Mail General Infor-

mation)

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: 45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version **Revision Date:** SDS Number: Date of last issue: -

15.07.2022 50001306 Date of first issue: 15.07.2022 1.0

Reproductive toxicity, Category 1B H360D: May damage the unborn child.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





H400: Very toxic to aquatic life.

Signal word Danger

Hazard statements H317 May cause an allergic skin reaction.

> Suspected of causing cancer. H351 H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Prevention: Precautionary statements

> P201 Obtain special instructions before use.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

Hazardous components which must be listed on the label:

mancozeb (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mancozeb (ISO)	8018-01-7	Skin Sens. 1; H317 Carc. 2; H351 Repr. 1B; H360D STOT RE 2; H373 (Nervous system, Thyroid) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 50 - < 70
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
benalaxyl (ISO)	71626-11-4 275-728-7 616-104-00-X	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 1 - < 2,5
Substances with a workplace exposure limit :			

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

kaolin | 1332-58-7 | >= 10 - < 20 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Suspected of causing cancer. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

Sulphur oxides

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m3	DK OEL
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
Further information	Carcinogens or mutagens			
silica gel	112926-00- 8	GV (total)	0,3 mg/m3 (Silica)	DK OEL
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL
Further information	Means that th carcinogenic.	e substance is inclu	ded in the list of substances	considered

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
mancozeb (ISO)	Water	0,000146 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : light yellow

Odour : slight, characteristic

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flammability : Not highly flammable, ignitable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Flash point : not determined

Decomposition temperature : not determined

pH : 6 - 7,5

In a 1% aqueous dispersion

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : 0,427

Relative vapour density : not determined

Particle characteristics

Particle size : not determined

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Self-ignition : 155 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 4.700 mg/kg

Remarks: Information given is based on data obtained from

similar product.

Acute inhalation toxicity : LC50 (Rat): > 5,148 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 (Rat): > 4.000 mg/kg

Remarks: Information given is based on data obtained from

similar product.

Components:

mancozeb (ISO):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

benalaxyl (ISO):

Acute oral toxicity : LD50 (Rat): 4.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Remarks: no mortality

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5,07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant

Remarks : Based on data from a similar product.

Remarks : May cause skin irritation and/or dermatitis.

Components:

mancozeb (ISO):

Assessment : No skin irritation

benalaxyl (ISO):

Species : Rabbit

Assessment : No skin irritation

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Species : Rabbit

Result : No skin irritation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

mancozeb (ISO):

Assessment : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

benalaxyl (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Moderate eye irritation

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment : May cause sensitisation by skin contact. Remarks : Based on data from a similar product.

Remarks : Causes sensitisation.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Components:

mancozeb (ISO):

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

benalaxyl (ISO):

Exposure routes : Skin contact Species : Guinea pig

Result : Not a skin sensitizer.

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child.

Components:

mancozeb (ISO):

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments. Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

benalaxyl (ISO):

Effects on fertility : Remarks: No data available

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

benalaxyl (ISO):

Remarks : No data available

kaolin:

Remarks : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,81 mg/l

Exposure time: 96 h

Remarks: Information given is based on data obtained from

similar product.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,26 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar product.

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 10,6 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar product.

NOEC (Selenastrum capricornutum (green algae)): 2,0 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar product.

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,12 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: Information given is based on data obtained from

similar product.

Toxicity to daphnia and other : NOEC: 0,0332 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version **Revision Date:** SDS Number: Date of last issue: -

15.07.2022 50001306 Date of first issue: 15.07.2022 1.0

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 23 d

Species: Daphnia magna (Water flea)

Remarks: Information given is based on data obtained from

similar product.

Toxicity to terrestrial organ-

isms

LD50: > 5.000 mg/kg

Species: Coturnix japonica (Japanese quail)

Remarks: Information given is based on data obtained from

similar product.

LD50: > 255 µg/bee Exposure time: 72 h

Species: Apis mellifera (bees)

Remarks: Information given is based on data obtained from

similar product.

Components:

mancozeb (ISO):

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1 mg/l Toxicity to fish

Exposure time: 48 h

LC50 (Cyprinus carpio (Carp)): 2,57 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,074 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 0,01 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): 0,073 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0073 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to terrestrial organ-

isms

0,1868 mg/kg Exposure time: 24 h

Species: Apis mellifera (bees)

0,1652 mg/kg Exposure time: 48 h

Species: Apis mellifera (bees)

0,1406 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Exposure time: 72 h

Species: Apis mellifera (bees)

benalaxyl (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,94 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 6 mg/l

Exposure time: 96 h

LC50 (Salmo trutta (brown trout)): 3,75 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,59 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): 2,4 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

. 1

M-Factor (Chronic aquatic

toxicity)

: 1

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

mancozeb (ISO):

Biodegradability : Result: Readily biodegradable.

benalaxyl (ISO):

Biodegradability : Remarks: Primary degradation half-lives are usually several

months in aerobic soil and water.

Not readily biodegradable.

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 20 - 70 %

Exposure time: 28 d

Method: OECD Test Guideline 302B

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

mancozeb (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version **Revision Date:** SDS Number: Date of last issue: -

15.07.2022 50001306 Date of first issue: 15.07.2022 1.0

benalaxyl (ISO):

Bioaccumulation Remarks: The product may be accumulated in organisms.

Partition coefficient: n-

octanol/water

log Pow: 3,54

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

kaolin:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Medium: Soil

Remarks: No data is available on the product itself.

Components:

mancozeb (ISO):

Distribution among environ- : Medium: Soil

mental compartments

Remarks: Moderately mobile in soils

benalaxyl (ISO):

Distribution among environ:

mental compartments

Medium: Soil

Remarks: immobile

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

The substance/mixture does not contain components consid-Assessment

ered to have endocrine disrupting properties according to

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Waste, residues, etc. must be collected, stored and disposed of in tightly closed container labeled: "Contains a substance that is covered by the Danish health and safety regulation in

terms of cancer risk."

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mancozeb, Benalaxyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

N.O.S.

(Mancozeb, Benalaxyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mancozeb, Benalaxyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(Mancozeb, Benalaxyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Mancozeb, Benalaxyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version **Revision Date:** SDS Number: Date of last issue: -

15.07.2022 50001306 Date of first issue: 15.07.2022 1.0

IATA (Passenger)

Packing instruction (passen-956

ger aircraft)

Packing instruction (LQ) Y956 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous yes

ADR

Environmentally hazardous yes

RID

Environmentally hazardous yes

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Not applicable

Regulation (EC) No 649/2012 of the European Parlia-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

E1

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

: mancozeb (ISO) titanium dioxide

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

benalaxyl (ISO) mancozeb (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H351 : Suspected of causing cancer.
H360D : May damage the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GALBEN M 73 WP

Version Revision Date: SDS Number: Date of last issue: -

1.0 15.07.2022 50001306 Date of first issue: 15.07.2022

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Skin Sens. 1	H317	Based on product data or assessment
Carc. 2	H351	Calculation method
Repr. 1B	H360D	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

DK / 6N