

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

**Other means of identification**

**Product code** 50000695

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Fungicide

**Recommended restrictions on use** : Use as recommended by the label.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address**

FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

#### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
---------------	---------	----------------	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0      Revision Date: 17.04.2024      SDS Number: 50000695      Date of last issue: -  
Date of first issue: 17.04.2024

	EC-No. Index-No. Registration number		(% w/w)
thiabendazole (ISO)	148-79-8 205-725-8 613-054-00-0	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 1 - < 2,5$
Flutriafol	76674-21-0	Acute Tox. 4; H302 Aquatic Chronic 2; H411	$\geq 1 - < 2,5$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10  specific concentration limit Skin Sens. 1; H317 $\geq 0,05 \%$  Acute toxicity esti- mate  Acute oral toxicity: 500,0 mg/kg 490 mg/kg	$\geq 0,025 - < 0,05$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

- |                            |   |
|----------------------------|---|
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |  |
|----------|--|
| Symptoms | : Contains a triazole. Symptoms may include nausea, vomiting, diarrhea, visual changes, hallucinations, rash, itching, and alopecia. |
|----------|--|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |
|-----------|---|
| Treatment | : Treat symptomatically.<br>Immediate medical attention is required in case of ingestion. |
|-----------|---|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Dry chemical, CO2, water spray or regular foam.                  |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

---

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products         | : | Fire may produce irritating, corrosive and/or toxic gases.<br>Carbon oxides<br>Hydrogen fluoride<br>Nitrogen oxides (NO <sub>x</sub> )<br>Fluorinated compounds<br>Hydrogen cyanide |

### 5.3 Advice for firefighters

- |   |   |   |
|---|---|---|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.  |
| Further information                           | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- |                      |   |   |
|----------------------|---|---|
| Personal precautions | : | Use personal protective equipment.<br>If it can be safely done, stop the leak.<br>Keep people away from and upwind of spill/leak.<br>Remove all sources of ignition.<br>Immediately evacuate personnel to safe areas.<br>Ensure adequate ventilation.<br>Never return spills in original containers for re-use.<br>Mark the contaminated area with signs and prevent access to unauthorized personnel.<br>Only qualified personnel equipped with suitable protective equipment may intervene. |
|----------------------|---|---|

### 6.2 Environmental precautions

- |                           |   |   |
|---------------------------|---|---|
| Environmental precautions | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|---|

### 6.3 Methods and material for containment and cleaning up

- |                         |   |   |
|-------------------------|---|---|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |
|-------------------------|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Advice on safe handling                         | : | Do not breathe vapours/dust.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection.   |
| Hygiene measures                                | : | Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.   |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.   |
| Further information on storage conditions     | : | Protect against strong heat, frost and excessive sunlight.<br>Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available. |
| Recommended storage temperature               | : | < 25 °C   |
| Further information on storage stability      | : | No decomposition if stored and applied as directed.   |

### 7.3 Specific end use(s)

- |                 |   |   |
|-----------------|---|---|
| Specific use(s) | : | Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities. |
|-----------------|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
1,2-benzisothiazol-3(2H)-one	Marine sediment	57,2 mg/kg
	Soil	50 mg/kg
	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

#### 8.2 Exposure controls

##### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

##### Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke.  In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: suspension
Colour	: red
Odour	: odourless
Melting point/freezing point	: < 0 °C
Boiling point/boiling range	: > 100 °C
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: > 102 °C Method: Pensky-Martens closed cup



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

Auto-ignition temperature	:	> 400 °C
Decomposition temperature	:	No data available
pH	:	7,4 (25 °C) Concentration: 1 %  7,5 (25 °C) (undiluted)
Viscosity		
Viscosity, dynamic	:	900 - 1.200 mPa.s Non-newtonian fluid: viscosity is dependent on shear rate.
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Density	:	1,040 g/l
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Flammability (liquids)	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Heating of the mixture may evolve harmful and irritant vapours.

#### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

#### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from a similar product.

##### Components:

##### **thiabendazole (ISO):**

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhala-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

tion toxicity  
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

### Flutriafol:

Acute oral toxicity : LD50 (Rat, male): 1.140 mg/kg

LD50 (Rat, female): 1.480 mg/kg

LD50 (Rat, female): 300 - 2.000 mg/kg

Method: OECD Test Guideline 423

Target Organs: Liver, Gastrointestinal tract

Symptoms: Fatality

Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg  
Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Result : No skin irritation

Remarks : Based on data from a similar product.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### Components:

#### **thiabendazole (ISO):**

Species	:	Rabbit
Assessment	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

#### **Flutriafol:**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

#### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### Product:

Result	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from a similar product.

### Components:

#### **thiabendazole (ISO):**

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

#### **Flutriafol:**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation
GLP	:	yes

#### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Bovine cornea
---------	---	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Result	:	Not a skin sensitizer.
Remarks	:	Based on data from a similar product.

#### Components:

##### thiabendazole (ISO):

Species	:	Guinea pig
Method	:	Maximisation Test
Result	:	Does not cause skin sensitisation.

##### Flutriafol:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 406

##### 1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

---

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Components:

#### thiabendazole (ISO):

Germ cell mutagenicity- Assessment : No genotoxic potential

#### Flutriafol:

Genotoxicity in vivo : Test Type: dominant lethal test  
Method: OECD Test Guideline 478  
Result: negative

#### 1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### Components:

#### **thiabendazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Flutriafol:**

Species : Mouse  
Exposure time : 2 Years  
NOAEL : 1,2 mg/kg bw/day  
Result : negative

Species : Rat  
Exposure time : 2 Years  
NOAEL : 1 mg/kg bw/day  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Components:

#### **thiabendazole (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **Flutriafol:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Method: OECD Test Guideline 414  
Result: negative

#### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for repro-





# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

#### Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Neurological effects

#### Components:

#### Flutriafol:

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks : To our knowledge, adverse effects in humans have not been reported. When fed to animals at high dosage, similar compounds caused salivation, depression of activity, muscle spasms, ataxia and increased body temperature.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from a similar product.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 22,8 mg/l  
Exposure time: 48 h  
Remarks: Based on data from a similar product.

Toxicity to algae/aquatic plants : IC50 (Desmodesmus subspicatus (green algae)): 62,65 mg/l  
Exposure time: 72 h  
Remarks: Based on data from a similar product.

### Components:

#### **thiabendazole (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,55 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,81 mg/l  
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0,34 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 14,7 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,53 mg/l  
End point: Growth rate  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,012 mg/l  
Exposure time: 69 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,041 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

#### **Flutriafol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 33 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 67 mg/l<br>End point: Immobilization<br>Exposure time: 48 h<br>Test Type: static test<br>Method: OECD Test Guideline 202<br>GLP: yes  |
| Toxicity to algae/aquatic plants                                       | : | IC50 (Selenastrum capricornutum (green algae)): 12 mg/l<br>Exposure time: 96 h<br><br>IC50 (Scenedesmus subspicatus): 1,9 mg/l<br>Exposure time: 72 h<br><br>EbC50 (Lemna gibba (duckweed)): 0,65 mg/l<br>Exposure time: 7 d   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: 4,8 mg/l<br>Exposure time: 28 d<br>Species: Lepomis macrochirus (Bluegill sunfish)   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,31 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)  |
| Toxicity to soil dwelling organisms                                    | : | NOEC:<br>0.01 mg/cm <sup>2</sup><br>Exposure time: 180 d<br>Species: Eisenia fetida (earthworms)   |
| Toxicity to terrestrial organisms                                      | : | LD50: > 144 µg/bee<br>End point: Acute oral toxicity<br>Species: Apis mellifera (bees)<br>Method: OECD Test Guideline 213<br>GLP:yes<br><br>LD50: > 150 µg/bee<br>End point: Acute contact toxicity<br>Species: Apis mellifera (bees)<br>Method: OECD Test Guideline 214<br>GLP:yes<br><br>LD50: > 5.000 mg/kg<br>Species: Anas platyrhynchos (Mallard duck) |
- 1,2-benzisothiazol-3(2H)-one:**
- |                  |   |  |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l<br>Exposure time: 96 h |
|------------------|---|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **thiabendazole (ISO):**

Biodegradability : Remarks: Not readily biodegradable.

##### **Flutriafol:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

---

### 1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

#### Components:

##### **thiabendazole (ISO):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,39 (20 °C)  
pH: 7

##### **Flutriafol:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 7  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,29

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
  
log Pow: 0,99 (20 °C)  
pH: 5

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### Components:

#### **thiabendazole (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil

#### **Flutriafol:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

#### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

### Components:

#### **Flutriafol:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |
|------------------------|---|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                    |
| Contaminated packaging | : Empty remaining contents.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- |      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

#### 14.2 UN proper shipping name

- |      |   |
|------|---|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(thiabendazol, Flutriafol) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(thiabendazol, Flutriafol) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(thiabendazol, Flutriafol) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(thiabendazol, Flutriafol) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.<br>(thiabendazol, Flutriafol) |

#### 14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

<b>IATA (Passenger)</b>	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

### 14.5 Environmental hazards

<b>ADN</b>	
Environmentally hazardous	: yes

<b>ADR</b>	
Environmentally hazardous	: yes



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version 1.0	Revision Date: 17.04.2024	SDS Number: 50000695	Date of last issue: - Date of first issue: 17.04.2024
----------------	------------------------------	-------------------------	--

pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  Flutriafol mixture of polyorganosiloxanes and fillers thiabendazole (ISO) Alcohols, C13-15, branched and linear, ethoxylated
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 2

H411

#### Classification procedure:

Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the speci-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FLUTRIAFOL 25 g/l + THIABENDAZOLE 25 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.04.2024	50000695	Date of first issue: 17.04.2024

---

fied product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N