

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### 1. IDENTIFICATION

Product name : Preza® 10 OD

#### Manufacturer or supplier's details

Company : FMC CORPORATION

Address : 2929 WALNUT STREET  
PHILADELPHIA, PA 19104 USA  
(215) 299-6000 (INFORMACIÓN GENERAL)

E-mail address : SDS-Info@fmc.com

Emergency telephone : +506-40003869  
911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;  
800-INTOXICA  
Dominican Republic: DOMINICAN REPUBLIC - Center for  
Drug Information and Poisoning - (809) 562-6601 Ext. 1801  
El Salvador - Rosales National Hospital - (503) 2231-9262  
Guatemala - Center of Toxicological Information and Assis-  
tance - (502) 2251-3560 / 2232-0735  
Honduras - Hospital School - (504) 232-6105  
Nicaragua - National Center of Toxicology - (505) 2289-4700  
ext. 1294 cel. 8755-0983  
Panama Center of Research and Information on Medications  
and Toxicology (507) 523-4948

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version 1.0      Revision Date: 28.02.2025      SDS Number: 50000912      Date of last issue: -  
Date of first issue: 28.02.2025

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name                       | CAS-No.     | Concentration (% w/w) |
|-------------------------------------|-------------|-----------------------|
| calcium dodecylbenzenesulphonate    | 26264-06-2  | >= 10 - < 20          |
| Cyantraniliprole                    | 736994-63-1 | >= 10 - < 20          |
| 2-ethylhexan-1-ol                   | 104-76-7    | >= 2,5 - < 10         |
| Polyoxyethylene sorbitol hexaoleate | 57171-56-9  | >= 2,5 - < 10         |
| Fatty acids, C6-10, Me esters       | 68937-83-7  | >= 1 - < 10           |
| methanol                            | 67-56-1     | >= 0,1 - < 1          |

## 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>28.02.2025 | SDS Number:<br>50000912 | Date of last issue: -<br>Date of first issue: 28.02.2025 |
|----------------|------------------------------|-------------------------|--|

---

- |   |  |
|---|--|
| If inhaled  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.  |
| In case of skin contact                                     | : Take off all contaminated clothing immediately.<br>Wash off with soap and water.<br>Wash contaminated clothing before re-use.<br>Get medical attention immediately if irritation develops and persists.  |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.  |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction.<br>Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.   |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection and use the recommended protective clothing<br>Avoid inhalation, ingestion and contact with skin and eyes.<br>If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician  | : Treat symptomatically.   |

---

### 5. FIRE-FIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Dry chemical, CO <sub>2</sub> , water spray or regular foam.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media        | : Do not spread spilled material with high-pressure water streams.  |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products         | : Fire may produce irritating, corrosive and/or toxic gases.<br>Carbon oxides<br>Sulfur oxides<br>Chlorine compounds  |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Hydrogen cyanide

- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the ap-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

plication area.

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.  
Protect from frost and extreme heat.  
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components        | CAS-No.  | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------|----------|----------------------------------|--|-------|
| 2-ethylhexan-1-ol | 104-76-7 | TWA                              | 5 ppm  | ACGIH |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

Version 1.0      Revision Date: 28.02.2025      SDS Number: 50000912      Date of last issue: -  
Date of first issue: 28.02.2025

|          |         |      |         |       |
|----------|---------|------|---------|-------|
| methanol | 67-56-1 | TWA  | 200 ppm | ACGIH |
|          |         | STEL | 250 ppm | ACGIH |

### Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sam-pling time   | Permissible concentra-tion | Basis     |
|------------|---------|--------------------|---------------------|--|----------------------------|-----------|
| methanol   | 67-56-1 | Methanol           | Urine               | End of shift (As soon as possible after exposure ceases) | 15 mg/l                    | ACGIH BEI |

### Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Do not inhale aerosol.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.  
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>28.02.2025 | SDS Number:<br>50000912 | Date of last issue: -<br>Date of first issue: 28.02.2025 |
|----------------|------------------------------|-------------------------|--|

---

|  |   |
|--|---|
| Physical state                                   | : liquid  |
| Form   | : dispersion  |
| Color  | : off-white   |
| Odor   | : mild, oily  |
| Odor Threshold                                   | : No data available                                     |
| pH   | : 5,1<br>Concentration: 10 g/l 1 %<br>(as a dispersion) |
| Melting point/freezing point                     | : not determined  |
| Boiling point/boiling range                      | : 99 °C   |
| Flash point                                      | : > 99 °C<br>Method: closed cup                         |
| Evaporation rate                                 | : No data available                                     |
| Flammability (liquids)                           | : Not classified as a flammability hazard               |
| Self-ignition                                    | : 254 °C  |
| Upper explosion limit / Upper flammability limit | : not determined  |
| Lower explosion limit / Lower flammability limit | : not determined  |
| Relative vapor density                           | : Not available for this mixture.                       |
| Relative density                                 | : 0,978   |
| Density  | : No data available                                     |
| Bulk density                                     | : 0,9 - 1,1 g/cm3                                       |
| Solubility(ies)                                  |   |
| Water solubility                                 | : No data available                                     |
| Solubility in other solvents                     | : No data available                                     |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : not determined

### Viscosity

Viscosity, dynamic : 345 mPa.s  
25 rpm

257 mPa.s  
50 rpm

200 mPa.s  
100 rpm

Viscosity, kinematic : 353 mm<sup>2</sup>/s  
25 rpm

204 mm<sup>2</sup>/s  
100 rpm

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : Not applicable

## 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.  
Avoid extreme temperatures.  
Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>28.02.2025 | SDS Number:<br>50000912 | Date of last issue: -<br>Date of first issue: 28.02.2025 |
|----------------|------------------------------|-------------------------|--|

Hazardous decomposition products : Stable under recommended storage conditions.  
No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

|                           |   |
|---------------------------|---|
| Acute oral toxicity       | : LD50(Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Assessment: The substance or mixture has no acute oral toxicity  |
| Acute inhalation toxicity | : LC50(Rat): > 5,2 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>GLP: yes<br>Assessment: The substance or mixture has no acute inhalation toxicity<br><br>Acute toxicity estimate: > 40 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br>Method: Calculation method |
| Acute dermal toxicity     | : LD50(Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: yes<br>Assessment: The substance or mixture has no acute dermal toxicity  |

#### Components:

##### calcium dodecylbenzenesulphonate:

|                           |   |
|---------------------------|---|
| Acute oral toxicity       | : LD50 (Rat, male and female): 1.300 mg/kg<br>Remarks: Based on data from similar materials   |
| Acute inhalation toxicity | : Remarks: Not classified   |
| Acute dermal toxicity     | : LD50 (Rat, male and female): > 2000 milligram per kilogram<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity<br>Remarks: Based on data from similar materials |

##### Cyantraniliprole:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### 2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Polyoxyethylene sorbitol hexaoleate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### methanol:

Acute oral toxicity : LD50 (Rat): 1.187 mg/kg

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

|                           |  |
|---------------------------|--|
|                           | Acute toxicity estimate (Humans): 100 mg/kg<br>Method: Expert judgment   |
| Acute inhalation toxicity | : LC50 (Rat, female): 82,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br><br>LC50 (Rat, male): 92,6 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br><br>Acute toxicity estimate: 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br>Method: Expert judgment |
| Acute dermal toxicity     | : LD50 (Rabbit): 17.100 mg/kg<br><br>Acute toxicity estimate: 300 mg/kg<br>Method: Expert judgment   |

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

|            |                           |
|------------|---------------------------|
| Species    | : Rabbit                  |
| Assessment | : No skin irritation      |
| Method     | : OECD Test Guideline 404 |
| Result     | : No skin irritation      |
| GLP        | : yes                     |

#### Components:

##### **calcium dodecylbenzenesulphonate:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : Skin irritation         |

##### **Cyantraniliprole:**

|            |                           |
|------------|---------------------------|
| Species    | : Rabbit                  |
| Assessment | : No skin irritation      |
| Method     | : OECD Test Guideline 404 |
| Result     | : No skin irritation      |
| GLP        | : yes                     |

##### **2-ethylhexan-1-ol:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Result : Skin irritation

### **Polyoxyethylene sorbitol hexaoleate:**

Species : Rabbit  
Result : No skin irritation

### **Fatty acids, C6-10, Me esters:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **methanol:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

#### **Cyantraniliprole:**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 405  
Result : slight irritation  
GLP : yes

#### **2-ethylhexan-1-ol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### Polyoxyethylene sorbitol hexaoleate:

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

### Fatty acids, C6-10, Me esters:

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 405 |
| Result  | : slight irritation       |

### methanol:

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

### Product:

|         |  |
|---------|--|
| Species | : multiple species                         |
| Method  | : OECD Test Guideline 406                  |
| Result  | : May cause sensitization by skin contact. |

|            |  |
|------------|--|
| Test Type  | : Local lymph node test                    |
| Species    | : mice                                     |
| Assessment | : May cause sensitization by skin contact. |
| Method     | : OECD Test Guideline 429                  |
| Result     | : Causes sensitization.                    |
| GLP        | : yes                                      |

|         |                         |
|---------|-------------------------|
| Remarks | : Causes sensitization. |
|---------|-------------------------|

### Components:

#### calcium dodecylbenzenesulphonate:

|           |  |
|-----------|--|
| Test Type | : Maximization Test                    |
| Species   | : Guinea pig                           |
| Method    | : OECD Test Guideline 406              |
| Result    | : Not a skin sensitizer.               |
| Remarks   | : Based on data from similar materials |

#### Cyantraniliprole:

|                    |                         |
|--------------------|-------------------------|
| Test Type          | : Local lymph node test |
| Routes of exposure | : Dermal                |
| Species            | : Mouse                 |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Method : OECD Test Guideline 429  
Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Buehler Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Magnusson-Kligman test  
Routes of exposure : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Causes skin sensitization.  
GLP : yes  
Remarks : see user defined free text

### Polyoxyethylene sorbitol hexaoleate:

Test Type : Human repeat insult patch test (HRIPT)  
Species : Humans  
Result : negative

### Fatty acids, C6-10, Me esters:

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : Not a skin sensitizer.

### methanol:

Test Type : Maximization Test  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Product:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

### Components:

#### **calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Cyantraniliprole:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: reverse mutation assay  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### 2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Fatty acids, C6-10, Me esters:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### methanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster fibroblasts  
Result: negative

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### **Components:**

#### **calcium dodecylbenzenesulphonate:**

|                   |  |
|-------------------|--|
| Species           | : Rat, male and female                 |
| Application Route | : Oral                                 |
| Exposure time     | : 720 d                                |
| NOAEL             | : 250 mg/kg body weight                |
| Result            | : negative                             |
| Remarks           | : Based on data from similar materials |

|                              |  |
|------------------------------|--|
| Carcinogenicity - Assessment | : Weight of evidence does not support classification as a carcinogen |
|------------------------------|--|

#### **Cyantraniliprole:**

|                   |                           |
|-------------------|---------------------------|
| Species           | : Rat, male and female    |
| Application Route | : Ingestion               |
| Exposure time     | : 2 Years                 |
| NOAEL             | : 200 - 2.000 ppm         |
| Method            | : OECD Test Guideline 453 |
| Result            | : negative                |

|                   |                           |
|-------------------|---------------------------|
| Species           | : Mouse, male and female  |
| Application Route | : Ingestion               |
| Exposure time     | : 18 month(s)             |
| NOAEL             | : 7.000 ppm               |
| Method            | : OECD Test Guideline 451 |
| Result            | : negative                |

|                              |  |
|------------------------------|--|
| Carcinogenicity - Assessment | : Weight of evidence does not support classification as a carcinogen |
|------------------------------|--|

#### **2-ethylhexan-1-ol:**

|                   |               |
|-------------------|---------------|
| Species           | : Rat         |
| Application Route | : Oral        |
| Exposure time     | : 24 month(s) |
| Result            | : negative    |

#### **methanol:**

|                   |                          |
|-------------------|--------------------------|
| Species           | : Mouse, male and female |
| Application Route | : inhalation (vapor)     |
| Exposure time     | : 18 month(s)            |
| NOAEC             | : 1,3 mg/l               |
| Result            | : negative               |

|                   |                        |
|-------------------|------------------------|
| Species           | : Rat, male and female |
| Application Route | : inhalation (vapor)   |
| Exposure time     | : 2 Years              |
| NOAEC             | : 1,3 mg/l             |
| Result            | : negative             |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

#### Components:

##### **calcium dodecylbenzenesulphonate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 400 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **Cyantraniliprole:**

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day  
Symptoms: Maternal effects.  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **2-ethylhexan-1-ol:**

Effects on fetal development : Test Type: Embryo-fetal development

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: negative

### **methanol:**

Effects on fertility : Test Type: one-generation reproductive toxicity  
Species: Monkey, female  
Application Route: inhalation (vapor)  
General Toxicity F1: NOAEC: 2,39 mg/l  
Result: negative

Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: inhalation (vapor)  
General Toxicity F1: LOAEC: 1,3 mg/l  
General Toxicity F2: LOAEC: 1,3 mg/l  
Result: negative

Effects on fetal development : Test Type: Pre-natal  
Species: Mouse  
Application Route: inhalation (vapor)  
Developmental Toxicity: NOAEC: 6,65 mg/L  
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

Test Type: Pre-natal  
Species: Rat  
Application Route: inhalation (vapor)  
Developmental Toxicity: NOAEC: 1,33 mg/L  
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **Components:**

#### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **2-ethylhexan-1-ol:**

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### methanol:

|               |   |  |
|---------------|---|--|
| Target Organs | : | Central nervous system, Eyes   |
| Assessment    | : | The substance or mixture is classified as specific target organ toxicant, single exposure, category 1. |

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Product:

|            |   |  |
|------------|---|--|
| Assessment | : | The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
|------------|---|--|

### Components:

#### Cyantraniliprole:

|            |   |  |
|------------|---|--|
| Assessment | : | The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
|------------|---|--|

### Repeated dose toxicity

### Components:

#### calcium dodecylbenzenesulphonate:

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat, male and female                 |
| NOAEL             | : | 85 mg/kg                             |
| LOAEL             | : | 145 mg/kg                            |
| Application Route | : | Oral                                 |
| Exposure time     | : | 9 Months                             |
| Remarks           | : | Based on data from similar materials |

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat, male                            |
| LOAEL             | : | 286 mg/kg                            |
| Application Route | : | Skin contact                         |
| Exposure time     | : | 15 Days                              |
| Remarks           | : | Based on data from similar materials |

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat, male and female                 |
| NOAEL             | : | 100 mg/kg bw/day                     |
| LOAEL             | : | 200 mg/kg bw/day                     |
| Application Route | : | Oral - gavage                        |
| Exposure time     | : | 28 - 54 Days                         |
| Method            | : | OECD Test Guideline 422              |
| Remarks           | : | Based on data from similar materials |

#### Cyantraniliprole:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | > 1.000 mg/kg           |
| Application Route | : | Oral                    |
| Exposure time     | : | 28 Days                 |
| Method            | : | OECD Test Guideline 407 |
| Symptoms          | : | increased liver weight  |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female  
NOAEL : 6,9 - 168 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 1091,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 3,08 - 3,48 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3150  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 8,3 - 106,6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 2 yr  
Method : OPPTS 870.4300  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 768,8 - 903,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 18 Months  
Method : OPPTS 870.4200  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 5,67 - 6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 1 yr  
Method : OPPTS 870.4100  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes  
Symptoms : Irritation  
Remarks : Effects are of limited toxicological significance.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### 2-ethylhexan-1-ol:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
|                   | : | 250 mg/kg               |
| Application Route | : | Oral                    |
| Exposure time     | : | 13 Weeks                |
| Method            | : | OECD Test Guideline 408 |

### methanol:

|                   |   |             |
|-------------------|---|-------------|
| Species           | : | Monkey      |
| LOAEL             | : | 2.340 mg/kg |
| Application Route | : | Ingestion   |
| Exposure time     | : | 3 days      |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat  |
| NOEC              | : | 0,13 mg/l  |
| LOAEL             | : | 1,3 mg/l   |
| Application Route | : | inhalation (vapor)                                 |
| Exposure time     | : | 12 months  |
| Remarks           | : | No toxicologically significant effects were found. |

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

No aspiration toxicity classification

#### Components:

##### Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

### Experience with human exposure

#### Components:

##### methanol:

|           |   |                                  |
|-----------|---|----------------------------------|
| Ingestion | : | Target Organs: Eyes              |
|           | : | Remarks: Based on Human Evidence |

### Neurological effects

#### Components:

##### Cyantraniliprole:

No neurotoxicity observed in animal studies.

### Further information

#### Product:

|         |   |                   |
|---------|---|-------------------|
| Remarks | : | No data available |
|---------|---|-------------------|

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,215 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- EC50 (Daphnia magna (Water flea)): 0,00947 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- EC50 (Daphnia magna (Water flea)): 20,4 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 63,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Species: worms
- Toxicity to terrestrial organisms : LD50: 3.79 µg/bee  
Exposure time: 72 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)
- LD50: 6.31 µg/bee  
Exposure time: 96 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)
- NOEC: 2.250 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Method: US EPA Test Guideline OPP 71-1
- LD50: > 2.250 mg/kg  
End point: Acute oral toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Species: *Colinus virginianus* (Bobwhite quail)  
Method: US EPA Test Guideline OPP 71-1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.  
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC ( *Pseudokirchneriella subcapitata* (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC50 ( *Pseudokirchneriella subcapitata* (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: Based on data from similar materials

Toxicity to soil dwelling or- : LC50: 1.000 mg/kg



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

ganisms

Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)  
Method: OECD Test Guideline 223

### Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h  
Method: US EPA Test Guideline OPP 72-1  
GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0204 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 13 mg/l  
Exposure time: 72 h

ErC50 ( Lemna gibba (duckweed)): 0,278 mg/l  
Exposure time: 7 d

EyC50 ( Lemna gibba (duckweed)): 0,060 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l  
Exposure time: 28 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 1,01 mg/l  
Exposure time: 90 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: Early Life-Stage  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
End point: Growth  
Exposure time: 21 d

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

Species: *Daphnia magna* (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

LOEC: 0,00969 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

NOEC: 0,72 mg/l  
End point: reproduction  
Exposure time: 35 d  
Species: *Americamysis bahia* (mysid shrimp)  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg  
Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 222  
GLP: yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 0,0934 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Method: OECD Test Guideline 214  
GLP: yes

LD50: > 0,1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Method: OECD Test Guideline 213

GLP: yes

LD50: > 2.250 mg/kg

End point: Acute oral toxicity

Species: *Colinus virginianus*

Method: US EPA Test Guideline OPPTS 850.2100

GLP: yes

NOEC: 1.000 ppm

End point: Reproduction Test

Species: *Anas platyrhynchos* (Mallard duck)

Method: OECD Test Guideline 206

GLP: yes

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (*Desmodesmus subspicatus* (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 (*Desmodesmus subspicatus* (green algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (*Anabaena flos-aquae* (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

### Polyoxyethylene sorbitol hexaoleate:

Toxicity to algae/aquatic plants : EbC50 (*Skeletonema costatum* (Diatom)): 20 mg/l  
Exposure time: 72 h

ErC50 (*Skeletonema costatum* (Diatom)): 98 mg/l  
Exposure time: 72 h

### Fatty acids, C6-10, Me esters:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 95 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Gammarus fasciatus* (freshwater shrimp)): 14,7 mg/l  
Remarks: Based on data from similar materials

### methanol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 15.400 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

|  |   |   |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 18.260 mg/l<br>Exposure time: 96 h                   |
| Toxicity to algae/aquatic plants                                       | : | EC50 ( Selenastrum capricornutum (green algae)): ca. 22.000 mg/l<br>Exposure time: 96 h |
| Toxicity to microorganisms   | : | EC50 (activated sludge): 19.800 mg/l<br>Exposure time: 96 h                             |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: 450 mg/l<br>Exposure time: 28 d<br>Species: Pimephales promelas (fathead minnow)  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 208 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)            |

### Persistence and degradability

#### Product:

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants. |
|------------------|---|---|

#### Components:

##### **calcium dodecylbenzenesulphonate:**

|                  |   |  |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable.<br>Method: OECD Test Guideline 301E |
|------------------|---|--|

##### **Cyantraniliprole:**

|                  |   |                                     |
|------------------|---|-------------------------------------|
| Biodegradability | : | Remarks: Not readily biodegradable. |
|------------------|---|-------------------------------------|

|                    |   |   |
|--------------------|---|---|
| Stability in water | : | Degradation half life (DT50): 9,09 - 37,7 d<br>Remarks: Fresh water |
|--------------------|---|---|

Degradation half life (DT50): 76,6 - 119 d  
Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d  
Remarks: total system

##### **2-ethylhexan-1-ol:**

|                  |   |                                |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: Readily biodegradable. |
|------------------|---|--------------------------------|

##### **Polyoxyethylene sorbitol hexaoleate:**

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Result: Biodegradable<br>Biodegradation: 99 % |
|------------------|---|---|

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

Result: Biodegradable  
Biodegradation: 65 %

### Fatty acids, C6-10, Me esters:

Biodegradability : Result: Readily biodegradable.

### methanol:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

### Components:

#### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

#### Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

#### 2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

#### methanol:

Partition coefficient: n-octanol/water : log Pow: -0,77 (20 °C)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

### Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### Components:

##### **Cyantraniliprole:**

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Kd: 3,73 ml/g  
Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

## 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

### UNRTDG

|                           |  |
|---------------------------|--|
| UN number                 | : UN 3082  |
| Proper shipping name      | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole) |
| Class                     | : 9  |
| Packing group             | : III  |
| Labels                    | : 9  |
| Environmentally hazardous | : yes  |

### IATA-DGR

|  |  |
|--|--|
| UN/ID No.                                | : UN 3082  |
| Proper shipping name                     | : Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole) |
| Class                                    | : 9  |
| Packing group                            | : III  |
| Labels                                   | : Miscellaneous  |
| Packing instruction (cargo aircraft)     | : 964  |
| Packing instruction (passenger aircraft) | : 964  |
| Environmentally hazardous                | : yes  |

### IMDG-Code

|                      |  |
|----------------------|--|
| UN number            | : UN 3082  |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole) |
| Class                | : 9  |
| Packing group        | : III  |
| Labels               | : 9  |
| EmS Code             | : F-A, S-F   |
| Marine pollutant     | : yes  |

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The ingredients of this product are reported in the following inventories:

|      |   |
|------|---|
| TCSI | : On the inventory, or in compliance with the inventory |
|------|---|

|      |   |
|------|---|
| TSCA | : Product contains substance(s) not listed on TSCA inventory. |
|------|---|

**Preza® 10 OD**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |


|       |  |
|-------|--|
| AIIC  | : Not in compliance with the inventory |
| ENCS  | : Not in compliance with the inventory |
| ISHL  | : Not in compliance with the inventory |
| KECI  | : Not in compliance with the inventory |
| PICCS | : Not in compliance with the inventory |
| IECSC | : Not in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |
| TECI  | : Not in compliance with the inventory |

**16. OTHER INFORMATION**

|               |              |
|---------------|--------------|
| Revision Date | : 28.02.2025 |
| Date format   | : dd.mm.yyyy |

**Further information**

**NFPA:**



**HMIS® IV:**

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 2 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

|              |   |
|--------------|---|
| ACGIH        | : USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI    | : ACGIH - Biological Exposure Indices (BEI) |
| ACGIH / TWA  | : 8-hour, time-weighted average             |
| ACGIH / STEL | : Short-term exposure limit                 |



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Preza® 10 OD

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 28.02.2025     | 50000912    | Date of first issue: 28.02.2025 |

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

HN / EN