according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### **SECTION 1. IDENTIFICATION**

Product identifier

Product name PODENTIS™ Insecticide

Other means of identification

Product code 50002934

Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as insecticide only.

**Restrictions on use**Use as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Supplier Address FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

**Emergency telephone** 

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

| Chemical name       | CAS-No.     | Concentration (% w/w) |
|---------------------|-------------|-----------------------|
| Chlorantraniliprole | 500008-45-7 | 18.4                  |
| propane-1,2-diol    | 57-55-6     | >= 1 - < 5            |
| glycerol            | 56-81-5     | >= 1 - < 5            |

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Carbon oxides

Bromine compounds Chlorine compounds Hydrogen cyanide Hydrogen chloride

Fire may produce irritating, corrosive and/or toxic gases.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas.

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

| Components       | CAS-No. | Value type<br>(Form of<br>exposure)    | Control parameters / Permissible concentration | Basis    |
|------------------|---------|--|--|----------|
| propane-1,2-diol | 57-55-6 | TWA                                    | 10 mg/m3                                       | US WEEL  |
| glycerol         | 56-81-5 | TWA (mist, respirable fraction)        | 5 mg/m3  | OSHA Z-1 |
|                  |         | TWA (mist, total dust)                 | 15 mg/m3                                       | OSHA Z-1 |
|                  |         | TWA (Mist -<br>total dust)             | 10 mg/m3                                       | OSHA P0  |
|                  |         | TWA (Mist -<br>respirable<br>fraction) | 5 mg/m3  | OSHA P0  |

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Color : white, to, off-white

Odor : Organic smell

Odor Threshold : No data available

pH : 7.53 (72 °F / 22 °C)

Concentration: 1.5 % Method: CIPAC MT 75 (as aqueous solution)

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.08 g/cm3

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1,100 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50 Oral (Rat, female): > 5,000 mg/kg

Method: OPPTS 870.1100

GLP: yes

Remarks: Based on data from a similar product.

Acute inhalation toxicity : LD50 (Rat): > 5.16 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OPPTS 870.1300

GLP: ves

Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

Method: OPPTS 870.1200

GLP: yes

Remarks: Based on data from a similar product.

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Information source: Internal study report

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l

Exposure time: 2 h
Test atmosphere: vapor

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant
Method : OPPTS 870.2500
Result : slight irritation

GLP : yes

Remarks : Based on data from a similar product.

**Components:** 

**Chlorantraniliprole:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

propane-1,2-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

glycerol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : Slight or no eye irritation

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Assessment : Not classified as irritant Method : OPPTS 870.2400

GLP : yes

Remarks : Based on data from a similar product.

**Components:** 

Chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Information source: Internal study report

propane-1,2-diol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

glycerol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

**Product:** 

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal Species : Mouse

Assessment : Not a skin sensitizer.
Method : OPPTS 870.2600

Result : Did not cause sensitization on laboratory animals.

GLP : yes

Remarks : Based on data from a similar product.

**Components:** 

**Chlorantraniliprole:** 

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Remarks : Information source: Internal study report

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

propane-1,2-diol:

Test Type : Maximization Test
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Components:** 

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### **Components:**

**Chlorantraniliprole:** 

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

glycerol:

Species : Rat Application Route : Oral

Exposure time : 2 years Years Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **Components:**

**Chlorantraniliprole:** 

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

**Application Route: Oral** 

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse

Application Route: Oral

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

glycerol:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

Effects on fetal development : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# **Components:**

**Chlorantraniliprole:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### **Components:**

**Chlorantraniliprole:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

#### Repeated dose toxicity

#### **Components:**

**Chlorantraniliprole:** 

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d

Dose : 0, 1, 1.93, 3.91 mg/L

Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w

Dose : 0, 0.033, 0.165, 0.662 mg/L Symptoms : respiratory tract irritation

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### **Components:**

#### **Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

**Further information** 

**Product:** 

Remarks : No data available

**Components:** 

Chlorantraniliprole:

Remarks : Information presented in this Section conforms to the require-

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory Agencies.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

**Chlorantraniliprole:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

mg/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

07/12/2024 50002934 Date of first issue: 07/12/2024 1.0

propane-1,2-diol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC: 13,020 mg/l Exposure time: 7 d

ic toxicity)

Toxicity to microorganisms EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

glycerol:

Toxicity to fish LC50 (Fish): 885 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)):

2,900 mg/l

Exposure time: 192 h

EC10 (Pseudomonas putida): 10,000 mg/l Toxicity to microorganisms

Exposure time: 16 h

#### Persistence and degradability

#### **Components:**

Chlorantraniliprole:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

propane-1,2-diol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

glycerol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 24 h

**Bioaccumulative potential** 

**Components:** 

**Chlorantraniliprole:** 

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (68 °F / 20 °C)

pH: 4

log Pow: 2.86 (68 °F / 20 °C)

pH: 7

log Pow: 2.80 (68 °F / 20 °C)

pH: 9

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

glycerol:

Partition coefficient: n-

octanol/water

log Pow: -1.75 (77 °F / 25 °C)

pH: 7.4

Mobility in soil

Components:

**Chlorantraniliprole:** 

Distribution among environ-

mental compartments

Koc: 362 ml/g, log Koc: 2.55

Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version **Revision Date:** SDS Number: Date of last issue: -

07/12/2024 50002934 Date of first issue: 07/12/2024 1.0

Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Components:** 

Chlorantraniliprole:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

()

9 Class Ш Packing group Labels 9 Environmentally hazardous yes

**IATA-DGR** 

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

()

Class 9 Packing group Ш

Labels Miscellaneous 964

Packing instruction (cargo

aircraft)

Packing instruction (passen-964

18 / 23

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

()

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes()

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol 57-55-6 >= 1 - < 5 % glycerol 56-81-5 >= 1 - < 5 %

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### Massachusetts Right To Know

glycerol 56-81-5 Quartz (SiO2) 14808-60-7

# Pennsylvania Right To Know

water 7732-18-5
Chlorantraniliprole 500008-45-7
propane-1,2-diol 57-55-6
glycerol 56-81-5
Distillates (petroleum), hydro- treated light; Kerosine — unspecified 64742-47-8

# **Maine Chemicals of High Concern**

Quartz (SiO2) 14808-60-7

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Distillates (petroleum), hydrotreated light; Kerosine — unspecified, Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **California Permissible Exposure Limits for Chemical Contaminants**

glycerol 56-81-5

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### **TSCA list**

The following substance(s) is/are subject to a Significant New Use Rule:

Distillates (petroleum), hydro- treat- 64742-47-8 See 40 CFR 721.11794; Proposed

ed light; Kerosine — unspecified Rule

No substances are subject to TSCA 12(b) export notification requirements.

#### **FIFRA** information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **No Signal Word Required**

When used as directed, this product does not present a hazard to humans or domestic animals.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

#### NFPA 704:

# Flammability Health Instability

Special hazard

**0** No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

according to the OSHA Hazard Communication Standard



# **PODENTIS™** Insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 07/12/2024 50002934 Date of first issue: 07/12/2024

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

#### Prepared by:

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet