according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name EXIREL WG

Other means of identification

Product code 50002606

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Do not use product for anything outside of the above specified

uses.

Manufacturer or supplier's details

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Supplier Address FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	75
kaolin	1332-58-7	>= 10 - < 20
Benzenesulfonic acid, mono-C11-13-	68608-89-9	>= 1 - < 5
branched alkyl derivs., sodium salts		

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms : Mild eye irritant

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

and effects, both acute and

delayed

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

brominated compounds

Nitrogen oxides (NOx)

Carbon oxides

Chlorinated compounds Hydrogen chloride Hydrogen cyanide

Fire may produce irritating, corrosive and/or toxic gases.

Sulfur oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

Evacuate personnel to safe areas. Use personal protective equipment.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

gency procedures Avoid dust formation.

Avoid breathing dust.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection

In the case of dust or aerosol formation use respirator with an approved filter.

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Form : granular

Color : light brown

Odor : Faint

Odor Threshold : No data available

pH : 8.90

Concentration: 1 %

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.593 g/cm3

loose

0.667 g/cm3 Tap density

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Avoid extreme temperatures.

Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.13 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

GLP: yes

Components:

Cyantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Acute inhalation toxicity : LC50: 5.07 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Acute oral toxicity : LD50 (Rat, male and female): 520 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 1,000 - 1,600 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not classified as irritant

Result : No skin irritation

GLP : yes

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Product:

Result : No eye irritation

Assessment : Not classified as irritant

GLP : yes

Components:

Cyantraniliprole:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment : Did not cause sensitization on laboratory animals.

Result : Not a skin sensitizer.

GLP : yes

Components:

Cyantraniliprole:

Test Type : Local lymph node test Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Germ cell mutagenicity - : Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Method: Regulation (EC) No. 440/2008, Annex, B.13/14

(Ames test) Result: negative

Remarks: Based on data from similar materials

Test Type: gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

ment

This product contains crystalline silica (quartz) in a nonrespirable form. Inhalation of crystalline silica is unlikely to

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

09/09/2024 50002606 Date of first issue: 09/09/2024 1.0

> occur from exposure to this product. However, if granules are pulverized or crushed into a fine, respirable powder, silica

exposure via inhalation is probable.

Components:

Cyantraniliprole:

Carcinogenicity - Assess-Weight of evidence does not support classification as a car-

ment cinogen

IARC Group 1: Carcinogenic to humans

1332-58-7

(Silica dust, crystalline)

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP Known to be human carcinogen

> kaolin 1332-58-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Reproductive toxicity - As-

Weight of evidence does not support classification for reprosessment

ductive toxicity

kaolin:

Effects on fertility Remarks: No data available

Effects on fetal development : Remarks: No data available

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Effects on fertility Test Type: Three-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 350 mg/kg bw/day General Toxicity F1: NOAEL: 350 mg/kg bw/day General Toxicity F2: NOAEL: 350 mg/kg bw/day

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development Test Type: Embryo-fetal development

> Species: Mouse, female Application Route: Oral

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: 2 mg/kg bw/day

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Teratogenicity: NOAEL: 300 mg/kg bw/day

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat

NOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

kaolin:

Remarks : No data available

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Species : Rat, male and female

NOAEL : 85 mg/kg LOAEL : 145 mg/kg

13 / 23

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

09/09/2024 50002606 Date of first issue: 09/09/2024 1.0

Application Route Oral Exposure time 9 months

No adverse effect has been observed in chronic toxicity tests. Remarks

Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cyantraniliprole:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l

Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

mg/l

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 21 d

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00656 mg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00969 mg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0.0934 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 0.1055 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.67 mg/l

Exposure time: 96 h Test Type: static test

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.83 mg/l

Exposure time: 48 h

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Test Type: static test

Toxicity to algae/aquatic

plants

EC10 (Pseudokirchneriella subcapitata (green algae)): 9.2

mg/l

Exposure time: 72 h Test Type: static test

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 37

mg/l

Exposure time: 72 h Test Type: static test

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 72 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.41 mg/l

Exposure time: 21 d Test Type: flow-through test

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts:

Biodegradability : Result: Inherently biodegradable.

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Partition coefficient: n-

octanol/water

: log Pow: 1.97 (72 °F / 22 °C)

pH: 4

log Pow: 2.07 (72 °F / 22 °C)

pH: 7

log Pow: 1.74 (72 °F / 22 °C)

pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

Components:

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2.38 Remarks: Mobile in soils

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

17 / 23

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Cyantraniliprole)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Cyantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Cyantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Ems Code : F-A, S-Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

Not regulated as a dangerous good

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde 50-00-0 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde 50-00-0 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

kaolin 1332-58-7 formaldehyde 50-00-0

Pennsylvania Right To Know

Cyantraniliprole 736994-63-1

according to the OSHA Hazard Communication Standard



EXIREL WG

Version **Revision Date:** SDS Number: Date of last issue: -

09/09/2024 50002606 Date of first issue: 09/09/2024 1.0

> kaolin 1332-58-7 9084-06-4

Naphthalenesulfonic acid, polymer with formaldehyde, sodium

salt

sodium sulphate 7757-82-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

formaldehyde 50-00-0

California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, formaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

kaolin 1332-58-7

California Regulated Carcinogens

kaolin 1332-58-7

The ingredients of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC Not in compliance with the inventory

DSL This product contains chemical substance(s) exempt from

> CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS Not in compliance with the inventory

ISHL Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS Not in compliance with the inventory

IECSC Not in compliance with the inventory

NZIoC Not in compliance with the inventory

TECI Not in compliance with the inventory

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:


CAUTION

Causes eye irritation, Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., This product is highly toxic to bees.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for de-

according to the OSHA Hazard Communication Standard



EXIREL WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/09/2024 50002606 Date of first issue: 09/09/2024

termining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet