# SAFETY DATA SHEET

#### **ZIG ZAG**

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0006-A

Revision date: 2020-03-30

Format: EU Version 1.03

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0006-A

Product Name ZIG ZAG

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: An adjuvant for use with pesticides and micronutrients

**Restrictions on use**Use as recommended by the label.

# 1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Agro Limited

Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 1244 537370
E-mail: fmc.agro.uk@fmc.com

#### For further information, please contact:

**Contact point** Tel: +44(0) 1244 537370

Email: fmc.agro.uk@fmc.com

#### 1.4. Emergency telephone number

**Emergency telephone** Medical emergencies:

Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500 Netherlands: +31 30 274 88 88 Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 800 250 250 (in Portugal only), +351 21 330 3284

**SDS #**: NP-0006-A **Revision date**: 2020-03-30

Version 1.03

Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500 Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

For leak, fire, spill, or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A. & Canada) 1 703 / 527 3887 (CHEMTREC - All Other Countries - Collect)

# Section 2: HAZARDS IDENTIFICATION

# **2.1. Classification of the substance or mixture** Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 3 (H412)

#### 2.2. Label elements

#### Hazard pictograms



Signal Word Danger

#### **Hazard Statements**

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

# **Precautionary Statements**

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste in accordance with local regulations.

#### 2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

The product is a mixture, not a substance.

# 3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight	Classification according to	REACH

**Revision date:** 2020-03-30

Version	1.	.03
---------	----	-----

			percent	Regulation (EC) No. 1272/2008 [CLP]	registration number
ethane-1,2-diol	203-473-3	107-21-1	10-30	Acute Tox. 4 (H302) STOT RE 2: (H373)	01-2119456816-28- XXXX
Polyether modified, trisoloxane	-	134180-76-0	5-10	Acute Tox. 4 (H312) Acute Tox. 4 (332) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)	No data available
POLYOXYETHYLENE (7)TRIDECYL ETHER	-	78330-21-9	1-5	Eye Dam. 1 (H318) Aquatic Acute 2 (H401) Aquatic Chronic 2 (H411)	No data available

#### **Additional Information**

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16.

# **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Transfer to hospital for

specialist examination.

**Skin Contact** Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.

**Inhalation** Remove person from exposure ensuring one's own safety while doing so. If symptoms

persist, call a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Transfer to hospital as soon as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure. Repeated ingestion or ingestion of large amounts (>50 mL) may cause kidney failure if

untreated.

# 4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.

# **Section 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Small Fire Dry chemical. Carbon dioxide (CO2).

Large Fire Water spray. Foam.

**Revision date: 2020-03-30** 

Version 1.03

#### Unsuitable extinguishing media

Avoid heavy hose streams.

#### 5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

**Hazardous Combustion** 

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**Products** 

# 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Dike to confine spill and

absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to

local/national regulations (see Section 13).

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

#### Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

#### Specific Use(s)

**Revision date:** 2020-03-30

Version 1.03

See subsection 1.2. Relevant identified uses of the substance or mixture and uses advised against.

#### **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> S*	STEL 40 ppm STEL 104 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> TWA 20 ppm TWA 52 mg/m <sup>3</sup> Skin	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> P*	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> S*	
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> Pelle*	TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 104 mg/m <sup>3</sup> Ceiling 100 mg/m <sup>3</sup> C(A4) P*	Huid* STEL 104 mg/m³ TWA 52 mg/m³ TWA 10 mg/m³	TWA 20 ppm TWA 50 mg/m <sup>3</sup> STEL 40 ppm STEL 100 mg/m <sup>3</sup> iho*	TWA 10 ppm TWA 26 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
ethane-1,2-diol 107-21-1	H* STEL 20 ppm STEL 52 mg/m <sup>3</sup> TWA 10 ppm TWA 26 mg/m <sup>3</sup>	SS-C** H* TWA 10 ppm TWA 26 mg/m <sup>3</sup> STEL 20 ppm STEL 52 mg/m <sup>3</sup>	TWA 15 mg/m <sup>3</sup> STEL 50 mg/m <sup>3</sup>	TWA 20 ppm TWA 52 mg/m <sup>3</sup> S* STEL 104 mg/m <sup>3</sup> STEL 40 ppm	TWA 10 mg/m <sup>3</sup> TWA 20 ppm TWA 52 mg/m <sup>3</sup> STEL 40 ppm STEL 30 mg/m <sup>3</sup> STEL 104 mg/m <sup>3</sup> Skin

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No i

(PNEC)

No information available.

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas. The floor of the storage room

must be impermeable to prevent the escape of liquids.

Personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Provide emergency on-site eyewash.

**Hand Protection** Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

**Skin and Body Protection** Wear protective gloves/clothing.

**Respiratory Protection** Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance No information available

Odour Glue-like

#### NP-0006-A ZIG ZAG

**SDS #**: NP-0006-A **Revision date**: 2020-03-30

Version 1.03

**Colour** White

Odour threshold No information available

**pH** 6.0 - 7.0

Melting point/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash pointNo information availableEvaporation RateNo information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 1.00- 1.05

Water solubility Dispersible in water Solubility in other solvents No information available No information available Partition coefficient **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Viscosity, dynamic **Explosive properties** No information available **Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

# **Section 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

None under normal use conditions

#### 10.2. Chemical stability

Stable under recommended storage conditions.

**Explosion data** 

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

#### 10.3. Possibility of hazardous reactions

# **Hazardous polymerisation**

Hazardous polymerization does not occur.

#### Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Heat.

## 10.5. Incompatible materials

Strong oxidising agents, Strong acids, Strong bases.

#### 10.6. Hazardous decomposition products

**Revision date: 2020-03-30** 

Version 1.03

May emit toxic fumes under fire conditions. See Section 5.2 for more information.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

**Acute toxicity** 

**Product Information** 

•

LD50 Oral > 3000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation

Sensitisation Mutagenicity Carcinogenicity No information available. No information available.

No information available No information available. No information available.

Reproductive toxicity STOT - single exposure STOT - repeated exposure No information available. No information available. No information available.

Symptoms Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure. Repeated ingestion or ingestion of large amounts (>50 mL) may cause kidney failure if

untreated.

**Aspiration hazard** No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity ALGAE (Scenedesmus Subspicatus): 72H ErC50 >500 mg/L (calculated)

DAPHNIDS (Daphnia magna): 48H EC50 = 15.1 mg/L (calculated)

RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 28.8 mg/L (calculated)

12.2. Persistence and degradability

#### NP-0006-A ZIG ZAG

**SDS #**: NP-0006-A **Revision date**: 2020-03-30

Version 1.03

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

#### Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Harmful to aquatic life

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

EWC Waste Disposal No 02 01 08

**OTHER INFORMATION** NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

# **Section 14: TRANSPORT INFORMATION**

NOTE NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT

REGULATIONS.

IMDG/IMO

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard classNot regulated14.4 Packing GroupNot regulated14.5 Marine PollutantNot applicable14.6 Special ProvisionsNone

**14.7** Transport in bulk according to This product is not transported in bulk containers.

Annex II of MARPOL and the IBC

Code

RID

14.1UN/ID noNot regulated14.2Proper Shipping NameNot regulated14.3Hazard classNot regulated14.4Packing GroupNot regulated14.5Environmental HazardNot applicable

14.6 Special Provisions None

Revision date: 2020-03-30 Version 1.03

VEISION 1.0

#### ADR/RID

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard classNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

14.6 Special Provisions None

#### ICAO/IATA

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard classNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

**14.6 Special Provisions** None

# **Section 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Not applicable

# **European Union**

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

# **Persistent Organic Pollutants**

Not Applicable

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
ethane-1,2-diol 107-21-1	Х	Х	X	Х	X	X	Х	X
Polyether modified, trisoloxane 134180-76-0	Х				Х	X	Х	
POLYOXYETHYLENE (7)TRIDECYL ETHER 78330-21-9	Х	X			X	Х	X	X

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# **Section 16: OTHER INFORMATION**

Key or legend to abbreviations and acronyms used in the safety data sheet

Revision date: 2020-03-30

Version 1.03

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 + H332 - Harmful in contact with skin or if inhaled

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

**DNEL:** Derived No Effect Level (DNEL)

**EINECS**: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

**SVHC**: Substances of Very High Concern for Authorisation:

**TWA:** time weighted average

vPvB: very Persistent and very Bioaccumulative

**Revision date:** 2020-03-30

Reason for revision: SDS sections updated.

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### Prepared By

**FMC Corporation** 

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**