

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name CIRCUIT® SYNC TEC®

Other means of identification

Product code 50000810

Unique Formula Identifier (UFI) : 7K50-03HW-PN43-1RWF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

metazachlor (ISO)

Additional Labelling

EUH208 Contains metazachlor (ISO), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0 Revision Date: 26.05.2025 SDS Number: 50000810 Date of last issue: -
Date of first issue: 26.05.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
metazachlor (ISO)	67129-08-2 266-583-0 616-205-00-9	Skin Sens. 1B; H317 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 25 - < 30
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 10 - < 20
sodium nitrate	7631-99-4 231-554-3	Ox. Sol. 2; H272 Eye Irrit. 2; H319	>= 1 - < 10
clomazone (ISO)	81777-89-1 613-340-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	>= 2,5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0 Revision Date: 26.05.2025 SDS Number: 50000810 Date of last issue: -
Date of first issue: 26.05.2025

		aquatic toxicity): 1 <hr/> Acute toxicity estimate Acute oral toxicity: 768 mg/kg Acute inhalation toxicity (dust/mist): 4,85 mg/l	
calcium chloride	10043-52-4 233-140-8 017-013-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 <hr/> specific concentration limit Skin Sens. 1A; H317 >= 0,036 % <hr/> Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| If inhaled | : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.
Do not induce vomiting without medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--------------------------------|
| Risks | : Suspected of causing cancer. |
|-------|--------------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically.
Immediate medical attention is required in case of ingestion. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|------------------------------|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NOx)
Sodium oxides
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0 Revision Date: 26.05.2025 SDS Number: 50000810 Date of last issue: -
Date of first issue: 26.05.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium chloride	Consumers	Inhalation	Long-term local effects	2,5 mg/m ³
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m ³
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light brown
Odour	: aromatic, slight
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: > 100 °C
Decomposition temperature	: not determined
pH	: 6,9 - 8,5 (21 °C) Concentration: 1 %
Viscosity	
Viscosity, dynamic	: 269 - 464 mPa.s (20 °C)
Viscosity, kinematic	: 237,63 - 409,89 mm ² /s
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: 1,132 (20 °C)
Relative vapour density	: not determined
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Self-ignition	: > 400 °C
Evaporation rate	: not determined
Miscibility with water	: dispersible

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.
The product can be ignited by e.g. flame, spark or hot surface.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.356 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg

Components:

metazachlor (ISO):

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 34,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

- Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

sodium nitrate:

- Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg
Method: OECD Test Guideline 401
- LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425
- Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402

clomazone (ISO):

- Acute oral toxicity : Acute toxicity estimate: 768 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
- LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425
- LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver
Assessment: The component/mixture is moderately toxic after single ingestion.
- LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia
- Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

LC50 (Rat): > 5,02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Components:

metazachlor (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	Repeated exposure may cause skin dryness or cracking.
Result	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

clomazone (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

calcium chloride:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	:	No skin irritation
--------	---	--------------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
Remarks	:	Not classified due to data which are conclusive although insuf-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

ficient for classification.

Components:

metazachlor (ISO):

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. May cause mild irritation.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

sodium nitrate:

Species	: Rabbit
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405
Result	: Eye irritation

clomazone (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
GLP	: yes

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: May cause mild irritation. Minimal effects that do not meet the threshold for classification.

calcium chloride:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	: Eye irritation
--------	------------------

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method	:	Regulation (EC) No. 440/2008, Annex, B.42 (LLNA)
Result	:	Did not cause sensitisation on laboratory animals.
Remarks	:	Not classified due to data which are conclusive although insufficient for classification.

Components:

metazachlor (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	The product is a skin sensitizer, sub-category 1B.
Method	:	OECD Test Guideline 406

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

sodium nitrate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

clomazone (ISO):

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	US EPA Test Guideline OPP 81-6

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Result : Not a skin sensitizer.

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig
Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Species : Guinea pig
Method : FIFRA 81.06
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

Components:

metazachlor (ISO):

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration
Species: Rat
Application Route: inhalation (vapour)
Result: negative

sodium nitrate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Mouse
Application Route: Oral
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 471
Result: negative

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : The active ingredient metazachlor is a suspected carcinogen. Increase of various tumour types was observed in rats and mice.

Components:

metazachlor (ISO):

Species	: Rat
Method	: OECD Test Guideline 453
Result	: positive
Symptoms	: Tumour

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
Application Route	: inhalation (vapour)
Exposure time	: 12 month(s)
NOAEC	: 1,8 mg/l
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

clomazone (ISO):

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

Species	: Mouse
Method	: OECD Test Guideline 453
Result	: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

metazachlor (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects
Result: negative

calcium chloride:

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

metazachlor (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

metazachlor (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

metazachlor (ISO):

Species	: Rat
NOAEL	: 20 - 30 mg/kg
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Target Organs	: Liver, Blood

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
NOAEC	: 0,9 - 1,8 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 12 Months

clomazone (ISO):

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral
Exposure time	: 90 days
Symptoms	: increased liver weight

Species	: Rat
LOAEL	: 400 mg/kg
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Symptoms	: Liver effects

1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Product:

No aspiration toxicity classification

Components:

metazachlor (ISO):

No aspiration toxicity classification

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): > 45 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (algae): 0,209 mg/l Exposure time: 72 h

Components:

metazachlor (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 8,5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 33,7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (algae)): 0,0107 mg/l Exposure time: 7 d ErC50 (Pseudokirchneriella subcapitata (algae)): 0,0318 mg/l Exposure time: 72 h ErC50 (Anabaena flos-aquae (cyanobacterium)): > 0,032 mg/l Exposure time: 96 h ErC50 (Lemna gibba (duckweed)): 0,0071 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,00019 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 2,15 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6,25 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 2.000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LC50: > 72 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LC50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 157 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 5,2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l
Exposure time: 48 h
Test Type: static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

	EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l Exposure time: 48 h
	LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to algae/aquatic plants	: EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l Exposure time: 72 h
	ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l Exposure time: 72 h
	ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l Exposure time: 120 h
	EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
	NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l End point: Growth rate Exposure time: 120 h
	NOEC (algae): 0,05 mg/l Exposure time: 96 h
	EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
	EC50 (algae): 0,136 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC: 2,3 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: flow-through test
	NOEC: 2,29 mg/l Exposure time: 57 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 2,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
	NOEC: 0,032 mg/l Exposure time: 28 d Species: Americamysis bahia (mysid shrimp) Test Type: flow-through test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

NOEC: 1,25 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 156 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg
Species: *Anas platyrhynchos* (Mallard duck)

LC50: > 5620 ppm
Species: *Anas platyrhynchos* (Mallard duck)
Remarks: Dietary

LD50: > 2000
Species: *Coturnix japonica* (Japanese quail)

NOEC: 94 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus*

LC50: > 85.29
Species: *Apis mellifera* (bees)

LC50: > 100
Species: *Apis mellifera* (bees)
Remarks: Contact

calcium chloride:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4.630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Chlorella vulgaris* (Fresh water algae)): 2.900 mg/l
Exposure time: 72 h

EC10 (*Chlorella vulgaris* (Fresh water algae)): 1.000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 320 mg/l
Exposure time: 21 d

Lignosulfonic acid, sodium salt, sulfomethylated:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l
Exposure time: 96 h

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Components:

metazachlor (ISO):

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

metazachlor (ISO):

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,49 (21 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72
Method: QSAR

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3,45

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

metazachlor (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient is moderately mobile to mobile in soil.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (metazachlor, Clomazone)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (metazachlor, Clomazone)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (metazachlor, Clomazone)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(metazachlor, Clomazone)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(metazachlor, Clomazone)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	---

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
---	------------------

Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
--	------------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
---	------------------

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
--	------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. sodium nitrate (ANNEX II)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk. : Aromatic hydrocarbons metazachlor

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version 1.0	Revision Date: 26.05.2025	SDS Number: 50000810	Date of last issue: - Date of first issue: 26.05.2025
----------------	------------------------------	-------------------------	--

TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-ONE 2-CHLORO-2',6'-DIMETHYL-N-(1H-PYRAZOL-1-YLMETHYL)ACETANILIDE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Ox. Sol.	:	Oxidizing solids
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Carc. 2	H351
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CIRCUIT® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.05.2025	50000810	Date of first issue: 26.05.2025

concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N